INDEX TO VOLUME 94

*Author index**

A

Abe K, 165, 912
Ablin AR, 413
Abrams L, 126
Accurso F, 681
Acker JD, 410
Adams J, 639
Adkisson MA, 998
Agbayani MM, 851
Aggett PJ, 391
Aiges HW, 632
Akabane T, 19
Aker M, 772
Aladjem M, 853
Aldridge A, 663
Allen HD, 395
Allen MB, 167
Ament ME, 81
Amin JS, 765
Amin S, 609
Amma P, 651
Amos DB, 676
Anand SK, 247
Anderson DC, 164
Anderson TL, 947
Andler W, 304, 853
Ansari A, 752
Ansell BM, 594
Appel TC, 847
Aranda JV, 106, 663, 973, 988
Arey JB, 237
Arnon SS, 331
Arulanantham K, 438
Asch MJ, 260
Asmar BI, 355
August CS, 210
August GP, 215
Austin GE, 32
AvRuskin TW, 307

B

Baba K, 93
Baccaro MM, 454, 651
Bachrach L, 147
Bacopoulos C, 437
Bada HS, 129, 993
Baehner RL, 715
Bai PVA, 65
Baker CJ, 286
Balfour HH Jr, 743
Balistreri WF, 546
Ballard PL, 97
Ballard RA, 97
Balow B, 601
Baltassat P, 988
Balurate HJ, 149
Banagale RC, 973
Baraff LJ, 72
Bargman GJ, 591
Barker BG, 164
Barker LF, 139
Bartholomew B, 507
Bartoletti AL, 952, 956
Bar-Ziv J, 975
Bascom R, 439
Beardwell CG, 719
Beaudet AL, 621
Beckwith JB, 883
Becroft DMO, 74
Bell EF, 810
Bender C, 607
Bergen JS, 927
Berguer A-M, 891
Berman B, 86
Berman PH, 907
Berman W Jr, 654
Bernstein B, 504
Bethenod M, 988
Bickers RG, 1001
Bieber MA, 947
Bierman CW, 767
Biggar WD, 552
Bilaniuk LT, 757
Bill K, 605
Binet EF, 316
Blasco PA, 500
Blaw ME, 998
Blazer-Yost B, 907
Bloom KR, 263
Bloomer JR, 500
Blum D, 841
Boat TF, 1017
Boedecker RA, 760
Bohane TD, 552
Bombach E, 851
Bonta BW, 102
Boris G, 507
Boros SJ, 114
Bory C, 988
Boucek RJ Jr, 755
Bourgeois AL, 431
Boutroy MJ, 996
Boyd J, 110
Boyle P, 534
Boyle RJ, 164
Boyle T, 596
Brandt NJ, 669
Brasfield DM, 239
Brazy JE, 444
Brenner A, 944
Bresnan MJ, 628
Brochu P, 426
Broffman G, 67
Brook I, 10
Brooks JG, 808
Brown DL, 168
Brown DM, 623
Brown E, 965
Brown EJ, 965
Brown ER, 682
Brown LW, 337, 757
Brown MG, 289
Brown RM, 607
Bryson YJ, 673
Buck RO, 610
Buncher CR, 126
Burnett CR, 542
Burstein Y, 895
Bustamante SA, 1015
Butzler JP, 340, 511
Byrne WJ, 81

C

Campbell N, 820
Campbell PE, 633
Campbell W, 647
Caner H, 619
Cantarutti F, 161
Carpentieri U, 919
Carron H, 503
Carter JH, 1018
Carvajal HF, 681
Casalino MB, 765
Casey CE, 607
Cashore WJ, 810
Castaneda AR, 244
Castro-Magana M, 609
Cataldi L, 815
Cates KL, 13
Chamberlin PA, 919
Chan GM, 977
Chance GW, 683
Chandler B, 164
Chandra RK, 850
Chapman JT, 767
Charpentier C, 931
Chase HP, 185
Chaudhary S, 139
Chavez CJ, 292
Chawareewong S, 848
Chen I-W, 977
Chen SY, 609
Cherry JD, 352
Chesney PJ, 750
Chesney RW, 591
Chess S, 679
Chiba T, 255
Chicoine R, 240
Chien L, 231
Chilcote RR, 715
Chilton HW, 808
Chin J, 331
Chintu C, 965
Chiozza ML, 161
Cho K, 151
Christensen E, 669
Christie DL, 78, 509, 625, 851
Christman K, 166
Chu J-Y, 921
Chua C, 129
Chun RWM, 382
Chusid MJ, 429
Clarren SK, 43
Cloutier MM, 239
Coccia PF, 623
Cockrell JL, 347
Cohen DL, 403
Cohen M, 851
Cohen ME, 67
Colle E, 891
Collinge JM, 663
Collipp PJ, 609
Conley ME, 883
Connor JD, 673
Conrad JL, 231
Cook CE, 663
Cooley RL, 610
Correa A, 147
Coyer WF, 970
Cox KL, 488
Cox SF, 295
Cress CC, 61
Crew AD, 774
Crocker JFS, 838

*January, pp 1-176; February, pp 177-354; March, pp 355-520; April, pp 521-684; May, pp 685-854; June, pp 855-1022.

Crosley CJ. 316
Crowley D. 612
Crumrine PK. 75
Cuestas RA. 502. 643
Cummings CW. 194
Cunningham K. 683
Cypess RH. 75

D

Dajani AS. 355
Dallman PR. 26
Damus K. 331
Daum C. 169
Daum F. 632
Daum RS. 403
Davis AT. 840
Davis CA. 559
Davm F. 69
de Belle RC. 472
de Cosen RH. 242
Delage G. 426
Delaney TJ. 503
Delange F. 502
DeLong SR. 91
DeLuca FG. 325
DeLuca HF. 729. 977
Demeuter F. 511
DeNicola LK. 175
Denis R. 511
De Schaepdryver A. 854
Devaskar UP. 681
Deverall PB. 774
DeWolfe MS. 838
Dick M II. 612
Dickinson LC. 538. 542
Dickinson RG. 832
di Sant'Agnese PA. 84
Doershuk CF. 1017
Donato H. 242
Dooley RR. 488
Dorand RD. 813
Dorchester WL. 682
Dorst JP. 680. 823
Doyle PE. 169
Driscoll DJ. 621. 853
Driscoll JM Jr. 341
Duff DF. 621
Dunn PM. 387
Dupart MC. 258
Dupont J. 185
Duran M. 89
Dussault JH. 700
Dyken PR. 167
Dykes A. 72

E

Easa D. 346
Eaton RP. 477
Eddins DL. 231
Edwards MS. 286
Eidelman AI. 169. 510. 961
Elders MJ. 538. 542
Eliachar E. 258
Ellis D. 1018
Ellis NG. 569
Elster AB. 162
Engel RR. 643
Epp E. 746
Epstein MF. 449
Euler AR. 81
Evans HE. 851
Evans N. 156
Evans WE. 139

F

Farrell PM. 84
Feigin RD. 164
Feldman S. 139. 746
Feldman W. 850
Fernald GW. 597
Fernandez-Ulloa M. 91
Fernbach DJ. 498
Ferrara A. 683
Ferrer P. 615
Ferrer PL. 144
Ferry GD. 621
Feusner J. 345
Finberg L. 729
Finegold SM. 10
Finer NN. 110. 295
Finkelstein E. 163
Finley JP. 263. 339
Fireman P. 250. 322
Fisch RO. 601
Fisher DA. 700. 805
Fisher J. 67
Fisher SE. 875
Fishman MA. 177. 385
Fleischman AR. 729
Fleisher G. 723
Fleming PC. 527
Fletcher BD. 605
Floret D. 163
Florman AL. 848
Foley TP Jr. 700
Fontan G. 969
Forman J. 149
Forristal J. 559
Francke U. 289
Frantz ID III. 439
Fraser D. 870
Frederich A. 988
Freedom RM. 835
Freeman A. 223
Fric P. 942
Friday GA. 322
Friedman AL. 521. 591
Friedman Z. 282. 654
Friis-Hansen B. 118
Fujikawa S. 93
Fulginiti V. 1019
Furst E. 510
Fusner JE. 599

G

Gagliardi JV. 102
Gall DG. 552
Garcia O. 144. 615
Gareis F. 770
Garfunkel JM. 60. 619
Garin EH. 415
Garriott J. 647
Garriott JC. 998
Gartner LM. 169. 961
Gebara E. 242
Gehan EA. 342
Gelband H. 144. 615
Gelfand MJ. 91
Gelfand EW. 423
Genel M. 300
George L. 122
George SL. 342
Gerber N. 832
Gerrard JW. 843
Gershon A. 223
Ghent CN. 500
Giacoia GP. 467
Giammona ST. 673
Giardina PJV. 895
Giebink GS. 13
Gifford K. 282
Gilboa N. 190
Gilday DL. 263
Gillette PC. 639
Ginsberg J. 971
Gioseffi O. 242
Girardin EP. 838
Gitlin DA. 75
Glassman MS. 930
Glick MR. 197
Glickman LT. 75
Glode MP. 298
Gober AE. 91
Goetzman BW. 122
Gökalp A. 619
Goldberg SJ. 395
Goldberger JH. 325
Goldman AS. 343
Goldman P. 940. 1018
Goldsmith DI. 493
Gollub SW. 617
Gorman W. 663
Gorodzinsky P. 971
Gotay F. 963
Gottesman JE. 945
Goya N. 759
Graham TP Jr. 755
Granberg JP. 97
Grand RJ. 564
Granoff DM. 768
Gregersen N. 669
Green OC. 1015
Gresham EL. 197
Grogg S. 849
Grøn IH. 669
Grossman H. 512
Grossman M. 147
Groth KE. 743
Grumbach MM. 677
Grushkin CM. 247
Gruskin AB. 149
Gryboski JD. 1011
Gunn TR. 106
Gutai JP. 770
Guyda H. 891

H

Haber LR. 472
Haddad J. 460
Hadeed AJ. 805
Hahn TJ. 38
Hajjar W. 129
Haka-Ikse K. 552
Hall JG. 679
Hall K. 163
Hall RT. 635
Hallman N. 173
Halsey NA. 231
Halstead LR. 38
Halvorsen S. 500
Hambidge KM. 607
Hambleton G. 159
Hamilton JR. 552
Hammerman C. 510. 691
Hamstra A. 729
Hanshaw JB. 175
Hanson JW. 43
Hanson PA. 218
Hanson V. 504
Harland RC. 832
Harries JT. 391
Harris T. 510
Harrison HL. 927
Harrison HR. 917
Hart BA. 320
Harvey BAM. 391
Hasiba U. 875
Hassink SG. 755
Hathaway WE. 210
Hawkins IF. 415
Haycock GB. 342
Hayek A. 477
Haynes RE. 576
Heaney S. 433
Hecht F. 1010
Heird WC. 947
Hellerstein S. 512
Hencz P. 774
Hendeles L. 314
Henle G. 723
Henle W. 723
Henriksen KM. 328

Hermansen MC, 879
Hernandez RJ, 657
Herrod HG, 676, 915
Herscher ES, 654
Herskowitz J, 495
Herzog P, 72
Heubi JE, 546, 97.
Heuser ET, 247
Heymans H, 89
Hicks R, 504
Hill LL, 1017
Hillman LS, 460
Hilty MD, 576
Hirschfeld SS, 1017
Hitter ME, 919
Hobbs JF, 493
Hock E, 166
Hoff N, 460
Hollister DW, 736
Holmberg L, 339
Honig PJ, 596, 604
Hopp R, 1012
Hopwood NJ, 657
Horning MR, 679
Horowitz SD, 750
Horsman LR, 844
Horton WA, 736
Houghton-Allen BW, 633
Houk VH, 680
Howard NJ, 971
Howe P, 917
Howman-Giles RB, 263
Hsia YE, 500, 580
Huang NN, 237
Hubbard VS, 84
Huff DS, 237
Huff JS, 13
Huffer WE, 210
Hug G, 64
Humbert JR, 253
Hummer L, 501
Hung W, 215
Hurst DL, 56

I

Iacuone JJ, 507
Isacc RM, 477
Isenberg JN, 488

J

Jabbour JT, 231
Jacobs WM, 429
Jacobsen BB, 501
Jacobsen JR, 639
Janik DS, 328
Jarvis WR, 423
Jasmin G, 426
Jaubert F, 258
Javitt NB, 296
Jellinek M, 156
Jenis EH, 67
Jewell LD, 421
Jockin H, 467
Jodl J, 942
Johannsson JH, 569
John TJ, 65
Johnson JD, 952, 956
Johnsonbaugh RE, 770
Jona JZ, 760
Jones G, 870
Jones KL, 289
Jones PHM, 719
Joyce TH, 126
Juan CS, 307
Juhn SK, 13
Jusko WJ, 1014

K

Kahn A, 841
Kahn E, 69, 632
Kalousek D, 891
Kammerer B, 534
Kandall SR, 895
Kang S-J, 406
Kaplan SL, 677
Kapoor N, 164
Karayalcin G, 1010
Karmali MA, 527
Karpathios T, 437
Karplus M, 975
Karzon DT, 755
Kasafirek E, 942
Katcher ML, 750
Kaul A, 67, 370
Kauschansky A, 300
Kelch RP, 657
Kelly S, 344, 937
Kennedy E, 512
Kennell JH, 167
Kent JT, 504
Ketel A, 89
Ketting D, 89
Khan AJ, 851
Khanna NN, 993
Kiangsiri S, 848
Kilgore BS, 538, 542
Kim TH, 95
King R, 419
Kinnaird PM Jr, 410
Klatskin G, 580, 1011
Klaus M, 167
Klein AH, 700
Knauss TA, 625
Knight RB, 156
Knox GE, 676
Knox GF, 190
Ko C, 843
Kocoshis S, 1011
Koenig HM, 201
Koerper M, 210
Koerper MA, 413
Koff E, 534
Kohaut EC, 1017
Kohler HG, 162
Komiyama A, 19
Kooh SW, 870
Kornreich H, 504
Koup JR, 320
Kramer MS, 300
Krieger A, 86
Krishnamurthy C, 819
Krivit W, 623
Krugman S, 64
Krutzik S, 623
Kulkarni PB, 813

L

LaBrecque DR, 580
Lachman RS, 736
Lackman L, 589
Laffin RJ, 218
LaFranchi S, 700
Lala VR, 307
Lander HB, 840
Landrigan PJ, 504
Lange L, 395
Lansky LL, 64
Lanzkowsky P, 1010
Lapointe N, 426
Laravuso R, 481
Larregue M, 931
Larsen PR, 700
Lassen NA, 118
Latham PS, 580
Lauwers S, 340
Leake RD, 805
Leblanc M, 419
LeClerc M, 673
Lee J, 538, 542
Lee K, 169
Lee PA, 770, 823
Leipzig B, 194
Lemonnier A, 931
Lemonnier F, 931
Lennette ET, 723
Lester R, 472
Levin D, 998
Levin DL, 647
Levin MJ, 135
Levin R, 147
Levine J, 596
Leviton A, 505
Levy HL, 344, 628
Lewis JH, 875
Lewiston N, 419
Lickrish GM, 339
Lieberman E, 247
Liebhaber M, 419
Liebman WM, 132, 508
Lightsey AL Jr, 201
Lilen LD, 1015
Lilien LD, 454, 651
Lin FL, 431
Linde RE, 432
Linshaw MA, 927
Lipsey A, 752
Lipsitz PJ, 168
Little JM, 472
LiVolsi VA, 853
Loggie JMH, 685
Lokaphadhana K, 848
Lomeli JIA, 631
Londe S, 617
Loren ML, 610
Lorente F, 969
Lorentz WB Jr, 417
Lou HC, 118
Loughlin GM, 365, 508
Loughnan PM, 663
Lovejoy FH Jr, 940
Lozoff B, 167
Luban NLC, 408
Lubinsky M, 678
Lui VK-S, 95
Lukas W, 500
Lum GM, 190
Lynn RK, 832

M

McAdams AJ, 559
McAlister W, 460
McAnarney ER, 162
McCaw BK, 1010
McClain KL, 599
McClung HJ, 576
McComb RD, 47
McCracken GH Jr, 987
McElhinney J, 925
McEnery PT, 559
McFadden D, 612
McGeeney T, 927
MacGillivray MH, 930
McGraw CA, 546
MacGregor DL, 168
McGuigan MA, 940
McIntire MS, 433
Mackie GG, 472
McMillan R, 201
McNamara DG, 639
McVicar M, 69
Maddaiah VT, 609
Maisels MJ, 282
Mališ F, 942
Mancer JFK, 883
Manginello FP, 296
Mangos JA, 239
Mares AJ, 975
Marino SK, 940
Markesbery WR, 47
Marks KH, 282
Marks MI, 589
Martin RJ, 271

Maruyama S, 151
Mata L, 347
Matsaniotis N, 437
Matsuura N, 912
Matthay KK, 413
Matwynshyn J, 651
May JT, 1
Mayans JAR, 631
Mearns AJ, 774
Meikl AW, 933
Melendez MT, 319
Melton ET, 139
Menchaca JA, 507
Menke JA, 467
Merino MJ, 853
Merrill RE, 520
Metrakos K, 106
Meyer WJ III, 52
Miale T, 239
Michels VV, 621
Middleton PJ, 423
Midura TF, 331
Migeon CJ, 770, 823
Mihalas LS, 1013
Miller DR, 408
Miller GC, 849
Miller ME, 387
Milley JR, 706
Mills EL, 13
Mills LJ, 647
Milstein JM, 122
Minami R, 255
Minnich L, 917
Minoli I, 847
Mintzer R, 376
Mitchell I, 1013
Mitchell ML, 700
Mittleman R, 346
Miyagawa Y, 19
Miyazaki S, 759
Mizrahi EM, 493
Modanlou HD, 682
Modlin JF, 231
Moessinger AC, 341
Moestrup T, 339
Mongkolsmai C, 312
Monin P, 996
Monnet P, 163
Monroe L, 639
Moore E, 282
Mor J, 69
Moriartey RR, 110, 295
Morin CL, 509
Morosawa H, 19
Morris BA, 710
Moss AJ, 32
Moss R, 419
Moss TJ, 32
Mouradian J, 408
Mukhopadhyay N, 498
Murphy D, 925, 983
Murphey WH, 700
Murti L, 844
Muttart CR, 947

N

Nachum R, 752
Nagel J, 250
Nagel JE, 322
Naiman JL, 86
Nakahata T, 19
Nakamura H, 93
Nakao T, 255
Nakashima G, 924
Nathanson LW, 506
Needleman HL, 505, 680
Neidich GA, 810
Neims AH, 663
Nelson DB, 750
Nelson WE, 349
Nesbit ME, 623
New MI, 685
Newman AJ, 594
Nezelof C, 258
Nicholls E, 449
Nicholson JF, 947
Nickelsen JA, 1014
Nicolaidou P, 437
Nischida Y, 763
Nix WL, 498
Noblett HR, 633
Nordan UZ, 253
Nordschow CD, 197
Nugent SK, 481, 706
Nussbaum E, 1017

O

O'Brien BD, 421
O'Connor CF, 438
O'Connor WN, 47
Odievre M, 931
Ogra PL, 67, 223, 370
Oh W, 164, 810
Ohtsuka M, 759
Ojeda JA, 969
Okken A, 271
Okuno A, 912
O'Leary J, 419
Olson DL, 247
O'Malley J, 223
Önes SÜ, 497
Onur K, 307
O'Riordan AC, 312
Orlowski JP, 569
Orrison WW, 382
Ortega JA, 205
Osher AB, 488
Oshima K, 763
Oski FA, 194, 515
Ossi M, 139
Ostrander CR, 952, 956
Ostrea EM Jr, 292
Outerbridge EW, 663, 973
Owen H, 472
Oyanagi K, 255
Özsoylu S, 619

P

Pagon RA, 900
Pai CH, 589
Pang EJ-M, 407
Parikh N, 967
Parkey M, 647
Partin JC, 546
Pascual JF, 319
Pass RF, 748
Patel PA, 223
Patten EV, 919
Patterson R, 376
Paxson CL, 61
Pazin GJ, 322
Pearson D, 719
Peitersen B, 501
Pelletier M, 426
Perlman M, 772
Perman JA, 564
Peterson CM, 895
Phillips HJ, 110, 295
Pichichero ME, 958
Pickering LK, 164
Pickering RJ, 218
Pickoff AS, 144, 615
Pierson WE, 767
Pildes RS, 454, 651, 1015
Pinsky WW, 639
Pittard WB III, 605
Plotnick LP, 823
Polesky HF, 967
Polidori G, 815
Poliner JR, 597
Poole C, 1005
Porter RC, 239
Porthault M, 988
Preis O, 816
Price DA, 719
Propper RD, 940
Pueschel SM, 534, 628
Pupkin MJ, 444
Pyati S, 651

Q

Quie PG, 13

R

Rabin B, 250
Rabinovitch M, 244
Ragab AH, 95
Raine PAM, 633
Rallison ML, 933
Ramsay NKC, 623
Randall HT, 325
Rao S, 407
Rasmussen K, 669
Ratner H, 851
Rausen AR, 895
Ray CG, 917
Reeves JD, 210
Reilly BJ, 870
Reiter EO, 190
Renaud H, 163
Rendin RW, 431
Rennert OM, 165
Rettig PJ, 855
Reveri M, 819
Rice DR, 153
Riely CA, 580, 1011
Riemenschneider TA, 122
Riley P, 106
Riley WJ, 1011
Rimoin DL, 347, 736
Ringdahl IC, 538
Rivera-Viera JF, 319
Roberts M, 376
Roberts RJ, 1001
Robertson WC Jr, 382
Robinow M, 776
Robinson H, 231
Robles-Valdés C, 631
Robotham JL, 1016
Robson AM, 685
Rodriguez MG, 969
Rogers JG, 52
Rogers MC, 481, 706
Rogovitz DM, 91
Rohr C, 610
Romagnoli C, 815
Romshe CA, 576
Root AW, 190
Rose JQ, 1014
Rosen JF, 729
Rosen RB, 406
Rosenberg M, 376
Rosenbloom AL, 1011
Rosenfeld R, 240
Rosenfeld S, 768
Rosenfield RL, 454
Rosenthal A, 612
Rosenthal P, 847
Rosman NP, 495
Rothbach C, 250
Rourk MH Jr, 915
Rowe RD, 263
Rowland TW, 244
Rowlingson JC, 503
Royer RJ, 996
Royer-Morrot MJ, 996
Rubaltelli FF, 161
Rubin D, 271
Rubin RA, 601
Rudd NL, 835
Rudolph N, 816
Rudoy RC, 924

S

Saarinen UM, 346
Sacher M, 159
Sachs HK, 506
Sackett JF, 382
Sacks LM, 341
Sahn DJ, 395
Salmon JH, 129
Samloff IM, 132
Sapire DW, 312
Sasaki H, 912
Say B, 849
Schaller JG, 679
Schedewie HK, 538, 542
Schiffrin A, 891
Schmalstieg FC, 343
Schneider S, 153
Schreiner RL, 197
Schubert WK, 546
Schultz RM, 930
Schumacher HR, 343, 499
Schutgens RBH, 89
Schwartz GJ, 342
Schwartz RH, 432
Sebring ES, 967
Segal S, 907
Segar WE, 521, 591
Segni G, 815
Sell SH, 755
Seyler LE Jr, 438
Shaffer E, 472
Shalet SM, 719
Shannon CC, 963
Shanske A, 1010
Shapiro GG, 767
Sharma P, 512
Shaw A, 776
Shende A, 1010
Shepard TH, 763, 900
Sherard ES Jr, 576
Sherman NJ, 260
Shibata R, 759
Shih VE, 628
Shimizu T, 151
Shimura T, 93
Shmerling DH, 159
Siber GR, 135
Siimes MA, 26, 176
Siljestrom K, 895
Silverberg M, 632
Sinai RE, 589
Singsen BH, 504
Sintek C, 314
Siplovich L, 975
Sivasubramanian KN, 479
Sklar CA, 677
Slaby J, 942
Slonim AE, 772
Smith AL, 135, 403
Smith DW, 43, 387, 900, 1021
Smith LR, 604
Smith WB, 832
Snead OC, 410
Sniderman S, 97
Sogawa H, 255
Somani SM, 993
Sommer FF, 500
Sondheimer JM, 710
Soothill JF, 391
Sorger S, 589
Sotos JF, 56
Sparkuhl A, 945
Spero JA, 875
Spier P, 891
Spigelblatt L, 240
Spock A, 676, 915
Squires AE, 38
Staheli LT, 679
Stahlman MT, 516
Standefer JC, 477
Stark AR, 275, 298, 439
Starshak RJ, 879
Stass SA, 343, 499
Steel AE, 774
Steele AM, 168
Steichen JJ, 126, 977
Steiman GS, 907
Steuber CP, 498
Stevenson DK, 952, 956
Stewart AR, 110, 295
Stewart I, 820
Stewart L, 166
Stockman JA, 194
Stone JR Jr, 201
Strobel CT, 81
Strominger DB, 38
Stubblefield PG, 449
Sty JR, 429, 760
Susin M, 69
Swarner OW, 328
Swender P, 194
Swinburne LM, 162

T

Taguchi T, 912
Takimoto M, 151
Tamer D, 615
Tamer L, 144
Tanswell AK, 480
Taussig LM, 365, 508
Taylor RH, 139
Teichberg S, 69
Teitelbaum S, 460
Tenckhoff L, 883
Thach BT, 275
Theman A, 295
Thirumoorthi MC, 355
Thomaidis T, 437
Thompson B, 331
Thompson JA, 923
Thomson ABR, 421
Tiller RE, 239
Timpo AE, 765
Tin AA, 993
Tindall RSA, 998
Todd J, 925, 983
Todd JK, 958
Todd WA, 936
Tortorolo G, 815
Traisman HS, 497
Trause MA, 167
Treves S, 244
Tsang R, 126
Tsang RC, 977
Tyrrell DL, 421

U

Ubriani RS, 851
Ueda K, 759, 763
Ulan O, 110
Ulan OA, 295
Urban MD, 52, 770, 823
Urizar RE, 218
Utsumi Y, 93

V

Valdeś-Depena M, 1005
Van Achter H, 511
Van Thiel DH, 875
Varga JR, 680
Vasquez SB, 56
Vaupshas V, 472
Vávrova V, 942
Veder HA, 89
Vert P, 996
Vichinsky EP, 678
Vinocur B, 847
Visser VE, 635
Vitullo BB, 472
Volkman PH, 852
Volpe JJ, 160, 170

W

Wadman SK, 89
Wald MK, 1012
Waldo FB, 748
Walfish PG, 700, 971
Walker KM, 970
Walravens PA, 607
Walters CE, 210
Wang JLF, 376
Warshaw BL, 247
Warshaw JB, 102
Wasi C, 848
Watkins JB, 564
Waxman MB, 339
Wehrle PF, 828, 865
Weinberger M, 314
Weiner RL, 1012
Weinhouse E, 166
Weisman Y, 190
Weitzman RE, 805
Welliver RC, 370
Welsh JK, 1
Wennberg RP, 122
Werlin SL, 564, 879
Wesselhoeft CW, 325
West CD, 559
Whitman V, 654
Wigger HJ, 341
Wigglesworth JS, 159
Wilkins EB, 597
Wilkins J, 828, 865
Williams RL, 185
Williams V, 102
Willis D, 106
Wolff G, 144
Wong PY, 339
Wood RE, 1017
Wood RM, 331
Woodruff C, 1012
Woodruff RD, 95
Worley L, 1005
Worsham NG, 679
Wyatt RJ, 559
Wyman ML, 328

Y

Yaghmai F, 167
Yeh TF, 651
Yogev R, 840
Yoonessi W, 223
Yoshioka H, 151
Young AD, 919
Yuceoglu AM, 765
Yudkoff M, 907

Z

Zachmann M, 304
Zanardo V, 161
Zies L, 144
Zigrang WD, 933
Zimmerman RA, 757
Zipf WB, 657
Zipursky A, 965

*Subject index**

A

Abdominal distention in newborn infants on phototherapy—role of eye occlusion (Preis and Rudolph) (BCLO), 816
muscle deficiency, cause of, and the "prune belly": Urethral obstruction malformation complex (Pagon et al), 900
ABO hemolytic disease, quantitation of spherocytes in (Zipursky et al) (BCLO), 965
Abscess, gonococcal scalp (Reveri and Krishnamurthy) (BCLO), 819
Listeria brain, in immunosuppressed child (Dykes et al) (BCLO), 72
lung—bacteriology and therapy of (Brook and Finegold), 10
suprarenal, due to group B streptococcus (Walker and Coyer) (BCLO), 970
Acetaminophen/aspirin intoxication, combined (Bickers and Roberts) (BCLO), 1001
Achondroplastic children and their parents—zinc deficiency in (Collipp et al) (BCLO), 609
Acid(s), amino, and glucose versus glucose in premature infants, controlled trial of (Anderson et al), 947
reflux test for gastroesophageal reflux (Christie) (BCLO), 78
Acidosis, goat milk (Harrison et al) (BCLO), 927
lactic, and hypoglycemia associated with fructose-1,6-diphosphatase deficiency (Rallison et al) (BCLO), 933
Aciduria, glutaric (glutaryl-CoA dehydrogenase deficiency), treatment of (Brandt et al), 669
Actinomycosis from a toothpick injury (Murphy et al) (BCLO), 925
Addiction, maternal—perinatal problems (excluding neonatal withdrawal) in: Study of 830 cases (Ostrea and Chavez) (BCLO), 292
Adenocarcinoma of colon in adolescent with family cancer syndrome (Aiges et al) (BCLO), 632
Adenovirus 19 infection—cluster with multiple clinical manifestations (Harrison et al) (BCLO), 917
Adolescent girl with testicular feminization after castration in early childhood—spontaneous breast development in (Andler and Zachmann) (BCLO), 304
secondary amenorrhea: Association with hypothalamic hypothyroidism (Kramer et al), 300
family cancer syndrome, adenocarcinoma of colon in (Aiges et al) (BCLO), 632
trimethylaminuria, psychosocial problems as major complication of (Todd) (BCLO), 936
Adrenal and renal carcinoma, differentiation of (Merino and LiVolsi) (Letter), 853; (Andler) (Reply), 854
hyperplasia, congenital, due to 21-hydroxylase deficiency—detection of heterozygous state in siblings of patients with (Gutai et al) (BCLO), 770
Adrenarche, premature—estradiol values in (Sklar et al) (Letter), 677
Age, gestational and postnatal, effects of, and some common neonatal abnormalities. I. Pulmonary excretion of carbon monoxide in human infant as index of bilirubin production (Bartoletti et al), 952
reverse tri-iodothyronine to tri-iodothyronine ratio (Isaac et al), 477
correlated with time of maternal rubella and with type of defect: Congenital rubella syndrome (Ueda et al) (BCLO), 763
—ionized Ca in neonates in relation to (Tsang et al) (BCLO), 126
maternal, re septo-optic dysplasia (Elster and McAnarney) (Letter), 162
preterm small-for-gestational, infant—handicap in (Commey and Fitzhardinge), 779
Agranulocytosis, congenital, terminating in acute myelomonocytic leukemia (Rosen and King) (BCLO), 406
Airway disease, reactive—relationship to development of: Cell-mediated immune response to respiratory syncytial virus infection (Welliver et al), 370
obstruction and spontaneous neck flexion during apneic spells in preterm infants (Thach and Stark), 275
pressure wave form and variations in inspiratory:expiratory ration during mechanical ventilation: Significance of mean airway pressure (Boros), 114
upper, obstruction—hemodynamics of (Robotham) (Letter), 1016; (Nussbaum et al) (Reply), 1017
Alkaline phosphatase activity, leukocyte, in diagnosis of neonatal bacterial infections (Donato et al) (BCLO), 242
Allergic bronchopulmonary aspergillosis (Wang et al), 376
Alopecia, rickets with: Inborn error of vitamin D metabolism (Rosen et al), 729
Amenorrhea, adolescent secondary: Association with hypothalamic hypothyroidism (Kramer et al), 300
Amino acids and glucose versus glucose in premature infants, controlled trial of (Anderson et al), 947
Aminoglycoside clearance with cystic fibrosis (Finkelstein and Hall) (Letter), 163
Ampicillin-resistant *H. influenzae* in soft tissue infections treated with high doses of ampicillin (Murphy and Todd), 983; Commentary (McCracken), 987

*January, pp 1-176; February, pp 177-354; March, pp 355-520; April, pp 521-684; May, pp 685-854; June, pp 855-1022.

Analgesia, routine obstetric—naloxone reversal of mild neurobehavioral depression in normal newborn infants after (Bonta et al), 102
Anasarca, anemia, and failure to thrive (Worley et al), 1005
Androgens, synthetic—effect on hypothalmic-pituitary-gonadal axis in boys with constitutionally delayed growth (Hopwood et al), 657
Anemia associated with rheumatoid arthritis (Vichinsky) (Letter), 678
cold-agglutinin autoimmune hemolytic—encephalopathy and fatty metamorphosis of liver associated with (Orlowski et al), 569
Coombs positive hemolytic, in congenital rubella (Miyazaki et al) (BCLO), 759
failure to thrive, and anasarca (Worley et al), 1005
fatal aplastic, following apparent "dose-related" chloramphenicol toxicity (Daum et al) (BCLO), 403
sickle cell—cystic fibrosis in two black children with (Porter et al) (BCLO), 239
Anomalies, genital, mental retardation, short stature, and contractures of hands—familial syndrome of (Urban et al), 52
Anorectal anomalies, postaxial polydactyly, uterovaginal duplications, hydrometrocolpos, vaginal atresia, and congenital heart disease—recessively inherited: McKusick-Kaufman syndrome (Robinow and Shaw) (BCLO), 776
Antibody-coated bacteria and urinary tract infection (Denis et al) (Letter), 511; (Hellerstein et al) (Reply), 512
deficiency with normal immunoglobulins (Rothbach et al) (BCLO), 250
responses, heterophil—incidence with infectious mononucleosis (Fleisher et al), 723
Antidiuretic hormone excess (Friedman and Segar), 521
Antitrypsin, Pi SZ alpha$_1$-, deficiency and pulmonary cavitation (Rosenfeld and Granoff) (BCLO), 768
Aortic lesions, preatherosclerotic, in cystic fibrosis (Moss et al), 32
Aplastic anemia, fatal, following apparent "dose-related" chloramphenicol toxicity (Daum et al) (BCLO), 403
Apnea—effects of theophylline on serum and urine electrolytes in preterm infants with (Shannon and Gotay) (BCLO), 963
in premature infant—caffeine, metabolite of theophylline during treatment of (Boutroy et al) (BCLO), 996
—pharmacokinetic profile of caffeine in premature newborn infant with (Aranda et al), 663
—sequelae of caffeine treatment in preterm infants with (Gunn et al), 106
Apneic spells in preterm infants—spontaneous neck flexion and airway obstruction during (Thach and Stark), 275
Arachnodactyly, Marfan syndrome, and cardiac abnormalities (Traisman) (Letter), 497
Arm deletions, partial short, of X chromosome and spontaneous pubertal development in girls with short stature (Kalousek et al), 891
position and blood pressure (Londe and Gollub) (BCLO), 617; Commentary (Garfunkel) (BCLO), 619
Arterial oxygen tension during active and quiet sleep in normal neonate (Martin et al), 271
Artery(ies) and veins, peripheral—exchange transfusion in ill newborn infants using (Campbell and Stewart) (BCLO), 820
great—transposition of: Possible risk factor for *H. influenzae* type b meningitis (Hassink et al) (BCLO), 755
left coronary, anomalous origin of, from main pulmonary artery—thallium 201 scintigraphy with (Rabinovitch et al) (BCLO), 244
Arteriosus, patent ductus, and hypocalcemia (Hammerman et al) (BCLO), 961
Arthritis, episodic, with cystic fibrosis (Newman and Ansell) (BCLO), 594
Pseudomonas, following puncture wounds of foot (Chusid et al) (BCLO), 429
rheumatoid—anemia associated with (Vichinsky) (Letter), 678
Salmonella reactive: Clues to diagnosis (Levine et al) (BCLO), 596
Arthrogryposis multiplex congenita, renal dysfunction, and cholestatic and pigmentary liver disease associated with lethal familial syndrome (Nezelof et al) (BCLO), 258
Ascites, refractory, associated with dialysis—local steroid therapy of (Pascual et al) (BCLO), 319
chylous, managed by total parenteral nutrition (Asch and Sherman) (BCLO), 260
Aspergillosis, allergic bronchopulmonary (Wang et al), 376
Aspiration, needle, in *H. influenzae* type b cellulitis, diagnostic value of (Rudoy and Nakashima) (BCLO), 924
suprapubic bladder—anaerobic bacteremia following (Pass and Waldo) (BCLO), 748
Aspirin/acetaminophen intoxication, combined (Bickers and Roberts) (BCLO), 1001
Asthma, acute—poliomyelitis-like illness after (Shapiro et al) (BCLO), 767
vascular ring presenting as: Value of flow-volume curve (Loren et al) (BCLO), 610
Atelectasis, postextubation: Retrospective review and a prospective controlled study (Finer et al), 110
Atherosclerotic, pre-, aortic lesions in cystic fibrosis (Moss et al), 32
Atresia, familial pyloric, associated with epidermolysis bullosa (Swinburne and Kohler) (Letter), 162
Autoimmune hemolytic anemia, cold-agglutinin—encephalopathy and fatty metamorphosis of liver associated with (Orlowski et al), 569
Autoregulation, impaired, of cerebral blood flow in distressed newborn infant (Lou et al), 118

B

Bacteremia, anaerobic, following suprapubic bladder aspiration (Pass and Waldo) (BCLO), 748
detection of neonatal (Pichichero and Todd) (BCLO), 958
Bacteria, antibody-coated, and urinary tract infection (Denis et al) (Letter), 511; (Hellerstein et al) (Reply), 512
—mediated cyanide toxicity after laetrile enemas (Carter and Goldman) (Letter), 1018

Bacterial colonization of normal newborn infants, effect of three cord-care regimens on (Barrett et al) (BCLO), 796
infections, neonatal—leukocyte alkaline phosphatase activity in diagnosis of (Donato et al) (BCLO), 242
Bacteriology and therapy of lung abscess (Brook and Finegold), 10
Barometric pressure and sudden infant death syndrome (Heaney and McIntire) (BCLO), 433
Beckwith-Wiedemann (EMG) syndrome—breast fibroadenoma and cardiac anomaly associated with (Raine et al) (BCLO), 633
Behavior checklist used on a pediatric inpatient unit (Jellinek et al) (BCLO), 156
Behavioral consequences of congenital rubella (Lubinsky) (Letter), 678; (Chess) (Reply), 679
"Belly, prune," and abdominal muscle deficiency, cause of: Urethral obstruction malformation complex (Pagon et al), 900
Betamethasone—prenatal administration for prevention of respiratory distress syndrome (Ballard et al), 97
Bile acid malabsorption, primary—refractory infantile diarrhea due to (Heubi et al), 546
salts, intestinal absorption of: Immature development in neonate (de Belle et al), 472
Bilirubin levels, neonatal serum, related to cognitive development at ages 4 through 7 years (Rubin et al) (BCLO), 601
production, pulmonary excretion of carbon monoxide in human infant as index of. I. Effects of gestational and postnatal age and some common neonatal abnormalities (Bartoletti et al), 952; II. Infants of diabetic mothers (Stevenson et al) (BCLO), 956
Biopsy, brain—diagnostic value of (Dyken et al) (Letter), 167; (MacGregor) (Reply), 168
testicular, prior to termination of leukemic therapy (Kim et al) (BCLO), 95
Birth defects associated with immunodeficiency (Say et al) (Letter), 849; (Chandra) (Reply), 850
Bladder aspiration, suprapubic—anaerobic bacteremia following (Pass and Waldo) (BCLO), 748
Blood flow, cerebral, and impaired autoregulation in distressed newborn infant (Lou et al), 118
in newborn infant: Relation to hypoxic-ischemic brain injury and periventricular hemorrhage (Volpe) (Editor's column), 173
levels, high, of vasopressin during neonatal period—possible mechanisms of (Hadeed et al) (BCLO), 805
pressure and arm position (Londe and Gollub) (BCLO), 617; Commentary (Garfunkel) (BCLO), 619
required for partial exchange transfusion, new method for calculating volumes of (Berman et al) (BCLO), 86
umbilical cord—granulocyte adherence in (Fontan et al) (BCLO), 969
whole, and plasma theophylline concentration in neonates, relationship between (Koup and Hart) (BCLO), 320
Bloody gastric fluid from newborn infants, evaluation of (Parikh et al) (BCLO), 967
Body surface area, methods for measurement of (George and Gehan) (Letter), 342; (Haycock and Schwartz) (Reply), 342
predictability of peak serum gentamicin concentration with dosage based on (Siber et al), 135
Body—Cont'd
weight and body surface area as dose determinants, randomized prospective comparison of: Gentamicin dosage (Evans et al), 139
Bonding, mother-neonate: Further theory development and research (Hock et al) (Letter), 166; (Lozoff et al) (Reply), 167
Bone marrow cells, immediate chromosome diagnosis on: Aid to management of malformed newborn infant (Francke et al) (BCLO), 289
Book reviews, 846
Botulism, infant, and honey connection: Commentary (Brown), 337
—honey and other environmental risk factors for (Arnon et al), 331
Brain abscess, *Listeria*, in immunosuppressed child (Dykes et al) (BCLO), 72
biopsy, diagnostic value of (Dyken et al) (Letter), 167; (MacGregor) (Reply), 168
disease, polycystic, complicating neonatal meningitis: Documentation of evolution by computed tomography (Brown et al) (BCLO), 757
injury, hypoxic-ischemic, related to periventricular hemorrhage: Cerebral blood flow in newborn infant (Volpe) (Editor's column), 173
Breast development, spontaneous, in adolescent girl with testicular feminization after castration in early childhood (Andler and Zachmann) (BCLO), 304
-fed infants—plasma zinc concentrations of (Hambidge et al) (BCLO), 607
feeding, prolonged—need for iron supplementation in infants on (Mittleman) (Letter), 346; (Saarinen) (Reply), 346
fibroadenoma and cardiac anomaly associated with EMG (Beckwith-Wiedemann) syndrome (Raine et al) (BCLO), 633
milk, anti-infective properties of (Welsh and May), 1
Bronchial hyperreactivity in cystic fibrosis (Mihalas) (Letter), 1013; (Mitchell) (Reply), 1013
Bronchopulmonary aspergillosis, allergic (Wang et al), 376
dysplasia, related to fluid intake (Accurso) (Letter), 681; (Brown) (Reply), 682
Bronchus, left, in newborn infants—technique of selective intubation of (Sivasubramanian) (BCLO), 479
Bundle branch block, left, due to hyperkalemia in premature infants (Herscher et al) (BCLO), 654

C

C3 nephritic factor and hypocomplementemia with idiopathic rapidly progressive glomerulonephritis (Davis et al), 559
Ca, ionized, in neonates in relation to gestational age (Tsang et al) (BCLO), 126
Caffeine and theophylline, interconversion of, in newborn infants (Bada et al) (BCLO), 993
metabolism of theophylline to, in premature newborn infants (Bory et al), 988
metabolite of theophylline during treatment of apnea in premature infant (Boutroy et al) (BCLO), 996
pharmacokinetic profile of, in premature newborn infant with apnea (Aranda et al), 663

Caffeine–Cont'd
treatment in preterm infants with apnea, sequelae of (Gunn et al), 106
Camptodactyly, large bifrontal diameter, broad distal femora and without broad middle phalanges–Marshall-Smith syndrome with (Shirmura et al) (BCLO), 93
Campylobacter enteritis (Karmali and Fleming), 527
fetus infection in children (Butzler and Lauwers) (Letter), 340
gastroenteritis (Pai et al) (BCLO), 589
infections in human beings (Rettig), 855
Cancer syndrome, family–adenocarcinoma of colon in adolescent with (Aiges et al) (BCLO), 632
Candidiasis, chronic mucocutaneous–topical clotrimazole treatment of (Pazin et al) (BCLO), 322
Carbon monoxide, pulmonary excretion of, in human infant as index of bilirubin production. I. Effects of gestational and postnatal age and some common neonatal abnormalities (Bartoletti et al), 952; II. Infants of diabetic mothers (Stevenson et al) (BCLO), 956
Carcinoma, renal and adrenal–differentiation of (Merino and LiVolsi) (Letter), 853; (Andler) (Reply), 854
Cardiac abnormalities, Marfan syndrome, and arachnodactyly (Traisman) (Letter), 497
anomaly and breast fibroadenoma associated with EMG (Beckwith-Wiedemann) syndrome (Raine et al) (BCLO), 633
intra-, placement of umbilical venous catheter, a complication of: Hydrothorax (Kulkarni and Dorand) (BCLO), 813
rhythm disorders, diagnosis and management by transtelephonic electrocardiography (Dick et al) (BCLO), 612
Caroli disease: Diagnostic approach (Hermansen et al), 879
Cartilage metabolism altered by neurostimulant drugs (Kilgore et al), 542
Castration in early childhood–spontaneous breast development in adolescent girl with testicular feminization after (Andler and Zachmann) (BCLO), 304
Catecholamines and metabolites, urinary (Aladjem) (Letter), 853; (De Schaepdryver) (Reply), 853
Catheter, umbilical venous–complication of intracardiac placement of: Hydrothorax (Kulkarni and Dorand) (BCLO), 813
Cavitation, pulmonary, and Pi SZ alpha$_1$-antitrypsin deficiency (Rosenfeld and Granoff) (BCLO), 768
Cefazolin transferred into human milk (Yoshioka et al) (BCLO), 151
Cell(s), bone marrow–immediate chromosome diagnosis on: Aid to management of malformed newborn infant (Francke et al) (BCLO), 289
giant-, pneumonia caused by parainfluenza virus (Delage et al) (BCLO), 426
hand mirror, acute lymphoblastic leukemia with B lymphoid surface markers (Nix et al) (Letter), 498; (Schumacher and Stass) (Reply), 499
lymphoblastic leukemia, in culture–autonomous production of parathyroid hormone by (Ramsay et al) (BCLO), 623
mediated immune response to respiratory syncytial virus infection: Relationship to development of reactive airway disease (Welliver et al), 370
Cell mediated–Cont'd
immunity to varicella-zoster virus infection in subjects with lymphoma or leukemia (Patel et al), 223
tumor, renin-producing juxtaglomerular–hypertension secondary to (Warshaw et al) (BCLO), 247
volume, red, and hemoglobin–percentile curves for (Dallman and Siimes), 26
Cellulitis, *H. influenzae* type b–diagnostic value of needle aspiration in (Rudoy and Nakashima) (BCLO), 924
scrotal, associated with idiopathic colitis (O'Brien et al) (BCLO), 421
Cerebral blood flow and impaired autoregulation in distressed newborn infant (Lou et al), 118
in newborn infant: Relation to hypoxic-ischemic brain injury and periventricular hemorrhage (Volpe) (Editor's column), 173
Cerebrospinal fluid muramidase levels in meningitis (Ansari et al) (BCLO), 752
Cerebrovascular complications in phencyclidine intoxication (Crosley and Binet) (BCLO), 316
Chest tube(s) insertion in neonatal pneumothorax, complication of: Lung perforation (Banagale et al) (BCLO), 973
lung perforation by (Sacks) (Letter), 341; (Moessinger et al) (Reply), 341
Chloramphenicol therapy, hematologic consequences of (Oski) (Editor's column), 515
toxicity, apparent "dose-related"–fatal aplastic anemia following (Daum et al) (BCLO), 403
Chloride, sweat, normal levels of, and minimal pancreatic lesions in atypical cystic fibrosis of pancrease (Huff et al) (BCLO), 237
Chlorpheniramine and cimetidine, treatment with: Urticaria pigmentosa (Gerrard and Ko) (BCLO), 843
Cholestasis, neonatal, and parenteral nutrition (Manginello and Javitt) (BCLO), 296
phenobarbital therapy for (Blasco) (Letter), 500; (Ghent et al) (Reply), 500
Cholesteatoma, iatrogenic implantation: Unusual complication of tympanostomy tubes (Schwartz and Linde) (BCLO), 432
Cholesteryl ester storage disease–pulmonary vascular obstruction associated with (Michels et al) (BCLO), 621
Choriomeningitis virus meningitis, chronic lymphocytic, and CSF eosinophilia (Chesney et al) (BCLO), 750
Chorionic gonadotropin, caution re use of (Knox) (Letter), 676
Chromosome diagnosis, immediate, on bone marrow cells: Aid to management of malformed newborn infant (Francke et al) (BCLO), 289
X, partial short arm deletions of–and spontaneous pubertal development in girls with short stature (Kalousek et al), 891
Cimetidine and chlorpheniramine, treatment with: Urticaria pigmentosa (Gerrard and Ko) (BCLO), , 843
–effect on maldigestion in cystic fibrosis (Cox et al), 488
Circumcision re urinary tract infection (Cohen) (Letter), 851; (Kahn et al) (Reply), 851
Clotrimazole treatment, topical, of chronic mucocutaneous candidiasis (Pazin et al) (BCLO), 322
Cognitive development at ages 4 through 7 years, neonatal serum bilirubin levels related to (Rubin et al) (BCLO), 601
Colitis, idiopathic, associated with scrotal cellulitis (O'Brien et al) (BCLO), 421

Colon, adenocarcinoma of, in adolescent with family cancer syndrome (Aiges et al) (BCLO), 632
Colstrum and milk, human—immunoglobulins of (Önes) (Letter), 497
Complement system, abnormalities in Reye syndrome (Pickering et al), 218
Computerized newborn intensive care data recording and reporting. II. Online system (Janik et al) (BCLO), 328
Congenital adrenal hyperplasia due to 21-hydroxylase deficiency, detection of heterozygous state in siblings of patients with (Gutai et al) (BCLO), 770
agranulocytosis terminating in acute myelomonocytic leukemia (Rosen and Kang) (BCLO), 406
and neonatal varicella (DeNicola and Hanshaw) (Editor's column), 175
anomalies, multiple—fatal neonatal nemaline myopathy with (McComb et al), 47
factor VII deficiency with intracranial hemorrhage (Matthay et al) (BCLO), 413
heart disease, postaxial polydactyly, anorectal anomalies, uterovaginal duplications, hydrometrocolpos, and vaginal atresia—recessively inherited: McKusick-Kaufman syndrome (Robinow and Shaw) (BCLO), 776
hypothyroidism, screening for: results of screening one million North American infants (Fisher et al), 700
—severe hyponatremia in (Robles-Valdés et al) (BCLO), 631
lead intoxication (Timpo et al) (BCLO), 765
lysinuria, mechanism of hyperammonemia in (Oyanagi et al) (BCLO), 255
muscular torticollis and plagiocephaly, helmet treatment for (Clarren et al), 43
rubella, behavioral consequences of (Lubinsky) (Letter), 678; (Chess) (Reply), 679
Coombs positive hemolytic anemia in (Miyazaki et al) (BCLO), 759
syndrome: Correlation of gestational age at time of maternal rubella with type of defect (Ueda et al) (BCLO), 763
skin ulcers following varicella in late pregnancy (Bai and John) (BCLO), 65
Conjunctivitis followed by meningitis (Holmberg and Moestrup) (Letter), 339
Contractures of hands, mental retardation, short stature, and genital anomalies—familial syndrome of (Urban et al), 52
Copper metabolism, laboratory measures of, in differentiation of chronic active hepatitis and Wilson disease (Perman et al), 564
Cord blood, umbilical—granulocyte adherence in (Fontan et al) (BCLO), 969
—care regimens on bacterial colonization of normal newborn infants, effect of three (Barrett et al) (BCLO), 796
serum thyroxine and thyrotropin values between 20 and 30 weeks' gestation (Gorodzinsky et al) (BCLO), 971
Coronary artery, left, anomalous origin of, from main pulmonary artery—thallium 201 scintigraphy with (Rabinovitch et al) (BCLO), 244
Coxsackie B hepatitis, anicteric (Lansky et al) (BCLO), 64
B_5 virus infection associated with Reye-like syndrome (Kaul et al) (BCLO), 67
CPAP, nasal—pharyngeal pressures in (Chilton and Brooks) (BCLO), 808
Cranial, intra-, hemorrhage in congenital factor VII deficiency (Matthay et al) (BCLO), 413
newborn infants—hypoglycorrachia associated with (Nelson et al) (BCLO), 800
pressure—changes during exchange transfusion (Bada et al) (BCLO), 129
Croup, efficacy of steroids in treatment of—prospective randomized study to determine (Leipzig et al), 194
treatment of: Continued controversy due to failure of recognition of historic, ecologic, etiologic, and clinical perspectives (Cherry) (Editor's column), 352
Cryptococcosis, disseminated lymphonodular, treated with 5-fluorocytosine (Fusner and McClain) (BCLO), 599
localized osseous (Poliner et al) (BCLO), 597
CSF eosinophilia and chronic lymphocytic choriomeningitis virus meningitis (Chesney et al) (BCLO), 750
Cuirass ventilation in neuromuscular disease (O'Leary et al) (BCLO), 419
Cyanide toxicity, bacteria-mediated, after laetrile enemas (Carter and Goldman) (Letter), 1018
Cyclophosphamide, acute hypersensitivity reaction to (Murti and Horsman) (BCLO), 844
Cysteamine, treatment of cystinosis with (Girardin et al) (BCLO), 838
Cystic fibrosis, aminoglycoside clearance with (Finkelstein and Hall) (Letter), 163
atypical, of pancreas with normal levels of sweat chloride and minimal pancreatic lesions (Huff et al) (BCLO), 237
—effect of cimetidine on maldigestion in (Cox et al), 488
HLA determinants in families with more than one member with (Herrod et al) (Letter), 676
in two black children with sickle cell anemia (Porter et al) (BCLO), 239
preatherosclerotic aortic lesions in (Moss et al), 32
—preoral test of pancreatic insufficiency with 4-(*N*-acetyl-L-tyrosyl) aminobenzoic acid with (Mališ et al) (BCLO), 942
—reduced serum 25-hydroxyvitamin D concentration and disordered mineral metabolism in (Hahn et al), 38
25-hydroxycholecalciferol levels with (Hubbard et al) (BCLO), 84
with episodic arthritis (Newman and Ansell) (BCLO), 594
Cystinosis treated with cysteamine (Girardin et al) (BCLO), 838
Cysts, bilateral Skene duct (Gottesman and Sparkuhl) (BCLO), 945
Cytomegalovirus infection, neonatal—portal hypertension following (Riely et al) (Letter), 1011
prenatal, and muscular deficiency (eventration) of diaphragm (Becroft) (BCLO), 74

D

DDAVP, intranasal—washout with swimming (Riley and Rosenbloom) (Letter), 1011
Defect(s), birth, associated with immunodeficiency (Say et al) (Letter), 849; (Chandra) (Reply), 850
type of—correlation of gestational age at time of maternal rubella with: Congenital rubella syndrome (Ueda et al) (BCLO), 763

Deferoxamine color test, qualitative, for iron ingestion (McGuigan et al) (BCLO), 940
Deformation, fetal, and uterine malformation (Millet et al), 387
Depakene (valproic acid) transmitted across placenta: Half-life of drug in mother and baby (Dickinson et al) (BCLO), 832
Depression, mild neurobehavioral, in normal newborn infants after routine obstetric analgesia, naloxone reversal of (Bonta et al), 102
Dermatitis, atopic or seborrheic—tinea capitis masquerading as (Honig and Smith) (BCLO), 604
Development, cognitive, at ages 4 through 7 years—neonatal serum bilirubin levels related to (Rubin et al) (BCLO), 601
  immature, in neonate: Intestinal absorption of bile salts (de Belle et al), 472
  spontaneous pubertal, and partial short arm deletions of chromosome X in girls with short stature (Kalousek et al), 891
Diabetes insipidus, nephrogenic, in transplacental lithium intoxication (Mizrahi et al) (BCLO), 493
  mellitus, increased prostaglandin synthesis in (Chase et al), 185
Diabetic ketoacidosis—glucagon suppression with low-dose intramuscular insulin therapy in (Onur et al), 307
  mothers, infants of, II. Pulmonary excretion of carbon monoxide in human infant as index of bilirubin production (Stevenson et al) (BCLO), 956
Dialysis, local steroid therapy of refractory ascites associated with (Pascual et al) (BCLO), 319
  peritoneal—acute hydrothorax during (Lorentz) (BCLO), 417
Diaphragm—prenatal cytomegalovirus infection of, and muscular deficiency (eventration) (Becroft) (BCLO), 74
Diarrhea, refractory infantile, due to primary bile acid malabsorption (Heubi et al), 546
Diastolic pressure analysis, assessment of patent ductus arteriosus shunting using (Milstein et al), 122
Dicloxacillin, high-dose oral, treatment of acute staphylococcal osteomyelitis (Bryson et al) (BCLO), 673
Diet, Feingold—trace mineral levels in hyperactive children responding to (Brenner) (BCLO), 944
  termination, effects of: Intelligence and phenylketonuria (Koff et al), 534
Digestion, mal-, in cystic fibrosis—effect of cimetidine on (Cox et al), 488
DiGeorge syndrome, spectrum of (Conley et al), 883
Digoxin dosage in premature infants (Pinsky et al), 639
  excretion in human milk (Finley et al) (Letter), 339
1,25-Dihydroxyvitamin D_3 in hepatic osteodystrophy (Heubi et al), 977
Disease *see* specific disease
Disodium etidronate—fibrodysplasia ossificans progressiva (myositis ossificans progressiva) treated with (Hall et al) (Letter), 679; (Dorst) (Reply), 680
Dopamine used for shock in neonates (Volkman) (Letter), 852; (Driscoll) (Reply), 853
Dosage, gentamicin: Randomized prospective comparison of body weight and body surface as dose determinants (Evans et al), 139
Down syndrome with acute lymphoblastic leukemia and myelofibrosis (Nordan and Humbert) (BCLO), 253
Drug addiction, maternal—perinatal problems (excluding neonatal withdrawal) in: Study of 830 cases (Ostrea and Chavez) (BCLO), 292
  poly-, use—thrombocytosis and increased circulating platelet aggregates in newborn infants of (Burstein et al), 895
Duarte/classical galactosemia genetic compound—significance of (Kelly) (BCLO), 937
  variant and ZZ homozygous phenotypes (Kelly) (Letter), 344; (Levy) (Reply), 344
Duct cysts, bilateral Skene (Gottesman and Sparkuhl) (BCLO), 945
Ductus arteriosus, fetal, after administration of indomethacin to pregnant ewe, constriction of (Levin et al), 647
Dural, sub-, benign collections of infancy (Robertson et al), 382
Dwarfism, lethal neonatal short-limbed—further heterogeneity within: Platyspondylic types (Horton et al), 736
"Dysautonomic, acquired," syndrome—gastrointestinal manifestations of (Christie and Knauss) (BCLO), 625
Dysgenesis, gonadal, and leucine-sensitive hypoglycemia (Glassman et al) (BCLO), 930
Dysplasia, septo-optic, re maternal age (Elster and McAnarney) (Letter), 162
Dystrophy, reflex neurovascular—management of (Delaney et al) (Letter), 503; (Bernstein et al) (Reply), 504

E

Echocardiography, range-gated pulsed Doppler, noninvasive assessment of surgical systemic to pulmonary artery shunts by (Allen et al), 395
Edema, neurogenic pulmonary (Milley et al), 706
Education of child's physician and his associates (Nelson) (Editor's column), 349
Electrocardiography, transtelephonic—diagnosis and management of cardiac rhythm disorders by (Dick et al) (BCLO), 612
Electrolytes, urine and serum, in preterm infants with apnea, effects of theophylline on (Shannon and Gotay) (BCLO), 963
Embolization, therapeutic renal (Hawkins and Garin) (BCLO), 415
Embryopathy, possible primidone (Rudd and Freedom) (BCLO), 835
EMG (Beckwith-Wiedemann) syndrome—breast fibroadenoma and cardiac anomaly associated with (Raine et al) (BCLO), 633
Encephalopathy and fatty metamorphosis of liver associated with cold-agglutinin autoimmune hemolytic anemia (Orlowski et al), 569
Enemas, hypertonic phosphate—hypokalemia after (Forman et al) (BCLO), 149
  laetrile—bacterial-mediated cyanide toxicity after (Carter and Goldman) (Letter), 1018
Enteritis, *Campylobacter* (Karmali and Fleming), 527
Enterocolitis, necrotizing, and human milk (Moriartey et al) (BCLO), 295
Environmental vs genetic causes of short stature (Cockrell and Mata) (Letter), 347; (Rimoin) (Reply), 347

Enzyme deficiency, heritable urea cycle–liver disease in 16 patients (LaBrecque et al), 580
Eosinophilia, CSF, and chronic lymphocytic choriomeningitis virus meningitis (Chesney et al) (BCLO), 750
Epidemiology of subacute sclerosing panencephalitis (Modlin et al), 231
Epidermolysis bullosa associated with familial pyloric atresia (Swinburne and Kohler) (Letter), 162
Epilepsy and *Toxocara* infection (Glickman et al) (BCLO), 75
Erythromelalgia successfully treated with sodium nitroprusside (Özsoylu et al) (BCLO), 619
Esophageal lengths correlated with height: Application to Tuttle test without prior esophageal manometry (Strobel et al) (BCLO), 81
Estradiol values in premature adrenarche (Sklar et al) (Letter), 677
Ethical dilemmas in perinatal medicine (Stahlman) (Editor's column), 516; (Merrill) (Editorial comment), 520
Exchange transfusion, changes in intracranial pressure during (Bada et al) (BCLO), 129
in ill newborn infants using peripheral arteries and veins (Campbell and Stewart) (BCLO), 820
partial–new method for calculating volumes of blood required for (Berman et al) (BCLO), 86
Exenteration, pelvic–therapeutic approach to pelvic rhabdomyosarcoma without (Ortega), 205
Exocrine pancreatic insufficiency, PABA-test for diagnosis of (Sacher and Shmerling) (Letter), 159
Expiratory:inspiratory ratio, variations in, and airway pressure wave form during mechanical ventilation: Significance of mean airway pressure (Boros), 114
Eye occlusion, role of–abdominal distention in newborn infants on phototherapy (Preis and Rudolph) (BCLO), 816

F

Facial, mid-, hypoplasia–lack of inhibition of vasopressin release in (Friedman et al) (BCLO), 591
Factor VII deficiency, congenital, with intracranial hemorrhage (Matthay et al) (BCLO), 413
VIII levels with local hemorrhage (Feusner) (Letter), 345; (Easa) (Reply), 346
Failure to thrive, anemia, and anasarca (Worley et al), 1005
Familial pyloric atresia associated with epidermolysis bullosa (Swinburne and Kohler) (Letter), 162
syndrome, lethal, associating arthrogryposis multiplex congenita, renal dysfunction, and a cholestatic and pigmentary liver disease (Nezelof et al) (BCLO), 258
of mental retardation, short stature, contractures of hands, and genital anomalies (Urban et al), 52
Family(ies) cancer syndrome, adenocarcinoma of colon in adolescent with (Aiges et al) (BCLO), 632
with more than one member with cystic fibrosis, HLA determinants in (Herrod et al) (Letter), 676
Febrile seizures: Treatment controversy (Fishman), 177
Feeding, nocturnal intragastric–successful treatment of severe Type I glycogen storage disease with neonatal presentation by (Perlman et al) (BCLO), 772
prolonged breast–need for iron supplementation in infants on (Mittleman) (Letter), 346; (Saarinen) (Reply), 346
Feeding–Cont'd
transpyloric–mechanical complications of (Minoli and Moro) (Letter), 847
Feingold diet, trace mineral levels in hyperactive children responding to (Brenner) (BCLO), 944
Femora, broad distal, camptodactyly, large bifrontal diameter, and without broad middle phalanges–Marshall-Smith syndrome with (Shirumra et al) (BCLO), 93
Fetal deformation and uterine malformation (Miller et al), 387
ductus arteriosus, constriction of, after administration of indomethacin to pregnant ewe (Levin et al), 647
Fibroadenoma, breast, and cardiac anomaly associated with EMG (Beckwith-Wiedemann) syndrome (Raine et al) (BCLO), 633
Fibrodysplasia ossificans progressiva (myositis ossificans progressiva) treatment with disodium etidronate (Hall et al) (Letter), 679; (Dorst) (Reply), 680
5-Fluorocytosine–disseminated lymphonodular cryptococcosis treated with (Fusner and McClain) (BCLO), 599
Foot, puncture wounds of–*Pseudomonas* arthritis following (Chusid et al) (BCLO), 429
Fructose-1,6-diphosphatase deficiency–hypoglycemia and lactic acidosis associated with (Rallison et al) (BCLO), 933

G

Galactosemia genetic compound, Duarte/classical–significance of (Kelly) (BCLO), 937
Gastric fluid, bloody, from newborn infants–evaluation of (Parikh et al) (BCLO), 967
Gastroenteritis, *Campylobacter* (Pai et al) (BCLO), 589
Gastroesophageal reflux, acid reflux test for (Christie) (BCLO), 78
among severely retarded children (Sondheimer and Morris), 710
in retarded children (Feldman) (Letter), 850; (Christie) (Reply), 851
Gastrointestinal manifestations of "acquired dysautonomic" syndrome (Christie and Knauss) (BCLO), 625
Gelsemium sempervirens [L.] *Ait.* (Carolina jessamine), poisoning with (Blaw et al) (BCLO), 998
Genetic compound, Duarte/classical galactosemia–significance of (Kelly) (BCLO), 937
vs environmental causes of short stature (Cockrell and Mata) (Letter), 347; (Rimoin) (Reply), 347
Genital anomalies, mental retardation, short stature, and contractures of hands–familial syndrome of (Urban et al), 52
Gentamicin concentration, peak serum–predictability with dosage based on body surface area (Siber et al), 135
dosage: Randomized prospective comparison of body weight and body surface area as dose determinants (Evans et al), 139
Gestational age and reverse tri-iodothyronine to tri-iodothyronine ratio (Isaac et al), 477
correlated with time of maternal rubella and with type of defect: Congenital rubella syndrome (Ueda et al) (BCLO), 763

Gestational—Cont'd
and postnatal age, effects of, and some common neonatal abnormalities. I. Pulmonary excretion of carbon monoxide in human infant as index of bilirubin production (Bartoletti et al), 952
Giant-cell pneumonia caused by parainfluenza virus (Delage et al) (BCLO), 426
Glomerulosclerosis, focal—prognosis of (Kohaut and Hill) (Letter), 1017; (Ellis) (Reply), 1018
Glomerulonephritis and pulmonary hemorrhage (Menchaca et al) (Letter), 507; (Loughlin and Taussig) (Reply), 508
idiopathic rapidly progressive, with C3 nephritic factor and hypocomplementemia (Davis et al), 559
Glucagon suppression with low-dose intramuscular insulin therapy in diabetic ketoacidosis (Onur et al), 307
Glucose load, oral, during convalescence from hypoxia in newborn infants—response to (Tejani et al), 792
versus glucose and amino acids in premature infants, controlled trial of (Anderson et al), 947
Glutaric aciduria (glutaryl-CoA dehydrogenase deficiency), treatment of (Brandt et al), 669
Glutaryl-CoA dehydrogenase deficiency (glutaric aciduria), treatment of (Brandt et al), 669
Glycogen storage disease, severe Type I, with neonatal presentation successfully treated by nocturnal intragastric feeding (Perlman et al) (BCLO), 772
Gonadal dysgenesis and leucine-sensitive hypoglycemia (Glassman et al) (BCLO), 930
-hypothalmic-pituitary axis—effect of synthetic androgens in boys with constitutionally delayed growth (Hopwood et al), 657
Gonadotropin, chorionic—caution re use of (Knox) (Letter), 676
Gonococcal scalp abscess (Reveri and Krishnamurthy) (BCLO), 819
vaginitis in neonate (Stark and Glode) (BCLO), 298
Granulocyte adherence in umbilical cord blood (Fontan et al) (BCLO), 969
Growth, constitutionally delayed—effect of synthetic androgens on hypothalamic-pituitary-gonadal axis in boys with (Hopwood et al), 657
head, in sick premature infants—longitudinal study (Marks et al), 282
impaired, in hyperkinetic children receiving pemoline (Dickinson et al), 538
normal, despite abnormalities of growth hormone secretion in treatment for acute leukemia (Shalet et al), 719
Gynecomastia, X-linked hypogonadism, mental retardation, short stature, and obesity—new syndrome (Vasquez et al), 56; Commentary (Garfunkel), 60

H

Haemophilus influenzae, ampicillin-resistant, in soft tissue infections treated with high doses of ampicillin (Murphy and Todd), 983; Commentary (McCracken), 987
disease, systemic: Overview (Dajani et al), 355
type b cellulitis—diagnostic value of needle aspiration in (Rudoy and Nakashima) (BCLO), 924
Haemophilus influenzae type b—Cont'd
effect of rifampin on nasopharyngeal carriage of (Yogev et al) (BCLO), 840
meningitis, possible risk factor for: Transposition of great arteries (Hassink et al) (BCLO), 755
Hand(s), contractures of, mental retardation, short stature, and genital anomalies—familial syndrome of (Urban et al), 52
Hand mirror cell acute lymphoblastic leukemia with B lymphoid surface markers (Nix et al) (Letter), 498; (Schumacher and Stass) (Reply), 499
Handicap in preterm small-for-gestational age infant (Commey and Fitzhardinge), 779
Head growth in sick premature infants—longitudinal study (Marks et al), 282
Heart disease, congenital, postaxial polydactyly, anorectal anomalies, uterovaginal duplications, hydrometrocolpos, and vaginal atresia—recessively inherited: McKusick-Kaufman syndrome (Robinow and Shaw) (BCLO), 776
surgery, open—complication of: Hyperuricemia (Hencz et al) (BCLO), 774
Height correlated with esophageal lengths: Application to Tuttle test without prior esophageal manometry (Strobel et al) (BCLO), 81
Helmet treatment for plagiocephaly and congenital muscular torticollis (Clarren et al), 43
Hematologic consequences of chloramphenicol therapy (Oski) (Editor's column), 515
Hematopoietic effects of prednisone therapy in 4 infants with osteopetrosis (Reeves et al), 210
Hemodynamics of upper airway obstruction (Robotham) (Letter), 1016; (Nussbaum et al) (Reply), 1017
Hemoglobin and red cell volume, percentile curves for (Dallman and Siimes), 26
Hemolytic anemia, cold-agglutinin autoimmune—encephalopathy and fatty metamorphosis of liver associated with (Orlowski et al), 569
Coombs positive, in congenital rubella (Miyazaki et al) (BCLO), 759
disease, ABO—quantitation of spherocytes in (Zipursky et al) (BCLO), 965
streptococcal sepsis, group b beta, and idiopathic respiratory distress syndrome: Comparison (Menke et al), 467
Hemophiliac patients, juvenile multitransfused—high risk of chronic liver disease in (Spero et al), 875
Hemorrhage, intracranial, in congenital factor VII deficiency (Matthay et al) (BCLO), 413
newborn infants—hypoglycorrachia associated with (Nelson et al) (BCLO), 800
intraventricular—pathogenesis of (Hambleton and Wigglesworth) (Letter), 159; (Volpe) (Reply), 160
local, with factor VIII levels (Feusner) (Letter), 345; (Easa) (Reply), 346
periventricular, related to hypoxic-ischemic brain injury: Cerebral blood flow in newborn infant (Volpe) (Editor's column), 173
pulmonary, and glomerulonephritis (Menchaca et al) (Letter), 507; (Loughlin and Taussig) (Reply), 508
Hepatic osteodystrophy, 1,25-dihydroxyvitamin D, in (Heubi et al), 977

Hepatitis, anicteric Coxsackie B (Lansky et al) (BCLO), 64
chronic active, and Wilson disease—laboratory measures of copper metabolism in differentiation of (Perman et al), 564
Hepatobiliary disease, chronic—pathogenesis of rickets in (Kooh et al), 870
Heritable urea cycle enzyme deficiency—liver disease in 16 patients (LaBrecque et al), 580
"Herpangina," neonatal (Florman) (Letter), 848; (Chawareewong et al) (Reply), 848
Heterogeneity, further, within lethal neonatal short-limbed dwarfism: Platyspondylic types (Horton et al), 736
Heterophil antibody responses, incidence with infectious mononucleosis (Fleisher et al), 723
Heterozygous state detected in siblings of patients with congenital adrenal hyperplasia due to 21-hydroxylase deficiency (Gutai et al) (BCLO), 770
Hexachlorophene poisoning, acute, by mouth in neonate (Herskowitz and Rosman) (BCLO), 495
HLA determinants in families with more than one member with cystic fibrosis (Herrod et al) (Letter), 676
Honey and other environmental risk factors for infant botulism (Arnon et al), 331
connection and infant botulism: Commentary (Brown), 337
Hormone, antidiuretic, excess (Friedman and Segar), 521
growth, secretion in treatment for acute leukemia—normal growth despite abnormalities of (Shalet et al), 719
parathyroid—autonomous production by lymphoblastic leukemia cells in culture (Ramsay et al) (BCLO), 623
Hydrometrocolpos, vaginal atresia, uterovaginal duplications, anorectal anomalies, postaxial polydactyly, and congenital heart disease—recessively inherited: McKusick-Kaufman syndrome (Robinow and Shaw) (BCLO), 776
Hydrothorax, acute, during peritoneal dialysis (Lorentz) (BCLO), 417
Complication in intracardiac placement of umbilical venous catheter (Kulkarni and Dorand) (BCLO), 813
25-Hydroxycholecalciferol levels with cystic fibrosis (Hubbard et al) (BCLO), 84
21-Hydroxylase deficiency, detection of heterozygous state in siblings of patients with congenital adrenal hyperplasia due to (Gutai et al) (BCLO), 770
3-Hydroxy-3-methylglutarylcoenzyme A lyase—lethal hypoglycemia with deficiency of (Schutgens et al) (BCLO), 89
25-Hydroxyvitamin D concentration, reduced serum, and disordered mineral metabolism in patients with cystic fibrosis (Hahn et al), 38
serum concentrations of, in rickets of extremely premature infants (Hoff et al), 460
Hyperactive children responding to Feingold diet, trace mineral levels in (Brenner) (BCLO), 944
Hyperaldosteronism, secondary, and hyperreninemia in pheochromocytomas (Hung and August), 215
Hyperammonemia, mechanism of—in congenital lysinuria (Oyanagi et al) (BCLO), 255
neonatal (Rosenthal) (Letter), 847
Hyperglycemia in stressed small premature neonates (Lilien et al), 454
late-onset nonketotic, and spinocerebellar degeneration (Steiman et al), 907
Hypergonadotropic-hypogonadism in Prader-Labhart-Willi syndrome (Seyler et al) (BCLO), 435
Hyperkalemia in premature infants—left bundle branch block due to (Herscher et al) (BCLO), 654
Hyperkinetic children receiving pemoline, impaired growth in (Dickinson et al), 538
Hypernatremia related to exchange transfusion (Steele et al) (Letter), 168; (Eidelman et al) (Reply), 169
Hyperplasia, congenital adrenal, due to 21-hydroxylase deficiency—detection of heterozygous state in siblings of patients with (Gutai et al) (BCLO), 770
Hyperreactivity, bronchial, in cystic fibrosis (Mihalas) (Letter), 1013; (Mitchell) (Reply), 1013
Hyperreninemia and secondary hyperaldosteronism in pheochromocytomas (Hung and August), 215
Hypersensitivity reaction, acute, to cyclophosphamide (Murti and Horsman) (BCLO), 844
Hypertension in pediatric patient: Reappraisal (Loggie et al), 685
portal, following neonatal cytomegalovirus infection (Riely et al) (Letter), 1011
secondary to renin-producing juxtaglomerular cell tumor (Warshaw et al) (BCLO), 247
Hyperuricemia: Complication of open heart surgery (Hencz et al) (BCLO), 774
Hypocalcemia and patent ductus arteriosus (Hammerman et al) (BCLO), 961
phototherapy-induced (Romagnoli et al) (BCLO), 815
Hypocomplementemia and C3 nephritic factor with idiopathic rapidly progressive glomerulonephritis (Davis et al), 559
Hypoglycemia and lactic acidosis associated with fructose-1,6-diphosphatase deficiency (Rallison et al) (BCLO), 933
lethal, with deficiency of 3-hydroxy-3-methylglutarylcoenzyme A lyase (Schutgens et al) (BCLO), 89
neonatal, after beta-sympathomimetic tocolytic therapy (Epstein et al), 449
—treatment of (Bustamante) (Letter), 1015; (Lilien and Pildes) (Reply), 1015
Hypoglycorrachia associated with intracranial hemorrhage in newborn infants (Nelson et al) (BCLO), 800
Hypogonadism, hypergonadotropic-, in Prader-Labhart-Willi syndrome (Seyler et al) (BCLO), 435
X-linked, gynecomastia, mental retardation, short stature, and obesity—new syndrome (Vasquez et al), 56; Commentary (Garfunkel), 60
Hypokalemia after hypertonic phosphate enemas (Forman et al) (BCLO), 149
Hyponatremia, severe, in congenital hypothyroidism (Robles-Valdés et al) (BCLO), 631
Hypoplasia, midfacial—lack of inhibition of vasopressin release in (Friedman et al) (BCLO), 591
Hypothalamic hypothyrodism, association with: Adolescent secondary amenorrhea (Kramer et al), 300
-pituitary-gonadal axis—effect of synthetic androgens in boys with constitutionally delayed growth (Hopwood et al), 657
Hypothyroidism, congenital—screening for: Results of screening one million North American infants (Fisher et al), 700
—severe hyponatremia in (Robles-Valdés et al) (BCLO), 631

Hypothyroidism—Cont'd
hypothalamic—association with: Adolescent secondary amenorrhea (Kramer et al), 300
transient," in premature infants (Sommer et al) (Letter), 500; (Jacobsen et al) (Letter), 501; (Cuestas) (Reply), 502; (Delange) (Reply), 502
Hypoxia in newborn infants—response to oral glucose load during convalescence from (Tejani et al), 792
Hypoxic-ischemic brain injury related to periventricular hemorrhage: Cerebral blood flow in newborn infant (Volpe) (Editor's column), 173
Hysteria, childhood—neurologic manifestations of (Schneider and Rice), 153

I

Ichthyosis and related disorders, syndromes of (Abe) (Letter), 165; (Rennert) (Reply), 165
Iliofemoral venous thrombosis: Diagnosis by radionuclide venography (DeLong et al) (BCLO), 91
Immune plasma prophylaxis, zoster, of varicella: Follow-up report (Balfour and Groth) (BCLO), 743
response, altered, following active/passive immunization: Additional evidence against measles vaccine administration to infants less than 12 months of age (Wilkins and Wehrle), 865
cell-mediated, to respiratory syncytial virus infection: Relationship to development of reactive airway disease (Welliver et al), 370
Immunity, cell-mediated, to varicella-zoster virus infection in subjects with lymphoma or leukemia (Patel et al), 223
Immunization, active/passive—altered immune response following: Additional evidence against measles vaccine administration to infants less than 12 months of age (Wilkins and Wehrle), 865
measles: Commentary (Fulginiti) (Editor's column), 1019
Immunodeficiency associated with birth defects (Say et al) (Letter), 849; (Chandra) (Reply), 850
disease, severe combined—parainfluenza pneumonia in (Jarvis et al) (BCLO), 423
Immunoelectrophoresis, countercurrent—prospective diagnosis of early onset group B streptococcal infection by (Edwards and Baker) (BCLO), 286
Immunoglobulin(s) G, platelet-associated, in idiopathic thrombocytopenic purpura (Lightsey et al), 201
normal—antibody deficiency with (Rothbach et al) (BCLO), 250
of human colostrum and milk (Önes) (Letter), 497
Immunosuppressed child, *Listeria* brain abscess in (Dykes et al) (BCLO), 72
Indomethacin administered to pregnant ewe—constriction of fetal ductus arteriosus after (Levin et al), 647
effect on neonate of maternal treatment with (Rubaltelli et al) (Letter), 161
Infection *see* specific infection
Infectious mononucleosis, incidence of heterophil antibody responses in (Fleisher et al), 723
Infective, anti-, properties of breast milk (Welsh and May), 1
Inherited defect of neutrophil mobility in Shwachman syndrome (Aggett et al), 391
Inherited—Cont'd
recessively, vaginal atresia, hydrometrocolpos, uterovaginal duplications, anorectal anomalies, postaxial polydactyly, and congenital heart disease: McKusick-Kaufman syndrome (Robinow and Shaw) (BCLO), 776
Inspiratory:expiratory ratio, variations in, and airway pressure wave form during mechanical ventilation: Significance of mean airway pressure (Boros), 114
Insulin therapy, low-dose intramuscular—glucagon suppression in diabetic ketoacidosis (Onur et al), 307
Intelligence and phenylketonuria: Effects of diet termination (Koff et al), 534
Intestinal absorption of bile salts: Immature development in neonate (de Belle et al), 472
perforation during remission of acute lymphoblastic leukemia (Luban et al) (BCLO), 409
small, resection—clinical study of young infants after (Bohane et al), 552
Intoxication, combined aspirin/acetaminophen (Bickers and Roberts) (BCLO), 1001
congenital lead (Timpo et al) (BCLO), 765
phencyclidine—cerebrovascular complications in (Crosley and Binet) (BCLO), 316
transplacental lithium—nephrogenic diabetes insipidus in (Mizrahi et al) (BCLO), 493
usual route of: Methyl alcohol poisoning in 8-month-old boy (Kahn and Blum) (BCLO), 841
Intracranial hemorrhage in congenital factor VII deficiency (Matthay et al) (BCLO), 413
Intragastric feeding, nocturnal—successful treatment of severe Type I glycogen storage disease with neonatal presentation by (Perlman et al) (BCLO), 772
Intravenous access, long-term peripheral, in neonate (Tanswell) (BCLO), 480
Intubation, selective, of left bronchus in newborn infants, technique of (Sivasubramanian) (BCLO), 479
Ionized Ca in neonates in relation to gestational age (Tsang et al) (BCLO), 126
Iron ingestion, qualitative deferoxamine color test for (McGuigan et al) (BCLO), 940
poisoning: Complications of hypertonic phosphate lavage therapy (Bachrach et al) (BCLO), 147
supplementation in infants on prolonged breast feeding, need for (Mittleman) (Letter), 346; (Saarinen) (Reply), 346
Ischemia, transient myocardial, of newborn infant demonstrated by thallium myocardial imaging (Finley et al), 263
Isoenzyme deficiency, tyrosine aminotransferase (Lemonnier et al) (BCLO), 931
lactic dehydrogenase, in urinary tract infection (Carvajal) (Letter), 681; (Devaskar) (Reply), 681
Isoxsuprine administration, maternal—effects on preterm infants (Brazy and Pupkin), 444

J

Juxtaglomerular cell tumor, renin-producing—hypertension secondary to (Warshaw et al) (BCLO), 247

K

Ketoacidosis, diabetic—glucagon suppression with low-dose intramuscular insulin therapy in (Onur et al), 307
Ketoaciduria, thiamine-responsive intermittent branched-chain (Pueschel et al) (BCLO), 628
Kidney disease, polycystic—acute infantile pyelonephritis simulating (Bacopoulos et al) (BCLO), 437
Klinefelter syndrome: Sexual precocity and thoracic polyembryoma? (Floret et al) (Letter), 163

L

Lactic acidosis and hypoglycemia associated with fructose-1,6-diphosphatase deficiency (Rallison et al) (BCLO), 933
dehydrogenase isoenzyme in urinary tract infection (Carvajal) (Letter), 681; (Devaskar) (Reply), 681
Laetrile enemas, bacterial-mediated cyanide toxicity after (Carter and Goldman) (Letter), 1018
Laryngoscopic ophthalmoscopy (Appel) (Letter), 847
Laryngotracheobronchitis, pulmonary function with history of (Loughlin and Taussig), 365
Lavage therapy, hypertonic phosphate—complications of: Iron poisoning (Bachrach et al) (BCLO), 147
Lead intoxication, congenital (Timpo et al) (BCLO), 765
more on long-term sequelae of exposure to (Varga) (Letter), 680; (Needleman and Houk) (Reply), 680
neurologic effects of exposure to (Landrigan) (Letter), 504; (Needleman and Leviton) (Letter), 505; (Nathanson) (Letter), 506; (Sachs) (Reply), 506
Leucine-sensitive hypoglycemia and gonadal dysgenesis (Glässman et al) (BCLO), 930
Leukapheresis with lymphoma in leukemic transformation (Carpentieri et al) (BCLO), 919
Leukemia, acute lymphoblastic, and myelofibrosis with Down syndrome (Nordan and Humbert) (BCLO), 253
associated with septicemia (Chilcote and Baehner), 715
—hand mirror cell with B lymphoid surface markers (Nix et al) (Letter), 498; (Schumacher and Stass) (Reply), 499
—idiopathic thrombocytopenia purpura (Rao and Pang) (BCLO), 408
—intestinal perforation during remission of (Luban et al) (BCLO), 409
—metastatic medulloblastoma simulating (Chu) (BCLO), 921
myelomonocytic—congenital agranulocytosis terminating in (Rosen and King) (BCLO), 406
—normal growth despite abnormalities of growth hormone secretion in treatment of (Shalet et al), 719
cells, lymphoblastic, in culture—autonomous production of parathyroid hormone by (Ramsay et al) (BCLO), 623
or lymphoma, subjects with—cell-mediated immunity to varicella-zoster virus infection in (Patel et al), 223
Leukemic therapy, termination of—testicular biopsy prior to (Kim et al) (BCLO), 95
transformation—leukapheresis with lymphoma in (Carpentieri et al) (BCLO), 919
Leukocyte(s) alkaline phosphatase activity in diagnosis of neonatal bacterial infections (Donato et al) (BCLO), 242
human milk—survival of (Paxson and Cress) (BCLO), 61
polymorphonuclear, dysfunction with recurrent otitis media (Giebink et al), 13
Limbed, short-, dwarfism, lethal neonatal—further heterogeneity within: Platyspondylic types (Horton et al), 736
Lipids, intravenous—evaluation of methods to monitor infants receiving (Schreiner et al), 197
Listeria brain abscess in immunosuppressed child (Dykes et al) (BCLO), 72
Lithium intoxication, transplacental—nephrogenic diabetes insipidus in (Mizrahi et al) (BCLO), 493
Liver disease, cholestatic and pigmentary, renal dysfunction, and arthrogryposis multiplex congenita associated with lethal familial syndrome (Nezelof et al) (BCLO), 258
chronic—high risk in multi-transfused juvenile hemophiliac patients (Spero et al), 875
in 16 patients—heritable urea cycle enzyme deficiency (LaBrecque et al), 580
encephalopathy and fatty metamorphosis of, associated with cold-agglutinin autoimmune hemolytic anemia (Orlowski et al), 569
Lung abscess, bacteriology and therapy of (Brook and Finegold), 10
compliance and improved oxygenation with prone positioning of neonates (Wagaman et al), 787
perforation by chest tubes (Sacks) (Letter), 341; (Moessinger et al) (Reply), 341
Complication of chest tube insertion in neonatal pneumothorax (Banagale et al) (BCLO), 937
Lymphoblastic leukemia, acute, and myelofibrosis with Down syndrome (Nordan and Humbert) (BCLO), 253
associated with septicemia (Chilcote and Baehner), 715
—hand mirror cell with B lymphoid surface markers (Nix et al) (Letter), 498; (Schumacher and Stass) (Reply), 499
—idiopathic thrombocytopenic purpura (Rao and Pang) (BCLO), 408
—intestinal perforation during remission of (Luban et al) (BCLO), 409
cells in culture—autonomous production of parathyroid hormone by (Ramsay et al) (BCLO), 623
Lymphocytes, uropod-bearing—significance of (Schmalsteig and Goldman) (Letter), 343; (Schumacher and Stass) (Reply), 343
Lymphocytic choriomeningitis virus meningitis, chronic, and CSF eosinophilia (Chesney et al) (BCLO), 750
Lymphoma in leukemic transformation, leukapheresis with (Carpentieri et al) (BCLO), 919
or leukemia, subjects with—cell-mediated immunity to varicella-zoster virus infection in (Patel et al), 223
Lymphonodular cryptococcosis, disseminated, treated with 5-fluorocytosine (Fusner and McClain) (BCLO), 599
Lysinuria, congenital—mechanism of hyperammonemia in (Oyangai et al) (BCLO), 255

M

Malabsorption, primary bile acid—refractory infantile diarrhea due to (Heubi et al), 546

Malabsorption—Cont'd
xylose test in (Liebman) (Letter), 508; (Morin) (Letter), 509; (Christie) (Reply), 509
Malformation complex, urethral obstruction: Cause of abdominal muscle deficiency and "prune belly" (Pagon et al), 900
uterine, and fetal deformation (Miller et al), 387
Malformed newborn infant, aid to management of: Immediate chromosome diagnosis on bone marrow cells (Francke et al) (BCLO), 289
Malignancy and neurofibromatosis (Hecht and McCaw) (Letter), 1010; (Lanzkowsky et al) (Letter), 1010
Malnutrition, false positive sweat test, and Mauriac syndrome (Rosenfeld et al) (BCLO), 240
Manometry, esophageal—Tuttle test applied without prior: Correlation of esophageal lengths with height (Strobel et al) (BCLO), 81
Marfan syndrome, arachnodactyly, and cardiac abnormalities (Traisman) (Letter), 497
Marshall-Smith syndrome with large bifrontal diameter, broad distal femora, camptodactyly, and without broad middle phalanges (Shimura et al) (BCLO), 93
Maternal treatment with indomethacin, effect on neonate (Rubaltelli et al) (Letter), 161
Maturation, abnormal neutrophil, in neutrophil defect with morphologic abnormality and impaired function (Komiyama et al), 19
Mauriac syndrome, malnutrition, and false positive sweat test (Rosenfeld et al) (BCLO), 240
McKusick-Kaufman syndrome: Recessively inherited vaginal atresia, hydrometrocolpos, uterovaginal duplications, anorectal anomalies, postaxial polydactyly, and congenital heart disease (Robinow and Shaw) (BCLO), 776
Measles immunization: Commentary (Fulginiti) (Editor's column), 1019
vaccine administration to infants less than 12 months of age, additional evidence against: Altered immune response following active/passive immunization (Wilkins and Wehrle), 865
Measurement of body surface area, methods for (George and Gehan) (Letter), 342; (Haycock and Schwartz) (Reply), 342
Medulloblastoma, metastatic, simulating acute leukemia (Chu) (BCLO), 921
Meningitis and "nonpathogenic" *Neisseria* (Weiner) (Letter), 1012
cerebrospinal fluid muramidase levels in (Ansari et al) (BCLO), 752
chronic lymphocytic choriomeningitis virus, and CSF eosinophilia (Chesney et al) (BCLO), 750
following conjunctivitis (Holmberg and Moestrup) (Letter), 339
H. influenzae type b—possible risk factor for: Transposition of great arteries (Hassink et al) (BCLO), 755
neonatal, complicated by polycystic brain disease: Documentation of evolution by computed tomography (Brown et al) (BCLO), 757
Meningococcal A polysaccharide vaccine, further characterization of responses to (Wilkins and Wehrle), 828
Mental retardation, short stature, and obesity, X-linked hypogonadism, and gynecomastia—new syndrome (Vasquez et al), 56; Commentary (Garfunkel), 60
Mental retardation, short stature—Cont'd
contractures of hands, and genital anomalies—familial syndrome of (Urban et al), 52
Metabolism, cartilage, altered by neurostimulant drugs (Kilgore et al), 542
copper—laboratory measures in differentiation of chronic active hepatitis and Wilson disease (Perman et al), 564
disordered mineral, and reduced serum 25-hydroxyvitamin D concentration in cystic fibrosis (Hahn et al), 38
of theophylline to caffeine in premature newborn infants (Bory et al), 988
vitamin D—inborn error of: Rickets with alopecia (Rosen et al), 729
Metabolite(s) and catecholamines, urinary (Aladjem) (Letter), 853; (De Schaepdryver) (Reply), 853
of theophylline, caffeine, during treatment of apnea in premature infant (Boutroy et al) (BCLO), 996
Metastatic medulloblastoma simulating acute leukemia (Chu) (BCLO), 921
Methyl alcohol poisoning in 8-month-old boy: unusual route of intoxication (Kahn and Blum) (BCLO), 841
Milk and colostrum, human—immunoglobulins of (Önes) (Letter), 497
banking, human, 1978—perspective on (Siimes and Hallman) (Editor's column), 173
breast—anti-infective properties of (Welsh and May), 1
goat, acidosis (Harrison et al) (BCLO), 927
human, and necrotizing enterocolitis (Moriartey et al) (BCLO), 295
—digoxin excretion in (Finley et al) (Letter), 339
—excretion of technetium in (Pittard et al) (BCLO), 605
—transfer of cefazolin into (Yoshioka et al) (BCLO), 151
leukocytes, human—survival of (Paxson and Cress) (BCLO), 61
Mineral levels, trace, in hyperactive children responding to Feingold diet (Brenner) (BCLO), 944
metabolism, disordered, and reduced serum 25-hydroxyvitamin D concentration in cystic fibrosis (Hahn et al), 38
Mitral valve prolapse—premature ventricular contractions as presenting feature of (Pickoff et al) (BCLO), 615
Monitor, evaluation of methods for infants receiving intravenous lipids (Schreiner et al), 197
Mononucleosis, infectious—incidence of heterophil antibody responses in (Fleisher et al), 723
Morphologic abnormality and impaired function with abnormal neutrophil maturation in neutrophil defect (Komiyama et al), 19
Mucocutaneous candidiasis, chronic—topical clotrimazole treatment of (Pazin et al) (BCLO), 322
Mumps: Cause of acquired aqueductal stenosis (Thompson) (BCLO), 923
Muramidase levels, cerebrospinal fluid, in meningitis (Ansari et al) (BCLO), 752
Muscle deficiency, abdominal, and "prune belly," cause of: Urethral obstruction malformation complex (Pagon et al), 900
relaxants—pharmacology and use of (Nugent et al), 481
relaxation in mechanically ventilated infants (Stark et al), 439
Muscular deficiency (eventration) and prenatal cytomegalovirus infection of diaphragm (Becroft) (BCLO), 74

Muscular—Cont'd
torticollis, congenital, and plagiocephaly, helmet treatment for (Clarren et al), 43
Mycobacteria, nontuberculous—pulmonary disease caused by (Herrod et al) (BCLO), 915
Myelofibrosis and acute lymphoblastic leukemia with Down syndrome (Nordan and Humbert) (BCLO), 253
Myelomonocytic leukemia, acute—congenital agranulocytosis terminating in (Rosen and King) (BCLO), 406
Myocardial ischemia, transient, of newborn infant demonstrated by thallium myocardial immaging (Finley et al), 263
Myopathy, fatal neonatal nemaline, with multiple congenital anomalies (McComb et al), 47
Myositis ossificans progressiva (fibrodysplasia ossificans progressiva) treatment with disodium etidronate (Hall et al) (Letter), 679; (Dorst) (Reply), 680

N

Naloxone reversal of mild neurobehavioral depression in normal newborn infants after routine obstetric analgesia (Bonta et al), 102
Nasal, intra-, DDAVP—washout with swimming (Riley and Rosenbloom) (Letter), 1011
Nasopharyngeal carriage of *H. influenzae* type b, effect of rifampin on (Yogev et al) (BCLO), 840
NBT test used in neonates (Anderson et al) (Letter), 164; (Chandler et al) (Reply), 164
Neck flexion, spontaneous, and airway obstruction during apneic spells in preterm infants (Thach and Stark), 275
Necrotizing enterocolitis and human milk (Moriartey et al) (BCLO), 295
Neisseria gonorrhoeae, penicillinase-producing, in prepubertal female (Rendin et al) (BCLO), 431
"nonpathogenic," and meningitis (Weiner) (Letter), 1012
Nemaline myopathy, fatal neonatal, with multiple congenital anomalies (McComb et al), 47
Nephritic factor, C3, and hypocomplementemia with idiopathic rapidly progressive glomerulonephritis (Davis et al), 559
Nephrogenic diabetes insipidus in transplacental lithium intoxication (Mizrahi et al) (BCLO), 493
Neurobehavioral depression, mild, in normal newborn infants after routine obstetric analgesia, naloxone reversal of (Bonta et al), 102
Neurofibromatosis and malignancy (Hecht and McCaw) (Letter), 1010; (Lanzkowsky et al) (Letter), 1010
Neurogenic pulmonary edema (Milley et al), 706
Neurologic effects of exposure to lead (Landrigan) (Letter), 504; (Needleman and Leviton) (Letter), 505; (Nathanson) (Letter), 506; (Sachs) (Reply), 506
manifestations of childhood hysteria (Schneider and Rice), 153
Neuromuscular disease, cuirass ventilation in (O'Leary et al) (BCLO), 419
Neurostimulant drugs, alterations in cartilage metabolism by (Kilgore et al), 542
Neurovascular dystrophy, reflex—management of (Delaney et al) (Letter), 503; (Berstein et al) (Reply), 504
Neutrophil maturation, abnormal, in neutrophil defect with morphologic abnormality and impaired function (Komiyama et al), 19
mobility in Shwachman syndrome, inherited defect of (Aggett et al), 391
New books received, 134, 306, 514, 588, 846, 1004
Nitroprusside, sodium—successful treatment of erythromelalgia with (Özsoylu et al) (BCLO), 619
Nutrition, long-term total parenteral—home program for (Goldberger et al), 325
parenteral, and neonatal cholestasis (Manginello and Javitt) (BCLO), 296
total parenteral, of neonate—long-term follow-up (Tejani et al) (BCLO), 803

O

Obesity, short stature, mental retardation, X-linked hypogonadism, and gynecomastia—new syndrome (Vasquez et al), 56; Commentary (Garfunkel), 60
Obstruction, upper airway—hemodynamics of (Robotham) (Letter), 1016; (Nussbaum et al) (Reply), 1017
Ophthalmoscopy, laryngoscopic (Appel) (Letter), 847
Osseous cryptococcosis, localized (Poliner et al) (BCLO), 597
Osteodystrophy, hepatic—1,25-dihydroxyvitamin D_3 in (Heubi et al), 977
Osteomyelitis, acute staphylococcal—high-dose oral dicloxacillin treatment of (Bryson et al) (BCLO), 673
Osteopetrosis—hematopoietic effects of prednisone therapy in 4 infants with (Reeves et al), 210
Otitis media, recurrent—polymorphonuclear leukocyte dysfunction with (Giebink et al), 13
Oxandrolone therapy with Turner syndrome (Urban et al), 823
Oxygen tension, arterial, during active and quiet sleep in normal neonate (Martin et al), 271
Oxygenation, improved, and lung compliance with prone positioning of neonates (Wagaman et al), 787

P

PABA-test for diagnosis of exocrine pancreatic insufficiency (Sacher and Shmerling) (Letter), 159
Pancreas, atypical cystic fibrosis of, with normal levels of sweat chloride and minimal pancreatic lesions (Huff et al) (BCLO), 237
Pancreatic insufficiency, exocrine—PABA-test for diagnosis of (Sacher and Shmerling) (Letter), 159
with 4-(*N*-acetyl-L-tyrosyl) aminobenzoic acid in cystic fibrosis, peroral test of (Mališ et al) (BCLO), 942
Panencephalitis, subacute sclerosing—epidemiology of (Modlin et al), 231
Parainfluenza pneumonia in severe combined immunodeficiency disease (Jarvis et al) (BCLO), 423
virus, giant-cell pneumonia caused by (Delage et al) (BCLO), 426
Parathyroid hormone, autonomous production of, by lymphoblastic leukemia cells in culture (Ramsay et al) (BCLO), 623

Parenteral nutrition and neonatal cholestasis (Manginello and Javitt) (BCLO), 296
long-term total—home program for (Goldberger et al), 325
total, in management of refractory chylous ascites (Asch and Sherman) (BCLO), 260
of neonate—long-term follow-up (Tejani et al) (BCLO), 803
Patent ductus arteriosus and hypocalcemia (Hammerman et al) (BCLO), 961
shunting, assessment using diastolic pressure analysis (Milstein et al), 122
Pelvic rhabdomyosarcoma—therapeutic approach without pelvic exenteration (Ortega), 205
Pemoline—impaired growth in hyperkinetic children receiving (Dickinson et al), 538
Penicillinase-producing *Neisseria gonorrhoeae* in prepubertal female (Rendin et al) (BCLO), 431
Perforation, intestinal, during remission of acute lymphoblastic leukemia (Luban et al) (BCLO), 409
Pericardial "window": Rare etiologic factor in neonatal pneumopericardium (Siplovich et al) (BCLO), 975
Peritoneal dialysis, acute hydrothorax during (Lorentz) (BCLO), 417
PG I, serum, in premature and term infants (Liebman and Samloff) (BCLO), 132
Phalanges, broad middle, and with large bifrontal diameter, broad distal femora, camptodactyly—Marshall-Smith syndrome without (Shimura et al) (BCLO), 93
Pharmacokinetic(s), prednisolone, in relation to dose (Rose et al) (Letter), 1014; (Green) (Reply), 1015
profile of caffeine in premature newborn infant with apnea (Aranda et al), 663
Pharmacology and use of muscle relaxants (Nugent et al), 481
Pharyngeal pressures in nasal CPAP (Chilton and Brooks) (BCLO), 808
Phencyclidine intoxication, cerebrovascular complications in (Crosley and Binet) (BCLO), 316
Phenobarbital therapy for cholestasis (Blasco) (Letter), 500; (Ghent et al) (Reply), 500
Phenotypes, ZZ homozygous, and Duarte variant (Kelly) (Letter), 344; (Levy) (Reply), 344
Phenylketonuria and intelligence: Effects of diet termination (Koff et al), 534
Pheochromocytomas, hyperreninemia and secondary hyperaldosteronism in (Hung and August), 215
Phosphate enemas, hypertonic—hypokalemia after (Forman et al) (BCLO), 149
lavage therapy, hypertonic—complications of: Iron poisoning (Bachrach et al) (BCLO), 147
Phototherapy, abdominal distention in newborn infants on—role of eye occlusion (Preis and Rudolph) (BCLO), 816
and radiant warmer—combined effect on insensible water loss in LBW infants (Bell et al) (BCLO), 810
-induced hypocalcemia (Romagnoli et al) (BCLO), 815
light combinations (Hammerman and Eidelman) (Letter), 510; (Furst and Harris) (Reply), 510
Pituitary-hypothalmic-gonadal axis—effect on synthetic androgens in boys with consitutionally delayed growth (Hopwood et al), 657
Placenta, transmission of valproic acid (Depakene) across: Half-life of drug in mother and baby (Dickinson et al) (BCLO), 832
Plagiocephaly and congenital muscular torticollis, helmet treatment for (Clarren et al), 43
Plasma and whole blood theophylline concentration, relationship between in neonates (Koup and Hart) (BCLO), 320
prophylaxis, zoster immune, of varicella: Follow-up report (Balfour and Groth) (BCLO), 743
zinc concentrations of breast-fed infants (Hambidge et al) (BCLO), 607
Platelet aggregates, increased circulating, and thrombocytosis in newborn infants of polydrug users (Burstein et al), 895
associated immunoglobulin G in idiopathic thrombocytopenic purpura (Lightsey et al), 201
Platyspondylic types: Further heterogeneity within lethal neonatal short-limbed dwarfism (Horton et al), 736
Pneumonia, giant-cell, caused by parainfluenza virus (Delage et al) (BCLO), 426
parainfluenza, in severe combined immunodeficiency disease (Jarvis et al) (BCLO), 423
Pneumopericardium, neonatal—rare etiologic factor in: Pericardial "window" (Siplovich et al) (BCLO), 975
Pneumothorax, neonatal—complication of chest tube insertion in: Lung perforation (Banagale et al) (BCLO), 973
Poisoning, acute hexachlorophene, by mouth in neonate (Herskowitz and Rosman) (BCLO), 495
iron: Complications of hypertonic phosphate lavage therapy (Bachrach et al) (BCLO), 147
methyl alcohol, in 8-month-old boy: Unusual route of intoxication (Kahn and Blum) (BCLO), 841
with Carolina jessamine (*Gelsemium sempervirens* [L.] *Ait.*) (Blaw et al) (BCLO), 998
Poliomyelitis-like illness after acute asthma (Shapiro et al) (BCLO), 767
Polycystic brain disease complicating neonatal meningitis: Documentation of evolution by computed tomography (Brown et al) (BCLO), 757
kidney disease—acute infantile pyelonephritis simulating (Bacopoulos et al) (BCLO), 437
Polydactyly (postaxial), anorectal anomalies, uterovaginal duplications, hydrometrocolpos, vaginal atresia, and congenital heart disease—recessively inherited: McKusick-Kaufman syndrome (Robinow and Shaw) (BCLO), 776
Polyembryoma, thoracic, and sexual precocity: Klinefelter syndrome? (Floret et al) (Letter), 163
Polymorphonuclear leukocyte dysfunction with recurrent otitis media (Giebink et al), 13
Polysaccharide vaccine, meningococcal A—further characterization of responses to (Wilkins and Wehrle), 828
Prader-Labhart-Willi syndrome—hypergonadotropic-hypogonadism in (Seyler et al) (BCLO), 435
Prednisolone pharmacokinetics in relation to dose (Rose et al) (Letter), 1014; (Green) (Reply), 1015
Prednisone therapy—hematopoietic effects in 4 infants with osteopetrosis (Reeves et al), 210
Pressures, pharyngeal, in nasal CPAP (Chilton and Brooks) (BCLO), 808
Primidone embryopathy, possible (Rudd and Freedom) (BCLO), 835
Propranolol therapy, high-dose, in management of supraventricular tachycardia (Pickoff et al), 144

Prostaglandin synthesis, increased, in childhood diabetes mellitus (Chase et al), 185
"Prune belly" and abdominal muscle deficiency, cause of: Urethral obstruction malformation complex (Pagon et al), 900
Pseudomonas arthritis following puncture wounds of the foot (Chusid et al) (BCLO), 429
Psychosocial problems as major complication of adolescent with trimethylaminuria (Todd) (BCLO), 936
Pubertal development, spontaneous, and partial short arm deletions of chromosome X in girls with short stature (Kalousek et al), 891
Pulmonary artery, main–thallium 201 scintigraphy with, anomalous origin of left coronary artery from (Rabinovitch et al) (BCLO), 244
shunts, noninvasive assessment of surgical systemic to, by range-gated pulsed Doppler echocardiography (Allen et al), 395
cavitation and Pi SZ alpha$_1$-antitrypsin deficiency (Rosenfeld and Granoff) (BCLO), 768
disease caused by nontuberculous mycobacteria (Herrod et al) (BCLO), 915
edema, neurogenic (Milley et al), 706
excretion of carbon monoxide in human infant as index of bilirubin production. I. Effects of gestational and postnatal age and some common neonatal abnormalities (Bartoletti et al), 952. II. Infants of diabetic mothers (Stevenson et al) (BCLO), 956
function with history of laryngotracheobronchitis (Loughlin and Taussig), 365
hemorrhage and glomerulonephritis (Menchaca et al) (Letter), 507; (Loughlin and Taussig) (Reply), 508
vascular obstruction associated with cholesteryl ester storage disease (Michels et al) (BCLO), 621
Purpura, idiopathic thrombocytopenic, in acute lymphoblastic leukemia (Rao and Pang) (BCLO), 408
–platelet-associated immunoglobulin G in (Lightsey et al), 201
Pyelonephritis, acute infantile, simulating polycystic kidney disease (Bacopoulos et al) (BCLO), 437
Pyloric atresia, familial, associated with epidermolysis bullosa (Swinburne and Kohler) (Letter), 162
trans-, feeding–mechanical complications of (Minoli and Moro) (Letter), 847

R

Radiant warmer–reduction of insensible water loss under (Yeh et al) (BCLO), 651
Radionuclide venography, diagnosis by: Iliofemoral venous thrombosis (DeLong et al) (BCLO), 91
Reflex neurovascular dystrophy, management of (Delaney et al) (Letter), 503; (Bernstein et al) (Reply), 504
Reflux, gastroesophageal–acid relux test for (Christie) (BCLO), 78
among severely retarded children (Sondheimer and Morris), 710
in retarded children (Feldman) (Letter), 850; (Christie) (Reply), 851
Renal and adrenal carcinoma, differentiation of (Merino and LiVolsi) (Letter), 853; (Andler) (Reply), 854
Renal–Cont'd
dysfunction, arthrogryposis multiplex congenita, and cholestatic and pigmentary liver disease associated with lethal familial syndrome (Nezelof et al) (BCLO), 258
embolization, therapeutic (Hawkins and Garin) (BCLO), 415
failure, acute, in Reye syndrome (Mor et al) (BCLO), 69
function, reflection of: Serum concentration of 24,25(OH)$_2$D in uremic children (Weisman et al), 190
supra-, abscess due to group B streptococcus (Walker and Coyer) (BCLO), 970
Renin-producing juxtaglomerular cell tumor–hypertension secondary to (Warshaw et al) (BCLO), 247
Respiratory distress syndrome, idiopathic, and group B beta hemolytic streptococcal sepsis: Comparison (Menke et al), 467
prenatal administration of betamethasone for prevention of (Ballard et al), 97
thyroid function in preterm infants with (Cuestas and Engel), 643
syncytial virus infection, cell-mediated immune response: Relationship to development of reactive airway disease (Welliver et al), 370
Retardation, mental, short stature, contractures of hands, and genital anomalies–familial syndrome of (Urban et al), 52
X-linked hypogonadism, gynecomastia, and obesity–new syndrome (Vasquez et al), 56; Commentary (Garfunkel), 60
Retarded children, gastroesophageal reflux in (Feldman) (Letter), 850; (Christie) (Reply), 851
Retarded children, severely–gastroesophageal reflux among (Sondheimer and Morris), 710
Reye syndrome–abnormalities of complement system in (Pickering et al), 218
acute renal failure in (Mor et al) (BCLO), 69
in siblings (Hilty et al), 576
-like syndrome associated with Coxsackie B$_2$ virus infection (Kaul et al) (BCLO), 67
Rhabdomyosarcoma, pelvic–therapeutic approach without pelvic exenteration (Ortegra), 205
Rickets of extremely premature infants–serum concentrations of 25-hydroxyvitamin D in (Hoff et al), 460
pathogenesis of, in chronic hepatobiliary disease (Kooh et al), 870
with alopecia: Inborn error of vitamin D metabolism (Rosen et al), 729
Rifampin, effect on nasopharyngeal carriage of *H. influenzae* type b (Yogev et al) (BCLO), 840
Rheumatoid arthritis, anemia associated with (Vichinsky) (Letter), 678
Rubella, congenital–behavioral consequences of (Lubinsky) (Letter), 678; (Ches) (Reply), 679
–Coombs positive hemolytic anemia in (Miyazaki et al) (BCLO), 759
syndrome, congenital: Correlation of gestational age at time of maternal rubella with type of defect (Ueda et al) (BCLO), 763

S

Salmonella reactive arthritis: Clues to diagnosis (Levine et al) (BCLO), 596

Scalp abscess, gonococcal (Reveri and Krishnamurthy) (BCLO), 819
Scanning, testicular, as diagnostic aid in evaluating scrotal pain (Boedecker et al) (BCLO), 760
Scintigraphy, thallium 201, with anomalous origin of left coronary artery from main pulmonary artery (Rabinovitch et al) (BCLO), 244
Sclerosing panencephalitis, subacute—epidemiology of (Modlin et al), 231
Screening for congenital hypothyroidism: Results of screening one million North American infants (Fisher et al), 700
Scrotal cellulitis associated with idiopathic colitis (O'Brien et al) (BCLO), 421
  pain—testicular scanning as diagnostic aid in evaluating (Boedecker et al) (BCLO), 760
Secretion, growth hormone, in children treated for acute leukemia—normal growth despite abnormalities of (Shalet et al), 719
Seizures, febrile: Treatment controversy (Fishman), 177
Sepsis, group B beta hemolytic streptococcal, and idiopathic respiratory distress syndrome: Comparison (Menke et al), 467
  suspected neonatal—urine culture in evaluation of (Visser and Hall), 635
Septicemia in association with acute lymphoblastic leukemia (Chilcote and Baehner), 715
Septo-optic dysplasia re maternal age (Elster and McAnarney) (Letter), 162
Serum and urine electrolytes in preterm infants with apnea, effects of theophylline on (Shannon and Gotay) (BCLO), 963
  concentrations of 25-hydroxyvitamin D in rickets of extremely premature infants (Hoff et al), 460
  PG I in premature and term infants (Liebman and Samloff) (BCLO), 132
Sexual precocity and thoracic polyembryoma: Klinefelter syndrome? (Floret et al) (Letter), 163
Shock in neonates, use of dopamine for (Volkman) (Letter), 852; (Driscoll) (Reply), 853
Shunting, patent ductus arteriosus—assessment using diastolic pressure analysis (Milstein et al), 122
Shunts, noninvasive assessment of surgical systemic to pulmonary artery, by range-gated pulsed Doppler echocardiography (Allen et al), 395
Shwachman syndrome, inherited defect of neutrophil mobility in (Aggett et al), 391
Siblings of patients with congenital adrenal hyperplasia due to 21-hydroxylase deficiency—detection of heterozygous state in (Gutai et al) (BCLO), 770
  Reye syndrome in (Hilty et al), 576
Sickle cell anemia—cystic fibrosis in two black children with (Porter et al) (BCLO), 239
Sinus thrombosis, cavernous, with vascular steal syndrome (Kinnaird et al) (BCLO), 410
Skene duct cysts, bilateral (Gottesman and Sparkuhl) (BCLO), 945
Skin fold in infant, redundant—their origin and relevance: Commentary (Smith) (Editor's column), 1021
  ulcers, congenital, following varicella in late pregnancy (Bai and John) (BCLO), 65
Sleep, active and quiet, in normal neonate—arterial oxygen tension during (Martin et al), 271
Sodium nitroprusside—successful treatment of erythromelalgia with (Ozsoylu et al) (BCLO), 619
  overload from Karo syrup (Wald) (Letter), 1012; (Hopp and Woodruff) (Reply), 1012
Soft tissue infections treated with high doses of ampicillin, ampicillin-resistant *H. influenzae* in (Murphy and Todd), 983; Commentary (McCracken), 987
Spherocytes in ABO hemolytic disease, quantitation of (Sipursky et al) (BCLO), 965
Spinocerebellar degeneration and late-onset nonketotic hyperglycinemia (Steiman et al), 907
Staphylococcal osteomyelitis, acute—high-dose oral dicloxacillin treatment of (Bryson et al) (BCLO), 673
Stature, short—genetic vs environmental causes of (Cockrell and Mata) (Letter), 347; (Rimoin) (Reply), 347
  mental retardation, contractures of hands, and genital anomalies—familial syndrome of (Urban et al), 52
  X-linked hypogonadism, gynecomastia, aned obesity—new syndrome (Vasquez et al), 56; Commentary (Garfunkel), 60
  —partial short arm deletions of X chromosome and spontaneous pubertal development in girls with (Kalousek et al), 891
Stenosis, aqueductal—cause of acquired: Mumps (Thompson) (BCLO), 923
Steroid(s), efficacy of, in treatment of croup—prospective randomized study to determine (Leipzig et al), 194
  therapy, local, of refractory ascites associated with dialysis (Pascual et al) (BCLO), 319
Storage disease, cholesteryl ester—pulmonary vascular obstruction associated with (Michels et al) (BCLO), 621
Streptococcal infection, early onset group B—prospective diagnosis by countercurrent immunoelectrophoresis (Edwards and Baker) (BCLO), 286
  sepsis, group B beta hemolytic, and idiopathic respiratory distress syndrome: Comparison (Menke et al), 467
Streptococcus, group B—suprarenal abscess due to (Walker and Coyer) (BCLO), 970
Subdural collections, benign—of infancy (Robertson et al), 382; Commentary (Fishman), 385
Sweat chloride, normal levels of, and minimal pancreatic lesions in atypical cystic fibrosis of pancreas (Huff et al) (BCLO), 237
  test, false positive, malnutrition, and Mauriac syndrome (Rosenfeld et al) (BCLO), 240
Syncytial virus infection, respiratory—cell-mediated immune response: Relationship to development of reactive airway disease (Welliver et al), 370
Syndrome *see* specific syndrome

T

Tachycardia, chronic ectopic supraventricular, controlled with verapamil (Sapire et al) (BCLO), 312
  supraventricular—high-dose propranolol therapy in management of (Pickoff et al), 144
Technetium excreted in human milk (Pittard et al) (BCLO), 605

Test, acid reflux, for gastroesophageal reflux (Christie) (BCLO), 78
false positive sweat, malnutrition, and Mauriac syndrome (Rosenfeld et al) (BCLO), 240
NBT, used in neonates (Anderson et al) (Letter), 164; (Chandler et al) (Reply), 164
PABA-, for diagnosis of exocrine pancreatic insufficiency (Sacher and Shmerling) (Letter), 159
preoral, of pancreatic insufficiency with 4-(*N*-acetyl-L-tyrosyl) aminobenzoic acid in cystic fibrosis (Mališ et al) (BCLO), 942
Tuttle, applied without prior esophageal manometry: Correlation of esophageal lengths with height (Strobel et al) (BCLO), 81
Testicular biopsy prior to termination of leukemic therapy (Kim et al) (BCLO), 95
feminization after castration in early childhood—spontaneous breast development in adolescent girl with (Andler and Zachmann) (BCLO), 304
scanning as diagnostic aid in evaluating scrotal pain (Boedeker et al) (BCLO), 760
Thallium myocardial imaging demonstrating transient myocardial ischemia of newborn infant (Finley et al), 263
201 scintigraphy with anomalous origin of left coronary artery from main pulmonary artery (Rabinovitch et al) (BCLO), 244
Theophylline absorption inhibited by activated charcoal (Sintek et al) (BCLO), 314
and caffeine, interconversion of, in newborn infants (Bada et al) (BCLO), 993
concentration—relationships between plasma and whole blood (Koup and Hart) (BCLO), 320
effects on serum and urine electrolytes in preterm infants with apnea (Shannon and Gotay) (BCLO), 963
metabolite of caffeine, during treatment of apnea in premature infant (Boutroy et al) (BCLO), 996
to caffeine in premature newborn infants, metabolism of (Bory et al), 988
Thiamine-responsive intermittent branched-chain ketoaciduria (Pueschel et al) (BCLO), 628
Thoracic polyembryoma and sexual precocity: Klinefelter syndrome? (Floret et al) (Letter), 163
Thrombocytopenia purpura, idiopathic, in acute lymphoblastic leukemia (Rao and Pang) (BCLO), 408
—platelet-associated immunoglobulin G in (Lightsey et al), 201
Thrombocytosis and increased circulating platelet aggregates in newborn infants of polydrug users (Burstein et al), 895
Thrombosis, cavernous sinus, with vascular steal syndrome (Kinnaird et al) (BCLO), 410
iliofemoral venous: Diagnosis by radionuclide venography (DeLong et al) (BCLO), 91
Thyroid function in preterm infants with respiratory distress syndrome (Cuestas and Engel), 643
Thyroiditis, acute suppurative (Abe et al), 912
Thyrotropin and thyroxine values, cord serum, between 20 and 30 weeks' gestation (Gorodzinsky et al) (BCLO), 971
Thyroxine and thyrotropin values, cord serum, between 20 and 30 weeks' gestation (Gorodzinsky et al) (BCLO), 971
Tinea capitis masquerading as atopic or seborrheic dermatitis (Honig and Smith) (BCLO), 604
Tocolytic therapy, beta-sympathomimetic—neonatal hypoglycemia after (Epstein et al), 449
Tomography, computed—documentation of evolution by: Polycystic brain disease complicating neonatal meningitis (Brown et al) (BCLO), 757
Torticollis, congenital muscular, and plagiocephaly, helmet treatment for (Clarren et al), 43
Toxicity, apparent "dose-related" chloramphenicol—fatal aplastic anemia following (Daum et al) (BCLO), 403
bacteria-mediated cyanide, after laetrile enemas (Carter and Goldman) (Letter), 1018
Toxocara infection and epilepsy (Glickman et al) (BCLO), 75
Transfused, multi-, juvenile hemophiliac patients—high risk of chronic liver disease in (Spero et al), 875
Transfusion, exchange, in ill newborn infants using peripheral arteries and veins (Campbell and Stewart) (BCLO), 820
—intracranial pressure changes during (Bada et al) (BCLO), 129
related to hypernatremia (Steele et al) (Letter), 168; (Eidelman et al) (Reply), 169
partial exchange—new method for calculating volumes of blood required for (Berman et al) (BCLO), 86
Transplacental lithium intoxication—nephrogenic diabetes insipidus in (Mizrahi et al) (BCLO), 493
Transport, neonatal—effectiveness of (Modanlou and Dorchester) (Letter), 682; (Ferrara) (Letter), 683; (Chance and Cunningham) (Reply), 683
Transposition of great arteries: Possible risk factor for *H. influenzae* type b meningitis (Hassink et al) (BCLO), 755
Transpyloric feeding, mechanical complications of (Minoli and Moro) (Letter), 847
Trimethylaminuria, psycholoscial problems as major complication of adolescent with (Todd) (BCLO), 936
Tri-iodothyronine, reverse, to tri-iodothyronine ratio and gestational age (Isaac et al), 477
Tuberculous, non-, mycobacteria—pulmonary disease caused by (Herrod et al) (BCLO), 915
Tumor, renin-producing juxtaglomerular cell—hypertension secondary to (Warshaw et al) (BCLO), 247
Turner syndrome, oxandrolone therapy with (Urban et al), 823
Tuttle test applied without prior esophageal manometry: Correlation of esophageal lengths with height (Strobel et al) (BCLO), 81
23,25(OH)$_2$D, serum concentrations of, in uremic children: Reflection of renal function (Weisman et al), 190
Tympanostomy tubes, unusual complication of: Iatrogenic implantation cholesteatoma (Schwartz and Linde) (BCLO), 432
Tyrosine aminotransferase isoenzyme deficiency (Lemonnier et al) (BCLO), 931

U

Ulcers, congenital skin, following varicella in late pregnancy (Bai and John) (BCLO), 65
Umbilical cord blood, granulocyte adherence in (Fontan et al) (BCLO), 969
venous catheter, a complication of intracardiac placement of: Hydrothorax (Kulkarni and Dorand) (BCLO), 813

Urea cycle enzyme deficiency, heritable—liver disease in 16 patients (LaBrecque et al), 580
Uremic children, serum concentrations of 24,25(OH)$_2$D in: Reflection of renal function (Weisman et al), 190
Urethral obstruction malformation complex: Cause of abdominal muscle deficiency and "prune belly" (Pagon et al), 900
Urinary catecholamines and metabolites (Aladjem) (Letter), 853; (De Schaepdryver) (Reply), 853
tract infection and antibody-coated bacteria (Denis et al) (Letter), 511; (Hellerstein et al) (Reply), 512
lactic dehydrogenase isoenzyme in (Carvajal) (Letter), 681; (Devaskar) (Reply), 681
re circumcision (Cohen) (Letter), 851; (Kahn et al) (Reply), 851
Urine and serum electrolytes in preterm infants with apnea, effects of theophylline on (Shannon and Gotay) (BCLO), 963
culture in evaluation of suspected neonatal sepsis (Visser and Hall), 635
Uropod-bearing lymphocytes, significance of (Schmalsteig and Goldman) (Letter), 342; (Schumacher and Stass) (Reply), 343
Urticaria pigmentosa: Treatment with cimetidine and chlorpheniramine (Gerrard and Ko) (BCLO), 843
Uterine malformation and fetal deformation (Miller et al), 387
Uterovaginal duplications, hydrometrocolpos, vaginal atresia, anorectal anomalies, postaxial polydactyly, and congenital heart disease—recessively inherited: McKusick-Kaufman syndrome (Robinow and Shaw) (BCLO), 776

V

Vaccine, measles, administration to infants less than 12 months of age, additional evidence against: Altered immune response following active/passive immunization (Wilkins and Wehrle), 865
meningococcal A polysaccharide—further characterization of responses to (Wilkins and Wehrle), 828
Vaginal atresia, hydrometrocolpos, uterovaginal duplications, anorectal anomalies, postaxial polydactyly, and congenital heart disease—recessively inherited: McKusick-Kaufman syndrome (Robinow and Shaw) (BCLO), 776
Vaginitis, gonococcal, in neonate (Stark and Glode) (BCLO), 298
Valproic acid (Depakene) transmitted across placenta: Half-life of drug in mother and baby (Dickinson et al) (BCLO), 832
Varicella, congenital and neonatal (DeNicola and Hanshaw) (Editor's column), 175
detection of viremia during incubation of (Feldman and Epp) (BCLO), 746
in late pregnancy, congenital skin ulcers following (Bai and John) (BCLO), 65
zoster immune plasma prophylaxis: Follow-up report (Balfour and Groth) (BCLO), 743
virus infections, cell-mediated immunity to, in subjects with lymphoma or leukemia (Patel et al), 223
Vascular obstruction, pulmonary, associated with cholesteryl ester storage disease (Michels et al) (BCLO), 621
ring presenting as asthma: Value of flow-volume curve (Loren et al) (BCLO), 610
steal syndrome—cavernous sinus thrombosis with (Kinnaird et al) (BCLO), 410
Vasopressin, possible mechanisms of high blood levels during neonatal period (Hadeed et al) (BCLO), 805
release, lack of inhibition of, in midfacial hypoplasia (Friedman et al) (BCLO), 591
Veins and arteries, peripheral—exchange transfusion in ill newborn infants using (Campbell and Stewart) (BCLO), 820
Venography, radionuclide—diagnosis by: Iliofemoral venous thrombosis (DeLong et al) (BCLO), 91
Venous catheter, umbilical—complication of intracardiac placement of: Hydrothorax (Kulkarni and Dorand) (BCLO), 813
thrombosis, iliofemoral: Diagnosis by radionuclide venography (DeLong et al) (BCLO), 91
Ventilated infants, mechanically—muscle relaxation in (Stark et al), 439
Ventilation, cuirass, in neuromuscular disease (O'Leary et al) (BCLO), 419
mechanical—variations in inspiratory:expiratory ratio and airway pressure wave form during: Significance of mean airway pressure (Boros), 114
Ventricular contractions, premature, as presenting feature of mitral valve prolapse (Pickoff et al) (BCLO), 615
intra-, hemorrhage—pathogenesis of (Hambleton and Wigglesworth) (Letter), 159; (Volpe) (Reply), 160
supra-, tachycardia, chronic ectopic—control with verapamil (Sapire et al) (BCLO), 312
—high-dose propranolol therapy in management of (Pickoff et al), 144
Verapamil to control chronic ectopic supraventricular tachycardia (Sapire et al) (BCLO), 312
Viremia detected during incubation of varicella (Feldman and Epp) (BCLO), 746
Virus infection, Coxsackie B$_5$, associated with Reye-like syndrome (Kaul et al) (BCLO), 67
respiratory syncytial—cell-mediated immune response: Relationship to development of reactive airway disease (Welliver et al), 370
varicella-zoster—cell-mediated immunity in subjects with lymphoma or leukemia (Patel et al), 223
Virus meningitis, chronic lymphocytic choriomeningitis, and CSF eosinophilia (Chesney et al) (BCLO), 750
parainfluenza—giant-cell pneumonia caused by (Delage et al) (BCLO), 426
Vitamin D metabolism, inborn error of: Rickets with alopecia (Rosen et al), 729

W

Warmer, radiant, and phototherapy—combined effect on insensible water loss in LBW infants (Bell et al) (BCLO), 810
Water loss, insensible, in LBW infants—combined effect of radiant warmer and phototherapy on (Bell et al) (BCLO), 810

Water loss, insensible—Cont'd
—reduction under radiant warmer (Yeh et al) (BCLO), 651
Weight, low-birth-, infants—combined effect of radiant warmer and phototherapy on insensible water loss in (Bell et al) (BCLO), 810
Wilson disease and chronic active hepatitis—laboratory measures of copper metabolism in differentiation of (Perman et al), 564

X

X chromosome, partial short arm deletions of, and spontaneous pubertal development in girls with short stature (Kalousek et al), 891
-linked hypogonadism, gynecomastia, mental retardation, short stature, and obesity—new syndrome (Vasquez et al), 56; Commentary (Garfunkel), 60
Xylose test in malabsorption (Liebman) (Letter), 508; (Morin) (Letter), 509; (Christie) (Reply), 509

Z

Zinc concentrations, plasma of breast-fed infants (Hambidge et al) (BCLO), 607
deficiency in achondroplastic children and their parents (Collipp et al) (BCLO), 609
Zoster immune plasma prophylaxis of varicella: Follow-up report (Balfour and Groth) (BCLO), 743
ZZ homozygous phenotypes and Duarte variant (Kelly) (Letter), 344; (Levy) (Reply), 344

THE JOURNAL OF PEDIATRICS

EDITOR

JOSEPH M. GARFUNKEL
Springfield, Illinois

CONSULTING EDITOR

WALDO E. NELSON
Philadelphia

ASSOCIATE EDITORS

ROBERT E. MERRILL
Springfield, Illinois

DAVID S. SMITH
Philadelphia

EDITORIAL BOARD

MARY ELLEN AVERY
Boston

ROBERT L. BAEHNER
Indianapolis

RICHARD E. BEHRMAN
Editor, Fetal and neonatal medicine
Cleveland

JAY BERNSTEIN
Editor, Clinical-pathological conference
Royal Oak, Michigan

REBECCA H. BUCKLEY
Durham

VICTOR CHERNICK
Winnipeg

GEORGE D. COMERCI
Tucson

W.A. DANIEL, Jr.
Editor, Adolescent medicine
Birmingham, Alabama

ANGELO M. DiGEORGE
Editor, Book reviews
Philadelphia

PHILIP R. DODGE
St. Louis

ALLAN DRASH
Pittsburgh

LEON EISENBERG
Boston

LAURENCE FINBERG
New York

WILLIAM C. HEIRD
New York

RICHARD HONG
Madison, Wisconsin

MICHAEL M. KABACK
Torrance, California

DAVID T. KARZON
Nashville

SAUL KRUGMAN
New York

ANDRÉ LASCARI
Assistant to the Editor
Springfield, Illinois

MARTIN H. LEES
Portland, Oregon

PAUL S. LIETMAN
Editor, Pharmacology and therapeutics
Baltimore

MILTON MARKOWITZ
Farmington, Connecticut

GEORGE H. McCRACKEN, Jr.
Dallas

GRANT MORROW III
Columbus, Ohio

RICHARD W. OLMSTED
Editor, Behavioral pediatrics
Denver

ALLEN W. ROOT
St. Petersburg, Florida

JANE SCHALLER
Seattle

IRVING SCHULMAN
Stanford

BEA J. van den BERG
Oakland

ROBERT L. VERNIER
Minneapolis

WILLIAM B. WEIL, Jr.
East Lansing

VOLUME 95
COPYRIGHT © 1979 BY
THE C. V. MOSBY COMPANY

All rights reserved
Printed in the United States of America

INDEX TO VOLUME 95

*Author index**

A

Abdenour GE, 819
Abdin Z, 373
Ablow RC, 873
Addonizio JC, 399
Adelman RD, 556
Agbayani MM, 1088
Ahronheim GA, 665
Aladjem M, 662
Alamgir SM, 651
Alderson PO, 379
Allaman J, 28
Alper J, 696
Alpers DH, 638
Alpert BS, 331, 578
Alpert JJ, 122
Al-Rashid RA, 426
Alter BP, 501
Anand SK, 265
Anast CS, 210
Andiman WA, 171
Anthony BF, 431
Antonias JI, 142
Aranda JV, 644
Arant BS Jr, 931
Arasu TS, 514
Arbus GS, 319
Ardati KO, 801
Ariagno RL, 595
Arnold KJ, 220
Arnon SS, 495
Arulanantham K, 329
Asmar BI, 161
Asquith MT, 993
Auzeby A, 155
Avigad S, 366

B

Baba K, 76
Bachtell RS, 807
Bacon GE, 38
Bada HS, 775
Baker CJ, 202
Bale JF Jr, 741
Balfe JW, 228, 319, 583
Balistreri WF, 1085
Ballard JL, 769
Baluarte HJ, 994
Bancalari E, 819
Bar Ziv J, 275
Barnhart BJ, 298
Barrett FF, 70
Barsel-Bowers G, 1010
Bavikatte K, 614
Bauer JH, 268
Beets CL, 595
Behrman RE, 761, 1049
Belani KG, 813
Belani KK, 317
Ben-Aryeh H, 1081
Bender RL, 1020
Bendezly A, 1081
Bensch KG, 859
Benzie RJ, 463
Berant M, 334
Bercu BB, 716
Berger D, 554
Bergeson PS, 495
Berkowitz CD, 144
Berman B, 491
Bernstein J, 931
Bernstein MT, 559
Berntssen MWJ, 1004
Betke K, 567
Beziau A, 946
Bhanot P, 561
Bhat R, 313
Biasini G, 1088
Bier DM, 220
Blajchman MA, 447
Blaskovics JC, 234
Blizzard RM, 72
Boat TF, 926
Boey CG, 373
Bogdan A, 155
Bombach E, 1088
Bonnes PA, 85
Book LS, 763
Boon AW, 1031
Botvin GJ, 1060
Bourhofer E, 14, 192
Bradley DW, 987
Bressot N, 744
Brion P, 493
Brittenham G, 478
Broadus AE, 210
Brodherr-Heberlein S, 567
Brown ER, 865
Brown KH, 651
Brown L, 1065
Brown LM, 498
Browne R, 89
Broyer M, 946
Brumley G, 902
Brunner RL, 706
Bryan AC, 793
Bryan GT, 33
Bryan H, 844
Bryan MH, 793
Buckley KM, 989
Bühlmeyer K, 567
Burke BA, 742
Burrington JD, 44
Burton RM, 298
Butterfield LJ, 755

C

Cahuana AB, 328
Cairns NU, 484
Calderon R, 1007
Camfield CS, 361
Camfield PR, 361
Cantlon A, 1060
Canty E, 859
Carpentieri U, 206
Carter BJ, 1060
Case DB, 641
Casey CE, 1008
Casey P, 1
Cashman TM, 626
Castells S, 807
Casto DT, 490
Cates KL, 317, 663
Cavallo A, 33
Cederbaum SD, 234
Chakrabarti C, 807
Challapalli M, 489
Chan G, 1043
Chandra RK, 157
Chapel JL, 389
Chaplin S, 361
Chard RL, 264
Chase HP, 337
Chavez CJ, 407
Cheatham W, 888
Chernick V, 855
Chiemchanya S, 657
Chintu C, 447
Chipps BE, 160, 379
Choi S, 298
Christensen B, 1055
Christian RM, 183
Chua C, 775
Church JA, 272
Chusid MJ, 737
Cifuentes RF, 583
Clark GM, 484
Clark JW, 85
Clarren SK, 81, 328
Clayton JM, 617
Clyde WA Jr, 183
Coccia PF, 569
Coceani F, 578, 600
Cochrane BJ, 333
Cockington RA, 281
Cohen DJ, 734
Cohn RA, 261
Colbert C, 807
Colby TV, 834
Coldwell JG, 488
Collier AM, 183
Collin P-P, 428
Colten HR, 197
Conley WG III, 183
Connors JJ, 138
Cook DH, 331
Cooke RWI, 496
Cooperberg PL, 78
Corman LI, 1001
Corn C, 33, 206
Cornoni-Huntley J, 126, 293
Corrigan JJ Jr, 99
Corry JM, 964
Counts RB, 264
Courtecuisse V, 946
Cox KL, 556
Crapo JD, 902
Csaba IF, 787
Cummings C, 361
Cunningham AS, 685
Cunningham DG, 489
Cushing B, 561
Cybulski G, 495

*July, pp 1-170; August, pp 171-336; September, pp 337-500; October, pp 501-672; November, part 1, pp 673-814; November, part 2, pp 815-920; December, pp 921-1091.

D

Dajani AS, 161, 801
Dancis J, 234
Daniel WA Jr, 255
Darnall RA Jr, 595
Das L, 561
Daum F, 665
Davidson G, 331
Davis J, 992
Davis JM, 389
Davis K, 373
de Belle RC, 1086
de V Heese H, 65
deCastro FJ, 138
Dekirmenjian H, 389
Della Porta G, 1088
DeLong SR, 493
deMello DE, 138
Demers LM, 460
Dempster WS, 65
DeNicola LK, 336
Denny FW, 183
deSaxe M, 747
Descomps B, 744
Desjardins L, 447
DeVoe WM, 999
deVries P, 556
Dickinson RG, 142
Dillon HC Jr, 437
Dillon MJ 953
Dimmick JE, 321
DiSessa TG, 588
Diver-Haber A, 366
Dodson WE, 472, 523
Done AK, 617
Donn SM, 67
Dorand RD, 814
Doyle A-B, 361
Driscoll DJ, 259
Driscoll JM Jr, 845
Driver M, 769
Drummond KN, 1085
Duck SC, 668
Duggan E, 1083
Duncan PA, 399
Duran M, 1004
Durham J, 268
Dussault JH, 404

E

Easa D, 117
Edelmann CM Jr, 102
Edmonds SR, 964
Edwards D, 588
Edwards DK, 823, 834
Edwards MS, 202
Edwin C, 534
Ehrenkranz RA, 873
Eichenwald HF, 326, 667
Eichner JM, 668
Elkon D, 424
Eshaghpour E, 1020
Ettenger RB, 244, 249
Evans HE, 1088
Evans M, 313

F

Falko JM, 523
Fanaroff AA, 287, 450, 1013
Farina MA, 332
Farooki Z, 561
Farrell PM, 869, 895
Fasth A, 54
Feller R, 819
Fellows KE, 959
Ferguson AC, 158
Fernbach DJ, 70
Feusner JH, 264
Filipovich AH, 742
Finberg L, 164
Fine RN, 244, 249
Fineman R, 970
Finer N, 348
Fischer EG, 385
Fisher E, 313
Fishman MA, 160, 402
Fitzgerald JF, 514
Fleisher G, 63
Fletcher BD, 111
Fondacaro JD, 1085
Fondu P, 493, 670
Forstner GG, 331
Fox DW, 495
Fox WW, 119, 892
Francke U, 161
Frand M, 661
Franklin W, 1013
Friedman CA, 1071
Friedman WF, 588
Friend JCM, 661
Frimpter GW, 750
Frommell GT, 28
Fujii T, 76
Fuster JS, 328

G

Gaffar A, 651
Gaffney PC, 83
Gahl WA, 330
Gannon J, 819
Garandeau P, 744
Garcia-Tornel S, 328
Garin EH, 985
Gartner JC Jr, 83
Garty BZ, 814
Gaston TL, 317
Geary D, 985
Genel M, 210
Gent M, 447
Gerber N, 142
Gerdts K-G, 953
Gerety RJ, 647
Gershon AA, 335
Gertner JM, 210
Gewolb IH, 108
Gibson EL, 99
Giebink GS, 663
Gilboa N, 664, 667
Gill G, 277
Gleason WA Jr, 138
Glueck CJ, 1055
Gluck L, 588
Goldberg J, 70
Goldring D, 298
Goldstein G, 329
Goldstein F, 61
Goldstein PD, 638
Golembe BL, 569
Gonen B, 44
Gonzalez-Cantu N, 1007
Gould T, 465
Graham JM Jr, 114, 747
Grant MJA, 578
Gray BM, 437
Gray ME, 888
Greene HL, 412
Greif Z, 1081
Gresham EL, 614
Grey M, 210
Grillo GP, 293
Groshong T, 268
Grossman HM, 1083
Grossman M, 444
Grover R, 671
Grunwaldt E, 493
Gruskin AB, 994
Gryboski JD, 83
Guell S, 328
Gutman D, 1081
Gutman LT, 325
György E, 787

H

Hahn P, 1043
Hajjar W, 775
Hakami N, 268
Haling JL, 668
Hall BD, 395, 544
Hallman N, 676
Halsted CC, 556
Hambidge KM, 1008
Hammond D, 727
Hansen RC, 987
Hanshaw JB, 336
Hanson LÅ, 54
Harada T, 418
Harbin GL, 994
Harlan WR, 126, 293
Harland RC, 142
Harris RC, 551
Harrod JR, 993
Harvey DG, 523
Harvey MAS, 81
Haslam RHA, 701
Hastreiter A, 313
Hatch TF, 514
Haupt R, 716
Haycock GB, 102
Hayek A, 813
Hayles AB, 214
Haymond MW, 220
Hecht F, 731, 812
Heick H, 1079
Heiss G, 1055
Helinek GL, 412
Hellerstein S, 261, 1083
Henderson FW, 183
Herbst JJ, 763
Hernandez A, 298
Hernandez MJ, 496
Heubi JE, 1085
Heuser ET, 249
Heymans H, 1004
Hierholzer JC, 348
Higginbottom MC, 544
Hill HR, 454
Hilliard J, 614
Hillman LS, 472
Hillman RE, 472
Hinman AR, 334
Hintz R, 77
Hirschfeld SS, 1013
Hobel CJ, 431
Hodgman CH, 309
Hodson WA, 848, 905, 912, 919
Hoffman R, 976
Holmes LB, 696
Honeyfield PR, 755
Honig P, 63
Hook EB, 332
Hopkin IE, 1031
Hopwood NJ, 38
Horiguchi S, 76
Houghton D, 142
Hruby MA, 997
Hsi BP, 14, 192
Hsia YE, 563
Hsieh GSJ, 14
Hsu FCF, 192
Hsu KHK, 14, 192
Huff JG, 135
Humphrey MJ, 987
Huseman CA, 72
Hutchins GM, 722
Hutzler J, 234
Hyman PE, 77

I

Iams JD, 1026
Iida Y, 418

Iker H, 309
Illig R, 86
Ingman MJ, 573
Ishikawa S, 76
Iyngkaran N, 373
Izant R, 287

J

Jacob J, 588
Jacob SC, 192
Jaffe LR, 1062
Jaffe RB, 1020
James AG, 530
James LS, 845
Javaid J, 389
Jean R, 744
Jegathesan S, 488
Jenkins DE, 14, 192
Jobst K, 787
Jodal U, 54
Johanson AJ, 72
Johnson J, 626
Johnson JD, 595
Johnsonbaugh R, 716
Johnston RB Jr, 964
Jonas A, 366
Jones KL, 544
Jubelirer DP, 415

K

Kadomoto Y, 798
Kahn AJ, 1088
Kahn E, 665
Kai H, 418
Kallen RJ, 663
Kaplan BS, 1085
Kaplowitz PB 1089
Kapsalakis Z, 329
Kasper DL, 202
Kassner EG, 807
Kasting DS, 595
Kasubuchi Y, 798
Kates GL, 1077
Katz SL, 325
Katznelson D, 366
Keane JF, 780
Keating JP, 638
Keens TG, 272
Kelch RP, 38
Kelly JV, 731
Kelson S, 567
Kersey JH, 569, 742
Kessler DL, 905
Ketel A, 1004
Ketting D, 1004
Kettrick R, 1065
Khan WN, 666
Khare S, 437
Khaw KT, 959
Kilroy AW, 135
Klein JO, 690
Klein RM, 399
Kleinknecht C, 946
Kliegman RM, 287, 450
Klish WJ, 493
Klose HJ, 567
Kochoshis SA, 83
Kocoshis S, 157
Kocoshis SA, 976
Koons AH, 845
Koops BL, 755
Korsch BM, 244
Koskimies O, 676
Kowarski AA, 534
Kramer MS, 671
Krieger A, 491
Krishnamoorthy KS, 611
Krivit W, 569, 727, 742
Kugler JD, 259
Kulkarni PB, 814
Kulin HE, 460
Kurlinski J, 588
Kusunoki T, 798

L

Lace JK, 298
Lacoste M, 946
Lacroix J, 428
Ladisch S, 348
Lam SK, 373
Lambert PW, 460
Lammi AT, 976
Landaw EM, 490
Landers RE, 488
Lanes R, 534
Lang WR, 530
Lansky SB, 484
Lavin MH, 337
Leaverton PE, 126, 293
Lebowitz RL, 108
Lechacz G, 319
Lee JY, 298
Lee PA, 534
Lee S, 738
Leiberman A, 275
Lemons JA, 614
Lennette ET, 63
Leong A, 495
Lester R, 1086
Leung AKC, 752
Levin DL, 550
Levin MJ, 334
Levine LS, 641
Levison H, 24
Levy M, 946
Lewins MJ, 578
L'Hommedieu C, 1065
Liang AY, 530
Linderkamp O, 567
Lindgren FT, 298
Linshaw MA, 994
Lisbona A, 111
Littlefield CA, 1001
Littlefield LC, 490
Lloyd-Still JD, 10
Lobel JS, 976
Lock JE, 600
Loda F, 1
Loening-Baucke VA, 630
Londe S, 298
Long MA, 337
Lou HC, 496, 606
Louridas TA, 644
Lovejoy FC, 1071
Lovejoy FH, 348
Lozoff B, 478
Luchtel DL, 905
Lucky AW, 44
Ludden TM, 490
Lynn RK, 142
Lyrene R, 848

M

McAnarney ER, 309
McArthur RG, 214, 752
McCamman S, 1083
McCarthy JT, 755
McCracken GH Jr, 326, 334, 356, 667
Mace S, 1013
McGrath R, 609
McIntosh K, 28
Mackay RJ, 530
McKinney R, 309
MacLean WC Jr, 670
McMillan DD, 752
McNamara DG, 259
McVicar M, 665
Madden JD, 44
Magnus PD, 495
Mahoney DH Jr, 70
Makker SP, 558, 940
Malachowski N, 595
Malekzadeh MH, 244, 249
Mamer OA, 228
Manka M, 712
Manroe BL, 89
Marker SC, 317
Marks A, 305
Marks H, 330
Marr TJ, 155
Marsh JC, 976
Marshall R, 690
Martin J, 588
Martinez CR, 379
Masson M, 111
Matsaniotis N, 329
Matustik MC, 206
Maurer HS, 997
Mauer SM, 261
May JT, 333
Mayer GJ, 75
Mayock DE, 848
Mayumi M, 76
Méhes K, 247
Mehta P, 156
Merenstein GB, 609
Merkatz IF, 1013
Merritt TA, 588
Metzker A, 814
Meyer WJ III, 33, 206
Migeon CJ, 534
Mihm MC Jr, 197, 696
Miles J, 268
Miller JR, 921
Miller K, 1077
Miller M, 970
Milligan DWA, 24
Milner AD, 1031
Mino M, 798
Minor RR, 920
Minton SD, 763, 1037
Mirkin D, 614
Mischler E, 630
Miskin M, 463
Miyakawa Y, 76
Monie BJ, 1084
Monie IW, 1084
Moomjian AS, 892
Moore M, 348
Moorthy B, 558, 940
Moran R, 412
Morgenthau JE, 1062
Morikawa Y, 798
Morin CL, 428
Morissette J, 404
Morris MC, 530
Moxon ER, 160
Muller N, 793
Murphy J, 905
Murphy JV, 737
Myers GJ, 309
Myers MG, 630
Myrianthopoulos NC, 81

N

Nagle RB, 987
Naiman JL, 491, 976
Nakao C, 76
Neill CA, 722
Nelson JD, 356, 490
Nesbit ME, 569, 727
New MI, 641, 1085
Newburger JW, 780
Newman JN, 530
Ng KPK, 117
Nichols MM, 573
Nieberg PI, 334
Nihill MR, 259
Nitzan M, 814
Nolan RJ, 420
Noronha PA, 997

Northway JD, 265
Northway WH Jr, 815, 834, 859
Norton PM, 61, 712
Nose O, 418
Novak KK, 769

O

Oberfield SE, 641
O'Grady DJ, 706
Okada DM, 431
Okada K, 76
Olley PM, 578, 583, 600
Olukotun AY, 1087
O'Neal M, 272
O'Neill J, 412
Ono J, 418
Optiz JM, 161
Oren J, 626
Orr I, 28
Osborne DR, 530
Ostrea EM Jr, 407
Oxman MN, 348

P

Palmer S, 905
Papageorgiou AN, 111
Park HM, 812
Parmelee D, 309
Parrott RH, 190
Partin JC, 706
Partin JS, 706
Pass MA, 437
Pasternak JF, 1046
Patterson AC, 78
Patterson MWH, 78, 321
Paulsen EP, 563
Pearl WR, 489
Pearson H, 210
Pearson HA, 671, 976
Pedersen H, 606
Pegelow C, 738
Peix A, 946
Pelkonen P, 410
Pennisi AJ, 244, 249
Petajan JH, 741
Peterson H, 54
Petricceks R, 859
Philippart A, 561
Pickoff AS, 499
Pierce JR, 609
Pinsky WW, 1087
Pitcher-Wilmott R, 119
Pittard WB, 450
Plotnick LP, 534
Poirier RH, 1001
Polgar G, 168
Polhill RB Jr, 964
Polin R, 1065
Posner M, 159
Powars D, 738
Powers RJ, 495
Prathap K, 373
Preblud SR, 334
Preston GA, 494
Prober CG, 131
Pueschel SM, 1010
Purdy F, 661
Puthucheary SD, 373

Q

Quattlebaum TG, 257
Quie PG, 663
Quilligan EJ, 1026

R

Radde IC, 583
Raju TNK, 495
Ramey LS, 737
Ramirez-Lavin J, 495
Ramsay NKC, 569
Rapaport R, 641
Rapola J, 676
Ratner H, 1088
Ray CG, 85
Rauh W, 641
Reed JO, 161
Reeves JD, 1003
Reid GD, 78
Reid L, 836
Reiter E, 416
Rich BH, 44
Richard GA, 985
Richards W, 272
Richardson CJ, 573
Rifkind BM, 1055
Riggs T, 111, 1013
Ring JC, 317
Roberts RJ, 465, 914
Robertson A, 732
Robertson WC Jr, 500
Robinowitz BN, 488
Robinson BH, 228
Robison L, 727
Robson L, 319
Rodbard D, 716
Rodriguez WJ, 666
Roell SL, 569
Roland J-MA, 379
Rolfe P, 496
Roma E, 329
Rooklin AR, 892
Rooks Y, 671
Root A, 416
Rosenfeld CR, 89
Rosenfeld R, 662
Rosenfield RL, 44
Rosenstein BJ, 379
Ross S, 666
Ross SA, 752
Rothenberg R, 28, 463
Rowe RD, 331, 578
Rowland DW, 578
Rubenstein AH, 44
Rudd NL, 463
Ruley EJ, 989
Rutman JY, 750
Ruttenberg HD, 1020
Rutter M, 147

S

Saarinen UM, 410
Sabio H, 424
Sack GH Jr, 538
Sah'afi RI, 77
Saken R, 1077
Salassa RM, 214
Saltzstein SL, 85
Sansaricq C, 61, 712
Santos JI, 454
Santosham M, 160
Saulsbury FT, 559
Sauve RS, 752
Savage JM, 953
Savilahti E, 676
Schaad UB, 356
Schaffner F, 551
Schiff D, 1043
Schimschock JC, 142
Schinzel AAGL, 921
Schmickel RD, 162
Schmidt K, 444
Schonfeld G, 523
Schreiner RL, 614
Schubert WK, 706
Schuit KE, 565
Schultz K, 277
Schultz RB, 157
Schuster B, 309
Schuster S, 959
Schutgens RBH, 1004
Schwartz GJ, 102
Schwartz JG, 892
Schwartz R, 666
Schwartz SS, 44
Seccombe D, 1043
Segal S, 750
Segall ML, 65
Seidel J, 553
Sengespeik C, 567
Senior RJ, 183
Shah V, 953
Shahar E, 661
Shahidi S, 671
Shapiro LR, 399
Shapiro SH, 361
Sharma P, 1083
Sharp M, 1
Shaw A, 424
Shaw KNF, 234
Shaywitz BA, 734
Shaywitz SE, 734
Sheaffer CI, 183
Shekim WO, 389
Sherwood WG, 228
Sheth KJ, 668
Shigeoka AO, 454
Shime J, 463
Shulman ST, 420
Shutack JG, 119, 892
Shwachman H, 385, 661, 959
Sibley RK, 261
Sich M, 946
Siegel SR, 1051
Siimes MA, 410
Sinclair JC, 277
Singer JI, 999
Skov H, 606
Slauson DO, 899
Slovis TL, 161
Smialek Z, 407
Smith AL, 1071
Smith AT, 538
Smith DW, 81, 114, 544, 701, 747, 921, 970
Smith SD, 484
Snyder RD, 499
Snyderman SE, 61, 712
Sobel EH, 992
Soldin SJ, 578, 583
Sotelo-Avila C, 931
Soter NA, 197
Spangler JG, 1087
Speck WT, 285, 287
Spector SA, 444
Spencer ML, 38
Spigelblatt L, 662
Spitzer A, 102
Stahlman MT, 829, 888
Standaert TA, 905
Stangel JJ, 399
Stapleton FB, 994
Starling KA, 70
Starns RJ, 626
Steichen JJ, 1037
Stern L, 867
Stern RC, 416
Steuber CP, 70
Stevenson DK, 595
Stillman AE, 987
Stough R, 1065
Straus FH II, 44
Strauss AW, 220
Strieder D, 348
Strife CF, 989
Strife JL, 160
Stryker JC, 407
Sultan C, 744
Sulyok E, 787
Sumaya CV, 1001
Sumner DS, 775

Sunshine P, 595
Susin M, 665
Sveum RJ, 317
Swartz RD, 67
Swischuk LE, 573
Swyer PR, 578
Szargel R, 1081

T

Tabor E, 551, 647
Taeusch HW Jr, 108
Tal A, 275
Tamir I, 1055
Tan SY, 77
Tanakawa N, 14
Taylor GJ, 538
Taylor J, 228
Taylor L, 556
Teele DW, 690
Teichberg S, 665
Teja K, 424
Theodoridis C, 329
Thirumoorthi MC, 801
Thoene JG, 67
Thompson JA, 741
Thompson V, 14, 192
Thorp FW, 44
Thurlbeck WH, 842
Ticknor W, 444
Tigner-Weekes L, 738
Tochen ML, 1050
Tooley WH, 851
Totten E, 553
Touitou Y, 155
Traisman ES, 155
Traisman HS, 155
Truog WE, 848, 905
Tsang RC, 1037
Turmen T, 644
Turner G, 669
Turner MC, 989
Tutihasi M, 309
Tyson J, 277

U

Ubriani RS, 1088
Uittenbogaart CH, 244, 249

V

Vadapalli M, 313
van Aswegen A, 379
van Geijn HP, 1026
Vannucci RC, 496
Varga F, 787
Varghese PJ, 331
Varma MM, 72
Vasquez SB, 669
Vaucher Y, 99
Vawter GF, 348
Vehaskari VM, 676
Veldhuis JD, 460
Vernier RL, 261, 265
Victorica BE, 420
Vidyasagar D, 313, 495
Vilska J, 676
Visudhiphan P, 657
Volgyesi G, 793
Volpe JJ, 1046
Votteler TP, 356

W

Wadman SK, 1004
Wagner Y, 334
Wallace RB, 1055
Walravens PA, 1008
Wang C-I, 272
Wang S-p, 28
Ward RH, 81
Warshaw BL, 249
Warshaw JB, 873
Way GL, 609, 1020
Weidman SW, 523
Weil WB Jr, 664
Weinberg AG, 89
Weisman Y, 416
Weissbluth M, 159
Welchert E, 1083
Welsh J, 333
Wepsic JG, 385
Whalley C, 313
White CL, 588
White LE, 1003
White PR, 530
Wiener F, 422
Wiggins J, 609
Wilfert CM, 325
Williams B, 614
Williams CL, 1060
Williams JC, 523
Williamson SJ, 737
Wilson GN, 162
Wilson JT, 135
Wilson SK, 722
Windmiller J, 976
Winkelstein JA, 559
Winsmore G, 122
Wintersgil C, 28
Wise J, 155
Wolf B, 563
Wolfe RR, 609, 1020
Wolff ED, 319
Wolfish NM, 1079
Wolfsdorf J, 44
Woodrum DE, 848
Wu HWA, 321
Wung J-T, 845
Wyllie R, 514

Y

Yabuuchi H, 418
Yadav M, 373
Yaffe SJ, 617
Yanagida M, 76
Yang S, 379
Yasumura S, 807
Yeager AS, 131
Yoshioka H, 798
Young RSK, 611
Younoszai K, 492
Yount JE, 298, 415
Youroukos S, 329
Yunginger JW, 85

Z

Zachmann M, 86
Zack PM, 126
Zadikoff CM, 140
Zaia JA, 334
Zalneraitis EL, 611
Zipf WB, 38
Zipursky A, 447
Ziter FA, 741
Zonana J, 553
Zuckerman B, 122
Zuspan FP, 1026

*Subject index**

A

ABO hemolytic disease of the newborn infant, spectrum of (Desjardins et al), 447
Abscess, brain, and cystic fibrosis (Fischer et al), 385
Absorption, bile salt, in neonates (Heubi et al) (Letter), 1085; (de Belle and Lester) (Reply), 1086
disturbed fat, following infectious gastroenteritis (Jonas et al), 366
Abuse, child, simulating "near-miss" sudden infant death syndrome (Berger) (BCLO), 554
sexual—condylomata acuminata as sign of (Seidel et al) (BCLO), 553
Acetazolamide and repeated lumbar puncture, treatment with: Hydrocephalus in tuberculous meningitis (Visudhiphan and Chiemchanya), 657
Acetoacetyl CoA thiolase deficiency: Cause of severe ketoacidosis in infancy simulating salicylism (Robinson et al), 228
Acidosis, late metabolic: Reassessment of definition (Schwartz et al), 102
Acrofacial dysostosis syndrome, postaxial (Miller et al), 970
Adenocarcinoma of colon following treatment of Wilms tumor (Sabio et al) (BCLO), 424
Adenoma, extrogen-producing adrenal—pubertal gynecomastia due to (Sultan et al) (BCLO), 744
Adenovirus type 7 pneumonia—extrapulmonary manifestations simulating Reye syndrome and possible role of adenovirus toxin (Ladisch et al), 348
21 bronchopneumonia in infants and young children (James et al), 530
Adolescence and childhood—longitudinal study of body fatness in (Zack et al), 126
Adolescent(s) and children, management of chronic aggressive hepatitis (Arasu et al), 514
female, using oral contraceptives—plasma lipids, lipoproteins, and blood pressure in (Wallace et al), 1055
grand mal epilepsy, emotional complications of (Hodgman et al), 309
homosexuality and syphilis in (Jaffe and Morgenthau) (BCLO), 1062
mothers, inner city—study of attitudes and support systems of (Zuckerman et al), 122
obesity, reducing, through school health program (Botvin et al), 1060
patients with salt-losing congenital adrenal hyperplasia, persistence of enzymatic block in (Edwin et al), 534
Adolescent(s)—Cont'd
suicidal, managed on a nonpsychiatric adolescent unit (Marks), 305
Adrenal adeoma, estrogen-producing—pubertal gynecomastia due to (Sultan et al) (BCLO), 744
hyperplasia, congenital—use of plasma androstenedione in monitoring therapy of patients with (Cavallo et al), 33
maternal congenital—female pseudohermaphroditism caused by (Kai et al) (BCLO), 418
salt-losing congenital—persistence of enzymatic block in adolescent patients with (Edwin et al), 534
Adrenalectomy, bilateral—results of: Cushing disease (McArthur et al), 214
Adrenocorical function and cyproheptadine (Touitou et al) (Letter), 155
Adriamycin cardiotoxicity and hepatic irradiation (Bhanot et al) (BCLO), 561
Age, gestational (Robertson) (Editor's column), 732
under 2 years—child-health supervision for children under: Review of its content and effectiveness (Casey et al), 1
Agglutination, latex particle—rapid diagnosis of type III group B streptococcal meningitis (Edwards et al), 202
Air dissection—role in bronchopulmonary dysplasia (Stahlman et al) (BPD Workshop), 888
Alcohol syndrome, fetal, and neural tube defects (Clarren) (Letter), 328; (Fuster et al) (Letter), 328; (Arulanantham and Goldstein) (Reply), 329
Aldosterone/renin in pheochromocytoma (Sheth and Duck) (Letter), 668
stimulated by potassium chloride in newborn lamb (Siegel) (BCLO), 1051
Alkalosis, metabolic, and Neo-Mull-Soy (Hellersteon et al) (Letter), 1083
soybean (Neo-Mull-soy) metabolic (Garin et al) (BCLO), 985
Amantadine toxicity, acute, treated with physostigmine (Berkowitz) (BCLO), 144
Ambulatory management of patients with cystic fibrosis—placebo-controlled trial of cephalexin therapy in (Loening-Baucke et al), 630
Aminoglycosides—potentiation of neuromuscular weakness in infant botulism by (L'Hommedieu et al), 1065
Amniotic band disruption complex: Timing of amniotic rupture and variable spectra of consequent defects (Higginbottom et al), 544
Ampicillin-sensitive and -resistant organisms in *H. influenzae* type B meningitis—simultaneous recovery of (Jubelirer and Yeager) (BCLO), 415

*July, pp 1-170; August, pp 171-336; September, pp 337-500; October, pp 501-672; November, part 1, pp 673-814; November, part 2, pp 815-920; December, pp 921-1090.

Androstenedione, plasma, used in monitoring therapy of patients with congenital adrenal hyperplasia (Cavallo et al), 33
Anemia, aplastic—rejection after bone marrow transplantation using identical twin, followed by permanent success utilizing immunosuppression (Golembe et al) (BCLO), 569
refractory sideroblastic, with vacuolization of marrow precursors and exocrine pancreatic dysfunction—new syndrome of (Pearson et al), 976
sickle cell—hyperreninemia and hyperaldosteronism in (Matustik et al), 206
—orbital apex syndrome secondary to (Al-Rashid) (BCLO), 426
Angiotensin I-converting enzyme inhibitor (captopril), oral, used in malignant hypertension (Oberfield et al) (BCLO), 641
Ankylosing spondylitis, juvenile—aortic insufficiency in association with (Reid et al) (BCLO), 78
Anomaly(ies), gastrointestinal, and epidermolysis bullosa (Robinowitz et al) (Letter), 488
multiple, associated with choanal atresia (Hall), 395
other—association of supernumerary nipples with (Méhes) (BCLO), 274
syndrome, dominantly inherited congenital, with blepharophimosis (Pueschel and Barsel-Bowers) (BCLO), 1010
Antibiotic therapy, oral—use of serum bactericidal titer to assess adequacy in treatment of acute hematogenous osteomyelitis (Prober and Yeager), 131
treatment of shigellosis (Berant and Wagner) (Letter), 334; (McCracken) (Reply), 334
Antibodies, serum IgE, in sudden infant death syndrome (Clark et al) (BCLO), 85
Antigen, hepatitis B surface, and membranous glomerulonephritis (Kleinknecht et al), 946
small as well as large molecular hepatitis B e—failure of maternofetal transmission for (Yanagida et al) (BCLO), 76
Anuric newborn infant—comparison of exchange transfusion, peritoneal dialysis, and hemodialysis for treatment of hyperammonemia in (Donn et al) (BCLO), 67
Aortic insufficiency in association with juvenile ankylosing spondylitis (Reid et al) (BCLO), 78
Aplasia, Müllerian duct, renal aplasia, and cervicothoracic somite dysplasia: MURCS association (Duncan et al), 399
Aplastic anemia—rejection after bone marrow transplantation using identical twin, followed by permanent success utilizing immunosuppression (Golembe et al) (BCLO), 569
Apnea and respiratory distress in newborn infants caused by gastroesophageal reflux (Herbst et al), 763
—relationship of plasma and CSF concentrations of caffeine in neonates with (Turmen et al) (BCLO), 644
Argininemia treated from birth (Snyderman et al) (BCLO), 61
Arrhythmias, ventricular, and mitral valve prolapse (Brown) (Letter), 498; (Pickoff) (Reply), 499
Arteriosus, patent ductus, and respiratory distress syndrome—ST depression suggesting endocardial ischemia in neonates with (Way et al) (BCLO), 609
—increased risk of bronchopulmonary dysplasia with (Brown) (BPD Workshop), 865
Arteriosus, patent ductus—Cont'd
treated with ligation or indomethacin: Follow-up study (Merritt et al), 588
persistent patent ductus—renal function and indomethacin in premature infants with (Cifuentes et al), 583
symptomatic patent ductus—plasma indomethacin levels in preterm newborn infants: Clinical and echocardiographic assessments of response (Alpert et al), 578
Arteriovenous fistula, acquired, with hemophilia (Feusner et al) (BCLO), 264
Arteritis, fatal, as complication of Wiskott-Aldrich syndrome (Filipovich et al) (BCLO), 742
Artery(ies), bronchial, embolization in cystic fibrosis: technique and long-term results (Fellows et al), 959
great, transposition of—use of prostaglandin E_1 in critically ill infant with (Dirscoll et al) (BCLO), 259
renal—fibromuscular dysplasia of: Important cause of renovascular hypertension (Makker and Moorthy), 940
Arthritis, *Pseudomonas*, following puncture wounds of foot (Shahar and Frand) (Letter), 661
Arthrogryposis multiplex congenita—prenatal assessment with diagnostic ultrasound and fetoscopy (Miskin et al) (BCLO), 463
Ascites, neonatal, and cutis marmorata telangiectatica congenita (Schultz and Kocoshis) (Letter), 157
Ask-Upmark (segmental "hypoplasia" of kidney) (Arant et al), 931
Aspergillosis, outbreak of, with acute leukemia (Mahoney et al) (BCLO), 70
Asphyxia, neonatal, and intraventricular hemorrhage—noninvasive diagnosis by Doppler ultrasound (Bada et al), 775
Asphyxiated neonates—lung expansion, tidal exchange, and formation of functional residual capacity during resuscitation of (Boon et al), 1031
Aspirin and naproxen—comparative effects on fever (Cashman et al), 626
dosage for infants and children (Done et al), 617
Atresia, choanal, and associated multiple anomalies (Hall), 395
Attitudes and support systems of inner city adolescent mothers, study of (Zuckerman et al), 122
Autoantibodies to Tamm-Horsfall protein associated with urinary tract infections in girls (Fasth et al), 54
Autosomal dominant microcephaly (Haslam and Smith), 701

B

Bacteremia, unsuspected, due to *Haemophilus influenzae* (Marshall et al), 690
Bacterial contamination, reduction of, in banked human milk (Asquith and Harrod) (BCLO), 993
Bactericidal titer used to assess the adequacy of oral antibiotic therapy in treatment of acute hematogenous osteomyelitis (Prober and Yeager), 131
Beckwith syndrome, thyroxine-binding globulin deficiency in (Leung et al) (BCLO), 752
Behavioral and cognitive aspects: Side effects of phenobarbital in toddlers (Camfield et al), 361
Bile salt absorption in neonates (Heubi et al) (Letter), 1085; (de Belle and Lester) (Reply), 1086

Birthmarks with serious medical significance: Nevocelluar nevi, sebaceous nevi, and multiple café au lait spots (Alper et al), 696
Blepharophimosis–dominantly inherited congenital anomaly syndrome with (Pueschel and Barsel-Bowers) (BCLO), 1010
Blood count, neonatal, in health and disease. I. Reference values for neutrophilic cells (Manroe et al), 89
flow, cerebral, re intracranial hemorrhage (Raju et al) (Letter), 495; (Cooke and Rolfe) (Letter), 496; (Vannucci and Hernandez) (Letter), 496; (Lou) (Reply), 497
low cerebral: Risk factor in neonate (Lou et al), 606
obtained by heelstick, estimation of serum ferritin in (Segall et al) (BCLO), 65
pressure elevation with orthopedic immobilization (Turner et al) (BCLO), 989
in highschool population. II. Clinical profile of juvenile hypertensive (Goldring et al), 298
lipoproteins, and plasma lipids in female adolescents using oral contraceptives (Wallace et al), 1055
viscosity, increased, in patients with cyanotic congenital heart disease and iron deficiency (Linderkamp et al) (BCLO), 567
Body fatness in childhood and adolescence, longitudinal study of (Zack er al), 126
Bone marrow transplantation for aplastic anemia using identical twin, rejection after–followed by permanent success utilizing immunosuppression (Golembe et al) (BCLO), 569
mineral content in term and preterm appropriate for gestational age infants (Minton et al), 1037
temporal–ir tracranial hypertension due to eosinophilic granuloma of (Leiberman et al) (BCLO), 275
Book review, 430
Botulism, infant: Consideration of multifactor cause (Preston) (Letter), 494; (Arnon) (Reply), 495
–potentiation of neuromuscular weakness by aminoglycosides (L'Hommedieu et al), 1065
Bowel disease, inflammatory, in children receiving sulfasalazine–sulfapyridine metabolites (Goldstein et al), 638
Brachial plexus neuropathy (Bale et al) (BCLO), 741
Brachmann–de Lange syndrome and chromosome 3q duplication (Francke and Opitz) (Letter), 161; (Schmickel and Wilson) (Reply), 162
Brain abscess and cystic fibrosis (Fischer et al), 385
dysfunction, minimal–new diagnostic terminology for (Shaywtiz et al) (Editor's column), 734
Brainstem failure, prolonged, following intraventricular hemorrhage–full recovery from (Pasternak and Volpe) (BCLO), 1046; Commentary (Behrman), 1049
Breast-fed and artifically fed infants, morbidity in. II (Cunningham), 685
infants compared to formula-fed infants–accelerated postnatal increase in: Serum immunoglobulin A in healthy infants (Saarinen et al) (BCLO), 410
feeding and trivalent oral polio vaccine (Cochrane) (Letter), 333; (Walsh and May) (Reply), 333
Bronchial artery embolization in cystic fibrosis: technique and long-term results (Fellows et al), 959
Bronchiolitis–etiologic and epidemiologic spectrum in pediatric practice (Henderson et al), 183; Commentary (Parrott), 190
Bronchopneumonia, adenovirus type 21, in infants and young children (James et al), 530
Bronchopulmonary dysplasia–causes, prevention, and therapy: Discussion (Farrell) (BPD Workshop), 895
–changing incidence of (Wung et al) (BPD Workshop), 845
clinical description of (Stahlman) (BPD Workshop), 829
presentation (Bancalari et al) (BPD Workshop), 819
–employment of pulmonary superoxide dismutase, catalase, and glutathione peroxidase activity as criteria for assessing suitable animal models for studies of (Roberts) (BPD Workshop), 914
–epidemiology of (Tooley) (BPD Workshop), 851
Discussion (Chernick) (BPD Workshop), 855
–immature monkey as model for studies of (Hodson et al) (BPD Workshop), 905
–increased risk with patent ductus arteriosus (Brown) (BPD Workshop), 865
–models for: Discussion (Hodson) (BPD Workshop), 912, 919
–morphologic aspects of (Thurlbeck) (BPD Workshop), 842
Need for epidemiologic studies (Hodson et al) (BPD Workshop), 848
observations on (Northway) (BPD Workshop), 815
–pathology (Reid) (BPD Workshop), 836
–physiologic changes in (Bryan) (BPD Workshop), 844
–prevention with vitamin E administration during the acute stages of respiratory distress syndrome (Ehrenkranz et al) (BPD Workshop), 873
radiographic aspects of (Edwards) (BPD Workshop), 823
–radiographic-pathologic correlation in (Edwards et al) (BPD Workshop), 834
–recommendations of The Workshop on (BPD Workshop), 930
–role of air dissection in (Stahlman et al) (BPD Workshop) 888
respirators in etiology and pathogenesis of (Stern) (BPD Workshop), 867
–theophylline therapy in (Rooklin et al) (BPD Workshop), 892

C

Café au lait spots, multiple, sebaceous nevi, and nevocellular nevi: Birthmarks with serious medical significance (Alper et al), 696
Caffeine in neonates with apnea–relationship of plasma and CSF concentrations of (Turmen et al) (BCLO), 644
Calcitonin, synthetic salmon–therapy of osteogenesis imperfecta with (Castells et al), 807
Calorie-protein malnutrition, xerophthalmia, and infections (Brown et al), 651
Captopril (oral angiotension I-converting enzyme inhibitor) used in malignant hypertension (Oberfield et al) (BCLO), 641
Carbohydrate intolerance, acquired, and cow milk protein–sensitive enteropathy (Iyngkaran et al), 373
Cardiomyopathy, hypertrophic, in infants of diabetic mothers–natural history of (Way et al), 1020
Cardiotoxicity, adriamycin, and hepatic irradiation (Bhanot et al) (BCLO), 561

Care, infant: Cache or carry (Lozoff and Brittenham), 478
neonatal intensive–who pays the bill for? (McCarthy et al), 755; Commentary (Behrman), 761
newborn intensive–diurnal variation in quality and outcome of (Tyson et al), 277
Carnitine, plasma, levels during intravenous feeding of neonate (Schiff et al), 1043
Catalase, superoxide dismutase, and glutathione peroxidase activity, pulmonary, employed as criteria for assessing suitable animal models for studies of bronchopulmonary dysplasia (Roberts) (BPD Workshop), 914
Catheters, central venous, and hydrothorax (Belani) (Letter), 813; (Kulkarni and Dorland) (Reply), 814
Cell(s) anemia, sickle–hyperreninemia and hyperaldosteronism in (Matustik et al), 206
disease, sickle–lead screening in (Tigner-Weekes et al) (BCLO), 738
neutrophilic–reference values for, I. Neonatal blood count in health and disease (Manroe et al), 89
Cephalexin therapy–placebo-controled trial in ambulatory management of patients with cystic fibrosis (Loening-Baucke et al), 630
Cerebral blood flow, low: Risk factor in neonate (Lou et al), 606
re intracranial hemorrhage (Raju et al) (Letter), 495; (Cooke and Rolfe) (Letter), 496; (Vannucci and Hernandez) (Letter), 496; (Lou) (Reply), 497
Cervicothoracic somite dysplasia, renal aplasia, and Müllerian duct aplasia: MURCS association (Duncan et al), 399
Chemotaxis, normal neutrophil and monocyte, with cystic fibrosis (Church et al) (BCLO), 272
Chlamydial infection of mothers and their infants (Frommell et al), 28
Chloramphenicol disposition in infants and children (Friedman et al), 1071
Choanal atresia and associated multiple anomalies (Hall), 395
Chromosome 3q duplication and Brachmann–de Lange syndrome (Francke and Opitz) (Letter), 161; (Schmickel and Wilson) (Reply), 162
Clostridia as pathogens in neonatal necrotizing enterocolitis (Kliegman et al) (BCLO), 287
Clotting abnormalities, severe, and transient hepatic fibrosis in acute anicteric hepatitis A (Humphrey et al) (BCLO), 987
Coagulase-negative staphylococci–rifampin for CSF shunt infections caused by (Ring et al) (BCLO), 317
Coenzyme A lyase deficiency, 3-hydroxy-3-methylglutaryl: Postnatal management following prenatal diagnosis by analysis of maternal urine (Duran et al) (BCLO), 1004
Colitis, ulcerative–thrombocytopenia in (Kocoshis et al) (BCLO), 83
Colon, adenocarcinoma of, following treatment of Wilms tumor (Sabio et al) (BCLO), 424
Complement pathway, alternative–activity after splenectomy: Comparison to activity in sickle cell disease and hypogammaglobulinemia (Corry et al), 964
Condylomata acuminata as sign of sexual abuse (Seidel et al) (BCLO), 553
Congenital adrenal hyperplasia, maternal–female pseudohermaphroditism caused by (Kai et al) (BCLO), 418
Congenital adrenal hyperplasia–Cont'd
salt-losing–persistence of enzymatic block in adolescent patients with (Edwin et al), 534
use of plasma androstenedione in monitoring therapy of patients with (Cavallo et al), 33
anomaly syndrome, dominantly inherited, with blepharophimosis (Pueschel and Barsel-Bowers) (BCLO), 1010
complete heart block associated with maternal mixed connective tissue disease (Nolan et al) (BCLO), 420
heart disease associated with pulmonary emphysema (Pearl) (Letter), 489
cyanotic, and iron deficiency–increased blood viscosity in patients with (Linderkamp et al) (BCLO), 567
severe cyanotic–glucose homeostasis with (Haymond et al), 220
hypogammaglobulinemia, *Pneumocystis carinii* pneumonia as presenting infection in (Saulsbury et al) (BCLO), 559
hypothyroidism using primary T_4 screening–cut-off point for TSH measurement or recalls in screening program for: Commentary (Morissette and Dussault) (Editor's column), 404
lamellar ichthyosis, hypernatremia in (Garty et al) (Letter), 814
lipodystrophy, II. Association with polycystic ovarian disease (Huseman et al) (BCLO), 72
mesoblastic nephroma presenting with primary reninism (Bauer et al) (BCLO), 268
nephrotic syndrome: Report of patient with cystic tubular changes who recovered (Anand et al) (BCLO), 265
Connective tissue disease, maternal mixed–congenital complete heart block associated with (Nolan et al) (BCLO), 420
Contraceptives, oral–plasma lipids, lipoproteins, and blood pressure in female adolescents using (Wallace et al), 1055
Contractures, joint, associated with diabetes mellitus (Traisman et al) (Letter), 155
Convulsions, benign familial, in neonatal period and early infancy (Quattlebaum) (BCLO), 257
Cranial, intra-, hemorrhage, diagnosis of: Technique using fluorescein (Barnhart et al) (BCLO), 289
in utero as complication of isoimmune thrombocytopenia (Zalneraitis et al) (BCLO), 611
re cerebral blood flow (Raju et al) (Letter), 495; (Cooke and Rolfe) (Letter), 496; (Vannucci and Hernandez) (Letter), 496; (Lou) (Reply), 497
hypertension due to eosinophilic granuloma of temporal bone (Leiberman et al) (BCLO), 275
Craniopharyngioma, precocious puberty after surgery for (Zackmann and Illig) (BCLO), 86
Craniostenosis, sagittal: Fetal head constraint as one possible cause (Graham et al) (BCLO), 747
Craniotabes, parietal, in neonate: its origin and significance (Graham and Smith) (BCLO), 114
CSF and plasma concentrations of caffeine in neonates with apnea, relationship of (Turmen et al) (BCLO), 644
shunt infections caused by coagulase-negative staphylococci, rifampin for (Ring et al) (BCLO), 317
Cultures, organ, of embryonic lung tissues (Minor) (BPD Workshop), 920
urine–isolation of *Haemophilus* in (Schuit), 565

Cushing disease, childhood: Results of bilateral adrenalectomy (McArthur et al), 214
Cutaneous necrotizing venulitis in cystic fibrosis (Sorter et al), 197
Cutis marmorata telangiectatica congenita and neonatal ascites (Schultz and Kocoshis) (Letter), 157
Cyanotic congenital heart disease and iron deficiency—increased blood viscosity in patients with (Linderkamp et al) (BCLO), 567
severe—glucose homeostasis with (Haymond et al), 220
Cyproheptadine and adrenocortical function (Touitou et al) (Letter), 155
Cystic fibrosis and brain abscess (Fischer et al), 385
malnutrition (Chase et al), 337
bronchial artery embolization in: technique and long-term results (Fellows et al), 959
cutaneous necrotizing venulitis in (Sorter et al), 197
hyperuricemia in (Gahl) (Letter), 330; (Forstner and Davidson) (Reply), 331
—noninvasive evaluation of ventricular function in (Chipps et al), 379
normal neutrophil and monocyte chemotaxis with (Church et al) (BCLO, 272
—placebo-controlled trial of cephalexin therapy in ambulatory management of patients with (Loening-Baucke et al), 630
reliability of sweat test in (Shwachman) (Letter), 661; (Rosenfeld and Spigelblatt) (Reply), 662
serum concentrations of 25-hydroxyvitamin D and 24,25-dihydroxyvitamin D in patients with (Weisman et al) (BCLO), 416
multi-, encephalomalacia in liveborn twin with a stillborn macerated co-twin (Yoshioka et al), 798
poly-, ovarian disease—association with. II. Congenital lipodystrophy (Huseman et al) (BCLO), 72
tubular changes—report of a patient who recovered: Congenital nephrotic syndrome (Anand et al) (BCLO), 265
Cystinuria—hyperlysinemia with saccharopinuria due to combined lysine-ketoglutarate reductase and saccharopine dehydrogenase deficiencies presenting as (Cederbaum et al), 234
Cytomegaloviruria in older infants in intensive care nurseries (Spector et al), 444

D

Death, sudden infant, syndrome—child abuse simulating "near-miss" (Berger) (BCLO), 554
syndrome, sudden infant, among infants of drug-dependent mothers (Chavez et al) (BCLO), 407
Defects, structural, and monozygotic twinning (Schinzel et al), 921
Depression, ST, suggesting subendocardial ischemia in neonates with respiratory distress syndrome and patent ductus arteriosus (Way et al) (BCLO), 609
Dermatitis, nickel, from foreign body in stomach (Lacroix et al) (BCLO), 428
Development, postnatal, or renal sodium handling in premature infants (Sulyok et al), 787
Devic disease (neuromyelitis optica) following varicella infection (Chusid et al) (BCLO), 737
Dextroamphetamine, clinical response in hyperactive boys, and norepinephrine metabolism (Shekim et al), 389
Diabetes mellitus, association of joint contractures and (Traisman et al) (Letter), 155
Diabetic mothers, echocardiographic abnormalities in infants of (Mace et al), 1013
—natural history of hypertrophic cardiomyopathy in infants of (Way et al), 1020
Dialysis (peritoneal), exchange transfusion, and hemodialysis compared in treatment of hyperammonemia in anuric newborn infant (Donn et al) (BCLO), 67
Diaper rashes in 1-month-old infant—relationship of diapers to (Wiener) (BCLO), 422
Diaphragmatic muscle fatigue—consequences in newborn infant (Muller et al), 793
Diarrhea, chronic, and misuse of elimination diets (Lloyd-Still), 10
Diets, elimination, misuse of—and chronic diarrhea (Lloyd-Still), 10
Digitalis—effect on salivary electrolytes of infants (Ben-Aryeh et al) (BCLO), 1081
Digoxin dosage in premature infants (Spangler and Olukotun) (Letter), 1087; (Pinsky) (Reply), 1087
24,25-Dihydroxyvitamin D and 25-hydroxyvitamin D, serum concentrations of, in patients with cystic fibrosis (Weisman et al) (BCLO), 416
Disease *see* specific disease
Dissection, air—role in bronchopulmonary dysplasia (Stahlman et al) (BPD Workshop), 888
Diurnal variation in quality and outcome of newborn intensive care (Tyson et al), 277
Doppler ultrasound—noninvasive diagnosis of neonatal asphyxia and intraventricular hemorrhage by (Bada et al), 775
Down syndrome, hypertensive pulmonary vascular disease in (Wilson et al), 722
Drug administration, therapeutic problems arising from the use of intravenous route for (Gould and Roberts), 465
dependent mothers, sudden infant death syndrome among infants of (Chavez et al) (BCLO), 407
—induced hypertension in infancy (Saken et al) (BCLO), 1077
Duodenal fluid—diagnostic approach to prolonged obstructive jaundice by 24-hour collection of (Greene et al) (BCLO), 412
secretions, human—zinc binding in (Casey et al) (BCLO), 1008
Dural, sub- collections, benign (Snyder) (Letter), 499; (Robertson) (Reply), 500
Dysmorphology, common toothbrush for (Hecht) (Letter), 812
Dysostosis syndrome, postaxial acrofacial (Miller et al), 970
Dysplasia, bronchopulmonary—causes, prevention, and therapy: Discussion (Farrell) (BPD Workshop), 895
—changing incidence of (Wung et al) (BPD Workshop), 845
—clinical description of (Stahlman) (BPD Workshop) 829
presentation (Bancalari et al) (BPD Workshop), 819
—employment of pulmonary superoxide dismutase, catalase, and glutathione peroxidase activity as criteria for assessing suitable animal models for studies of (Roberts) (BPD Workshop), 914
—epidemiology of (Tooley) (BPD Workshop), 851
Discussion (Chernick) (BPD Workshop), 855

Dysplasia, bronchopulmonary–Cont'd
–immature monkey as model for studies of (Hodson et al) (BPD Workshop), 905
–increased risk with patent ductus arteriosus (Brown) (BPD Workshop), 865
–models for: Discussion (Hodson) (BPD Workshop), 912, 919
–morphologic aspects of (Thurlbeck) (BPD Workshop), 842
Need for epidemiologic studies (Hodson et al) (BPD Workshop), 848
–observations on (Northway) (BPD Workshop), 815
–pathology (Reid) (BPD Workshop), 836
–physiologic changes in (Bryan) (BPD Workshop), 844
–prevention with vitamin E administration during acute stages of respiratory distress syndrome (Ehrenkranz et al) (BPD Workshop), 873
–radiographic aspects of (Edwards) (BPD Workshop), 823
–radiographic-pathologic correlation in (Edwards et al) (BPD Workshop), 834
–recommendations of The Workshop on (BPD Workshop), 930
–role of air dissection in (Stahlman et al) (BPD Workshop), 888
respirators in etiology and pathogenesis of (Stern) (BPD Workshop), 867
–theophylline therapy in (Rooklin et al) (BPD Workshop), 892
cervicothoracic somite, renal aplasia, and Müllerian duct aplasia: MURCS association (Duncan et al), 399
fibromuscular, of renal arteries: Important cause of renovascular hypertension (Makker and Moorthy), 940
septo-optic–maternal factors in (Purdy and Friend) (Letter), 661

E

Echocardiographic abnormalities in infants of diabetic mothers (Mace et al), 1013
and clinical assessments of response–plasma indomethacin levels in preterm infants with symptomatic patent ductus arteriosus (Alpert et al), 578
Electrolytes, salivary, of infants–effect of digitalis on (Ben-Aryeh et al) (BCLO), 1081
Electronic fetal monitoring, role of–predictors of intrapartum fetal distress (Zuspan et al), 1026
Elimination diets, misuse of, and chronic diarrhea (Lloyd-Still), 10
Emboli, systemic vascular cotton fiber, in neonate (Bavikatte et al) (BCLO), 614
Embolization, bronchial artery, in cystic fibrosis: technique and long-term results (Fellows et al), 959
Embryonic lung tissues–organ cultures of (Minor) (BPD Workshop), 920
Emotional complications of adolescent grand mal epilepsy (Hodgman et al), 309
Emphysema, interstitial, managed by high-frequency low positive-pressure hand ventilation (Ng and Easa) (BCLO), 117
pulmonary, associated with congenital heart disease (Pearl) (Letter), 489
Empyema, *H. influenzae* type b–sequelae of (Santosham et al) (Letter), 160; (Asmar et al) (Reply), 161
Encephalomalacia, multicystic, in liveborn twin with stillborn macerated co-twin (Yoshioka et al), 798
Encephalopathy, Pb, mimicking Reye syndrome (Magnus et al) (Letter), 495; (Fox and Bergeson) (Reply), 495
toxic, associated with use of insect repellant (Zadikoff) (BCLO), 140
Endocardial (sub-) ischemia suggested by ST depression in neonates with respiratory distress syndrome and patent ductus arteriosus (Way et al) (BCLO), 609
Endocrine studies: Infantile hypercalcemia with subcutaneous fat necrosis (Veldhuis et al) (BCLO), 460
Endophthalmitis due to *Salmonella enteriditis* (Corman et al) (BCLO), 1001
Energy-protein malnutrition, iron absorption in (Fondu) (Letter), 670; (MacLean) (Reply), 670
Enterocolitis, necrotizing, in neonates fed human milk (Kliegman et al), 450
neonatal necrotizing–clostridia as pathogens in (Kliegman et al) (BCLO), 287
Enteropathy, cow milk protein-sensitive, and acquired carbohydrate intolerance (Iyngkaran et al), 373
Enzymatic block in adolescent patients with salt-losing congenital adrenal hyperplasia, persistence of (Edwin et al), 534
Enzyme inhibitor, oral angiotension I-converting (captopril), used in malignant hypertension (Oberfield et al) (BCLO), 641
Eosinophilia in premature infants: Relationship to weight gain (Gibson et al), 99
Eosinophilic granuloma of temporal bone, intracranial hypertension due to (Leiberman et al) (BCLO), 275
Epidemiologic and etiologic spectrum of bronchiolitis in pediatric practice (Henderson et al), 183; Commentary (Parrott), 190
studies, need for: Bronchopulmonary dysplasia (Hodson et al) (BPD Workshop), 848
Epidemiology and clinicopathologic evaluation: Microscopic hematuria in schoolchildren (Vehaskari et al), 676
of BPD: Discussion (Chernick) (BPD Workshop), 855
bronchopulmonary dysplasia (Tooley) (BPD Workshop), 851
group B streptococcus: Maternal and nosocomial sources for infant acquisitions (Anthony et al), 431
Epidermolysis bullosa and gastrointestinal anomalies (Robinowitz et al) (Letter), 488
Epilepsy, adolescent grand mal–emotional complications of (Hodgman et al), 309
Epithelium, cultured human neonatal respiratory–studies of oxygen toxicity in (Boat) (BPD Workshop), 926
Epstein-Barr virus and EB virus infections (Andiman), 171
Esophageal, tracheo-, fistula–lung function following repair of (Mulligan and Levison), 24
Estrogen-producing adrenal adeoma–pubertal gynecomastia due to (Sultan et al) (BCLO), 744
Exchange transfusion, partial–volume estimation for (Landaw) (Letter), 490; (Berman et al) (Reply), 491
peritoneal dialysis, and hemodialysis compared in treatment of hyperammonemia in anuric newborn infant (Donn et al) (BCLO), 67

Exocrine pancreatic dysfunction and vacuolization of marrow precursors—new syndrome of refractory sideroblastic anemia with (Pearson et al), 976
Eyebrows and eyelashes, broken, kinky hair, photosensitivity, and nonprogressive mental retardation (Calderon and Gonzalez-Cantu) (BCLO), 1007
Eyelashes and eyebrows, broken, kinky hair, photosensitivity, and nonprogressive mental retardation (Calderon and Gonzalez-Cantu) (BCLO), 1007

F

Familial convulsions, benign, in neonatal period and early infancy (Quattlebaum) (BCLO), 257
nesidioblastosis: Severe neonatal hypoglycemia in two families (Schwartz et al), 44
Fat absorption, disturbed, following infectious gastroenteritis (Jonas et al), 366
necrosis, subcutaneous, with infantile hypercalcemia: Endocrine studies (Veldhuis et al) (BCLO), 460
Fatigue, diaphragmatic muscle—consequences in newborn infant (Muller et al), 793
Fatness, body, in childhood and adolescence, longitudinal study of (Zack et al), 126
Febrile seizures, management of (Posner) (Letter), 159; (Weissbluth) (Letter), 159; (Fishman) (Reply), 160
Feeding, breast-, and trivalent oral polio vaccine (Cochrane) (Letter), 333; (Walsh and May) (Reply), 333
intravenous, of neonate—plasma carnitine levels during (Schiff et al), 1043
—morbidity in breast-fed and artifically fed infants II. (Cunningham), 685
nasogastric, of neonates recovering from respiratory disease—decreased lung volume after (Pitcher-Wilmott et al) (BCLO), 119
Female pseudohermaphroditism caused by maternal congenital adrenal hyperplasia (Kai et al) (BCLO), 418
Ferritin, serum, estimated in blood obtained by heelstick (Segall et al) (BCLO), 65
Fetal alcohol syndrome and neural tube defects (Clarren) (Letter), 328; (Fuster et al) (Letter), 328; (Arulanantham and Goldstein) (Reply), 329
distress, intrapartum, predictors of—role of electronic fetal monitoring (Zuspan et al), 1026
head constraint as one possible cause: Sagittal craniostenosis (Graham et al) (BCLO), 747
maturation of newly born infants, simplified score for assessment of (Ballard et al), 769
Fetoscopy and ultrasound, diagnostic—prenatal assessment of arthrogryposis multiplex congenita (Miskin et al) (BCLO), 463
Fever, comparative effects of naproxen and aspirin on (Cashman et al), 626
Rocky Mountain spotted, diagnosed by immunofluorescent identification of *Rickettsia rickettsii* in skin biopsy tissue (Fleisher et al) (BCLO), 63
Fibromuscular dysplasia of renal arteries: Important cause of renovascular hypertension (Makker and Moorthy), 940
Fibrosis, transient hepatic, and severe clotting abnormalities in acute anicteric hepatitis A (Humphrey et al) (BCLO), 987
Fistula, acquired arteriovenous, with hemophilia (Feusner et al) (BCLO), 264
tracheoesophageal—lung function following repair of (Mulligan and Levison), 24
Flowmeter, Wright peak. II. Ventilatory functions of normal children and young adults—Mexican-American, white, and black (Hsu et al), 192
Fluorescein, technique using: Diagnosis of intracranial hemorrhage (Barnhart et al) (BCLO), 289
Focal glomerulosclerosis and renal transplantation (Malekzadeh et al), 249
Foot, puncture wounds of—*Pseudomonas* arthritis following (Shahar and Frand) (Letter), 661
Foreign body in stomach—nickel dermatitis from (Lacroix et al) (BCLO), 428
Formula-fed infants compared to breast-fed infants—accelerated postnatal increase in: Serum immunoglobulin A in healthy infants (Saarinen et al) (BCLO), 410
Formulas, infant—more on Karo syrup in (Landers) (Letter), 488

G

Galactokinase deficiency and mental retardation (Segal et al) (BCLO), 750
Gastroenteritis, infectious—disturbed fat absorption following (Jonas et al), 366
Gastroesophageal reflux causing respiratory distress and apnea in newborn infants (Herbst et al), 763
Gastrointestinal anomalies and epidermolysis bullosa (Robinowitz et al) (Letter), 488
Gestational age (Robertson) (Editor's column), 732
Globulin deficiency, thyroxine-binding, in Beckwith syndrome (Leung et al) (BCLO), 752
Glomerulonephritis, membranous, and hepatitis B surface antigen (Kleinknecht et al), 946
Glomerulosclerosis, focal, and renal transplantation (Malekzadeh et al), 249
Glucose homeostasis with severe cyanotic congenital heart disease (Haymond et al), 220
Glutathione peroxidase, catalase, and pulmonary superoxide dismutase activity, employed as criteria for assessing suitable animal models for studies of bronchopulmonary dysplasia (Roberts) (BPD Workshop), 914
Gonadotropin-releasing hormone, suppressed responsiveness in girls with unsustained isosexual precocity (Zipf et al), 38
Grand mal epilepsy, adolescent—emotional complications of (Hodgman et al), 309
Granulocytes, neutrophil, from healthy, infected and stressed neonates—functional analysis of (Shigeoka et al), 454
Granuloma, eosinophilic, of temporal bone—intracranial hypertension due to (Leiberman et al) (BCLO), 275
Growth in child with Bartter syndrome, effect of ibuprofen on, (Lechacz et al) (BCLO), 319
retardation, intrauterine—impairment of immunity with (Chandra) (Letter), 157; (Ferguson) (Reply), 158
Gynecomastia, pubertal, due to estrogen-producing adrenal adenoma (Sultan et al) (BCLO), 744

H

Haemophilus influenzae type b empyema, sequelae of (Santosham et al) (Letter), 160; (Asmar et al) (Reply), 161

Haemophilus influenzae type b–Cont'd
meningitis–simultaneous recovery of ampicillin-sensitive and ampicillin-resistant organisms in (Jubelirer and Yeager) (BCLO), 415
unsuspected bacteremia due to (Marshall et al), 690
isolated in urine cultures (Schuit), 565
Hair, kinky, photosensitivity, broken eyebrows and eyelashes, and nonprogressive mental retardation (Calderon and Gonzalez-Cantu) (BCLO), 1007
Haloperidol poisoning, acute–hypertension in (Cunningham and Challapalli) (Letter), 489
Head(s) constraint, fetal, as one possible cause: Sagittal craniostenosis (Graham et al) (BCLO), 747
little: Inheritance and early detection (Hecht and Kelly) (Editor's column), 731
Health, child-, supervision for children under 2 years of age: Review of its content and effectiveness (Casey et al), 1
Examination Survey, U.S.: Secondary sex characteristics of boys aged 12 to 17 years (Harlan et al), 293
Heart block, congenital complete, associated with maternal mixed connective tissue disease (Nolan et al) (BCLO), 420
disease, congenital, associated with pulmonary emphysema (Pearl) (Letter), 489
cyanotic congenital, and iron deficiency–increased blood viscosity in patients with (Linderkamp et al) (BCLO), 567
severe cyanotic congenital–glucose homeostasis with (Haymond et al), 220
Heelstick, estimation of serum ferritin in blood obtained by (Segall et al) (BCLO), 65
Hematogenous osteomyelitis, acute–use of serum bactericidal titer to assess adequacy of oral antibiotic therapy in treatment of (Prober and Yeager), 131
Hematologic diseases, other, and hemoglobinopathies–prenatal diagnosis of (Alter), 501
Hematuria, microscopic, in schoolchildren: Epidemiology and clinicopathologic evaluation (Vehaskari et al), 676
Hemodialysis, exchange transfusion, and peritoneal dialysis compared in treatment of hyperammonemia in anuric newborn infant (Donn et al) (BCLO), 67
Hemoglobin S, sex incidence of (Grover and Shahidi) (Letter), 671; (Kramer et al) (Reply), 671
Hemoglobinopathies and other hematologic diseases, prenatal diagnosis of (Alter), 501
sickle–polyarthritis and positive LE preparation in: Report of two cases (White and Reeves) (BCLO), 1003
Hemolytic disease, ABO, of newborn infant, spectrum of (Desjardins et al), 447
uremic syndrome associated with pnuemococcal sepsis (Moorthy and Makker) (BCLO), 558
Hemophilia, acquired arteriovenous fistula with (Feusner et al) (BCLO), 264
Hemorrhage, intracranial–diagnosis of: Technique using fluorescein (Barnhart et al) (BCLO), 289
in utero as complication of isoimmune thrombocytopenia (Zalneraitis et al) (BCLO), 611
re cerebral blood flow (Raju et al) (Letter), 495; (Cooke and Rolfe) (Letter), 496; (Vannucci and Hernandez) (Letter), 496; (Lou) (Reply), 497
intraventricular, and neonatal asphyxia–noninvasive diagnosis by Doppler ultrasound (Bada et al), 775
Hemorrhage, intraventricular–Cont'd
–full recovery from prolonged brainstem failure following (Pasternak and Volpe) (BCLO), 1046; Commentary (Behrman), 1049
Hepatic failure, acute, in severe iron poisoning (Gleason et al) (BCLO), 138
fibrosis, transient, and severe clotting abnormalities in acute anicteric hepatitis A (Humphrey et al) (BCLO), 987
irradiation and adriamycin cardiotoxicity (Bhanot et al) (BCLO), 561
Hepatitis A, acute anicteric–severe clotting abnormalities and transient hepatic fibrosis in (Humphrey et al) (BCLO), 987
B e antigen, small as well as large molecular–failure of maternofetal transmission for (Yanagida et al) (BCLO), 76
surface antigen and membranous glomerulonephritis (Kleinknecht et al), 946
virus infection in infants and toddlers in Nigeria: Need for early intervention (Tabor and Gerety), 647
chronic aggressive–management in children and adolescents (Arasu et al), 514
when chronic? (Harris et al) (Editor's column), 551
Histidinemia, nutritional therapy of (Snyderman et al), 712
Holt-Oram syndrome (Smith et al), 538
Homeostasis, glucose, with severe cyanotic congenital heart disease (Haymond et al), 220
Homosexuality and syphilis in adolescents (Jaffe and Morgenthau) (BCLO), 1062
Hormone, gonadotropin-releasing, suppressed responsiveness in girls with unsustained isosexual precocity (Zipf et al), 38
thyroid-stimulating, measurement or recalls, cut-off point for–in screening program for congenital hypothyroidism using primary T, screening: Commentary (Morissette and Dussault) (Editor's column), 404
Hydrocephalus in tuberculous meningitis: Treatment with acetazolamide and repeated lumbar puncture (Visudhiphan and Chiemchanya), 657
3-Hydroxy-3-methylglutaryl coenzyme A lyase deficiency: Postnatal management following prenatal diagnosis by analysis of maternal urine (Duran et al) (BCLO), 1004
Hyaline membrane disease, naturally occurring in foals and piglets (Slauson) (BPD Workshop), 899
Hydrogen ion concentration, calculation of (Kallen) (Letter), 663; (Weil) (Reply), 664
Hydrothorax and central venous catheters (Belani) (Letter), 813; (Kulkarni and Dorand) (Reply), 814
25-Hydroxyvitamin D and 24,25-dihydroxyvitamin D, serum concentrations of, in patients with cystic fibrosis (Weisman et al) (BCLO), 416
Hyperactive boys–norepinephrine metabolism and clinical response to dextroamphetamine in (Shekim et al), 389
Hyperaldosteronism and hyperreninemia in sickle cell anemia (Matustik et al), 206
Hyperammonemia, treatment of, in anuric newborn infant–comparison of exchange transfusion, peritoneal dialysis, and hemodialysis for (Donn et al) (BCLO), 67
Hyperbilirubinemia, neonatal–guide to use of phototherapy in management of (Cockington), 281; Commentary (Speck), 285

Hypercalcemia, infantile, with subcutaneous fat necrosis: Endocrine studies (Veldhuis et al) (BCLO), 460
Hyperliproproteinemia and multifocal neurologic dysfunction in systemic lupus erythematosus (Falko et al), 523
Hyperlysinemia with saccharopinuria due to combined lysine-ketoglutarate reductase and saccharopine and dehydrogenase deficiencies presenting as cystinuria (Cederbaum et al), 234
Hypernatremia in congenital lamellar ichthyosis (Garty et al) (Letter), 814
Hyperparathyroidism and infantile hypophosphatasia: Effect of prednisone and vitamin K therapy (Wolfish and Heick) (BCLO), 1079
Hyperplasia, congenital adrenal—plasma androstenedione used in monitoring therapy of patients with (Cavallo et al), 33
Hyperreninemia and hyperaldosteronism in sickle cell anemia (Matustik et al), 206
Hypertension, drug-induced, in infancy (Saken et al) (BCLO), 1077
  essential (Kaplan and Drummond) (Letter), 1085; (New) (Reply), 1085
  in acute haloperidol poisoning (Cunningham and Challapalli) (Letter), 489
  intracranial, due to eosinophilic granuloma of temporal bone (Leiberman et al) (BCLO), 275
  malignant—use of oral angiotensin I–converting enzyme inhibitor (captopril) in (Oberfield et al) (BCLO), 641
  renovascular—important cause of: Fibromuscular dysplasia of renal arteries (Makker and Moorthy), 940
  systemic, in newborn infant (Dimmick et al), 321
  traction-related (Linshaw et al) (BCLO), 994
Hypertensive, juvenile—clinical profile of. II. Blood pressure in high school population (Goldring et al), 298
  pulmonary vascular disease in Down syndrome (Wilson et al), 722
Hyperthermia—prospective evaluation of possible teratogenic agent in man (Clarren et al) (BCLO), 81
Hypertrophic cardiomyopathy in infants of diabetic mothers, natural history of (Way et al), 1020
Hyperuricemia in cystic fibrosis (Gahl) (Letter), 330; (Forstner and Davidson) (Reply), 331
Hypocalcemia, induced, in thalassemia major—impaired parathyroid response to (Gertner et al), 210
Hypogammaglobulinemia and sickle cell disease—comparison to activity in: Activity of alternative complement pathway after splenectomy (Corry et al), 964
  congenital—*Pneumocystis carinii* pneumonia as presenting infection in (Saulsbury et al) (BCLO), 559
Hypoglycemia, severe neonatal, in two families: Familial nesidioblastosis (Schwartz et al), 44
Hypoplasia, primary pulmonary, in neonate (Swischuk et al), 573; Commentary (Levin), 550
  salt-losing congenital adrenal—persistence of enzymatic block in adolescent patients with (Edwin et al), 534
  segmental, of kidney (Ask-Upmark) (Arant et al), 931
Hypothyroidism, congenital, using primary T_4 screening—cut-off point for TSH measurement or recalls in screening program for: Commentary (Morissette and Dussault) (Editor's column), 404
Hypoxemia, refractory, associated with neonatal pulmonary disease: Use and limitations of tolazoline (Stevenson et al), 595

I

Ibuprofen, effect on growth in child with Bartter syndrome (Lechacz et al) BCLO), 319
Ichthyosis, congenital lamellar—hypernatremia in (Garty et al) (Letter), 814
IgE antibodies, serum, In sudden infant death syndrome (Clark et al) (BCLO), 85
Ileum, rupture of, in nephrotic patient—secondary peritonitis due to (Taylor et al) (BCLO), 556
Iliofemoral venous thrombosis, etiology of (Brion and Fondu) (Letter), 493; (Grunwaldt) (Letter), 493; (DeLong) (Reply), 493
Immobilzation, orthopedic—blood pressure elevation with (Turner et al) (BCLO), 989
Immunity impaired with intrauterine growth retardation (Chandra) (Letter), 157; (Ferguson) Reply), 158
Immunofluorescent identification of *Rickettsia rickettsii* in skin biopsy tissue, diagnosis of Rocky Mountain spotted fever by (Fleisher et al) (BCLO), 63
Immunoglobulin A, serum, in healthy infants: Accelerated postnatal increase in formula-fed compared to breast-fed infants (Saarinen et al) (BCLO), 410
Immunosuppression, permanent success utilizing—rejection after bone marrow transplantation for aplastic anemia using identical twin, followed by (Golembe et al) (BCLO), 569
Indomethacin and renal function in premature infants with persistent patent ductus arteriosus (Cifuentes et al), 583
  disposition of, in preterm infants (Bhat et al), 313
  levels, plasma, in preterm newborn infants with symptomatic patent ductus arteriosus—clinical and echocardiographic assessments of response (Alpert et al), 578
  or ligation—patent ductus arteriosus treated with: Follow-up study (Merritt et al), 588
Infection(s), group B streptococcal, in infants—prospective studies of (Pass et al), 437
Infection *see* specific infection
Inflammatory bowel disease in children receiving sulfasalazine—sulfapyridine metabolites with (Goldstein et al), 638
Inheritance and early detection: Little heads (Hecht and Kelly) (Editor's column), 731
Inherited congenital anomaly syndrome, dominantly—with blepharophimosis (Pueschel and Barsel-Bowers) (BCLO), 1010
Intensive care, neonatal—who pays the bill? (McCarthy et al), 755; Commentary (Behrman), 761
Interstitial emphysema managed by high-frequency low positive-pressure hand ventilation (Ng and Easa) (BCLO), 117
Intoxication, neonatal mepivacaine, secondary to paracervical and pudendal blocks during labor—diagnosis, treatment, and follow-up of (Hillman et al), 472
Intrauterine growth retardation, impairment of immunity in children with (Chandra) (Letter), 157; (Ferguson) (Reply), 158
  supraventricular tachycardia (Newburger and Keane), 780
Intravenous feeding of neonate, plasma carnitine levels during (Schiff et al), 1043
  route for drug administration, therapeutic problems arising from the use of (Gould and Roberts), 465

Intraventricular hemorrhage and neonatal asphyxia–noninvasive diagnosis by Doppler ultrasound (Bada et al), 775
Intubation, orotracheal, in newborn infant: Method for determining depth of tube insertion (Tochen) (BCLO), 1050
Ion, hydrogen, concentration–calculation of (Kallen) (Letter), 663; (Weil) (Reply), 664
Iron absorption in protein-energy malnutrition (Fondu) (Letter), 670; (MacLean) (Reply), 670
deficiency and cyanotic congenital heart disease–increased blood viscosity in patients with (Linderkamp et al) (BCLO), 567
poisoning, severe–acute hepatic failure in (Gleason et al) (BCLO), 138
Irradiation, hepatic, and adriamycin cardiotoxicity (Bhanot et al) (BCLO), 561
Ischemia, subendocardial, suggested by ST depression in neonates with respiratory distress syndrome and patent ductus arteriosus (Way et al) (BCLO), 609
Isoimmune thrombocytopenia–intracranial hemorrhage in utero as complication of (Zalneraitis et al) (BCLO), 611
Isolation and insulation as they impinge on members of a medical specialty board (Finberg) (Editor's column), 164
Isosexual precocity, unsustained–suppressed responsiveness to gonadotropin-releasing hormone in girls with (Zipf et al), 38

J

Jaundice, prolonged obstructive–diagnostic approach by 24-hour collection of duodenal fluid (Greene et al) (BCLO), 412
Joint contractures associated with diabetes mellitus (Traisman et al) (Letter), 155

K

Karo syrup in infant formulas, more on (Landers) (Letter), 488
Ketoacidosis, severe, in infancy simulating salicylism, cause of: Acetoacetyl CoA thiolase deficiency (Robinson et al), 228
Kidney (Ask-Upmark), segmental "hypoplasia" of (Arant et al), 931

L

Lamellar ichthyosis, congenital–hypernatremia in (Garty et al) (Letter), 814
Latex particle agglutination–rapid diagnosis of type III group B streptococcal meningitis by (Edwards et al), 202
LE preparation, positive, and polyarthritis in sickle hemoglobinopathies: Report of two cases (White and Reeves) (BCLO), 1003
Lead screening in sickle cell disease (Tigner-Weekes et al) (BCLO), 738
Lecithin, lung-disaturated, and oxygen-adapted rats (Brumley and Crapo), (BPD Workshop), 902
Leukemia, acute lymphoblastic or undifferentiated–follow-up report of long-term survivors of (Nesbit et al), 727
Leukemia, acute–Cont'd
–outbreak of aspergillosis with (Mahoney et al) (BCLO), 70
ophthalmologic manifestations of (Mehta) (Letter), 156
sepsis in (Kaplowitz) (Letter), 1089
Leukocyte dysfunction, polymorphonuclear, with recurrent otitis media (Aladjem) (Letter), 662; (Giebink et al) (Reply), 663
Liddle syndrome (Hyman et al) (BCLO), 77
Ligation or indomethacin–patent ductus arteriosus treated with: Follow-up study (Merritt et al), 588
Lipids, plasma, lipoproteins, and blood pressure in female adolescents using oral contraceptives (Wallace et al), 1055
Lipodystrophy, congenital, II. Association with polycystic ovarian disease (Huseman et al) (BCLO), 72
Lipoproteins, plasma lipids, and blood pressure in female adolescents using oral contraceptives (Wallace et al), 1055
Lumbar puncture, repeated, and acetazolamide, treatment with: Hydrocephalus in tuberculous meningitis (Visudhiphan and Chiemchanya), 657
Lung disaturated lecithin and oxygen-adapted rats (Brumley and Crapo) (BPD Workshop), 902
expansion, tidal exchange, and formation of functional residual capacity during resuscitation of asphyxiated neonates (Boon et al), 1031
function following repair of tracheoesophageal fistula (Mulligan and Levison), 24
tissues, embryonic–organ cultures of (Minor) (BPD Workshop), 920
volume, decreased, after nasogastric feeding of neonates recovering from respiratory disease (Pitcher-Wilmott et al (BCLO), 119
Lupus erythematosus preparation, positive, and polyarthritis in sickle hemoglobinopathies: Report of two cases (White and Reeves) (BCLO), 1003
systemic–hyperlipoproteinemia and multifocal neurologic dysfunction in (Falko et al), 523
Lymphadenitis, atypical mycobacterial–management of: Review based on 380 cases (Schaad et al), 356
Lymphoblastic, acute, or undifferentiated leukemia–follow-up report of long-term survivors of (Nesbit et al), 727
Lysine-ketoglutarate reductase and saccharopine dehrogenase deficiences, combined, presenting as cystinuria–hyperlysinemia with saccharopinuria (Cederbaum et al), 234

M

Malignancy, childhood–adaptation of siblings to (Cairns et al), 484
Malignant hypertension–use of oral angiotensin I-converting enzyme inhibitor (captopril) in (Oberfield et al) (BCLO), 641
Malnutrition and cystic fibrosis (Chase et al), 337
CNS effects (Roma et al) (Letter), 329; (Marks) (Reply), 330
protein-calorie, xerophthalmia, and infections (Brown et al), 651
-energy–iron absorption in (Fondu) (Letter), 670; (MacLean) (Reply), 670

Marrow precursors, vacuolization of, and exocrine pancreatic dysfunction—new syndrome of refractory sideroblastic anemia with (Pearson et al), 976
Maternal factors in septo-optic dysplasia (Purdy and Friend) (Letter), 661
Maternofetal transmission, failure of, for small as well as large molecular hepatitis B e antigen (Yanagida et al) (BCLO), 76
Maturation as factor in pulmonary oxygen toxicity: Preliminary report (Northway et al) (BPD Workshop), 859
fetal, of newly born infants, simplified score for assessment of (Ballard et al), 769
Maturity ratings, sex (Daniel) (Editor's column), 255
validity of stature prediction near (Davis and Sobel) (BCLO), 992
Membrane disease, hyaline—naturally occuring in foals and piglets (Slauson) (BPD Workshop), 899
Membranous glomerulonephritis and hepatitis B surface antigen (Kleinknecht et al), 946
Meningitis, *H. influenzae* type b—simultaneous recovery of ampicillin-sensitive and ampicillin-resistant organisms in (Jubelirer and Yeager) (BCLO), 415
tuberculous—hydrocephalus in: Treatment with acetazolamide and repeated lumbar puncture (Visudhiphan and Chiemchanya), 657
type III group B streptococcal—rapid diagnosis by latex particle agglutination (Edwards et al), 202
Mental retardation and galactokinase deficiency (Segal et al (BCLO), 750
nonprogressive, kinky hair, photosensitivity, and broken eyebrows and eyelashes (Calderon and Gonzalez-Cantu) (BCLO), 1007
syndromes, X-linked (Turner) (Letter), 669; (Vasquez) (Reply), 669
Mepivacaine intoxication, neonatal, secondary to paracervical and pudendal blocks during labor—diagnosis, treatment, and follow-up of (Hillman et al), 472
Mesoblastic nephroma, congenital, presenting with primary reninism (Bauer et al) (BCLO), 268
Metabolic acidosis, late: Reassessment of definition (Schwartz et al), 102
alkalosis and Neo-Mull-Soy (Hellerstein et al) (Letter), 1083
soybean (Neo-Mull-soy) (Garin et al) (BCLO), 985
Metabolism, norepinephrine, and clinical response to dextroamphetamine in hyperactive boys (Shekim et al), 389
Metabolites, sulapyridine, in children with inflammatory bowel disease receiving sulfasalazine (Goldstein et al), 638
Microcephaly, autosomal dominant (Haslam and Smith), 701
Milk, banked human—reduction of bacterial contamination in (Asquith and Harrod) (BCLO), 993
human—necrotizing enterocolitis in neonates fed (Kliegman et al), 450
protein, cow,-sensitive enteropathy and acquired carbohydrate intolerance (Iyngkaran et al), 373
Mineral content, bone, in term and preterm appropriate for gestational age infants (Minton et al), 1037
Mitral valve prolapse and ventricular arrhythmias (Brown) (Letter), 498; (Pickoff) (Reply), 499
Molecular hepatitis B e antigen, small as well as large—failure of maternofetal transmission for (Yanagida et al) (BCLO), 76
Monitoring, role of electronic fetal—predictors of intrapartum fetal distress (Zuspan et al), 1026
Monocyte and neutrophil chemotaxis, normal, with cystic fibrosis (Church et al) (BCLO), 272
Monosaccharide intolerance, acquired (Younoszai) (Letter), 492; (Klish) Reply), 493
Monozygotic twinning and structural defects (Schinzel et al), 921
Morbidity in breast-fed and artificially fed infants, II (Cunningham), 685
Morphologic aspects of bronchopulmonary dysplasia (Thurlbeck) (BPD Workshop), 842
Müllerian duct aplasia, renal aplasia, and cervicothoracic somite dysplasia: MURCS association (Duncan et al), 399
MURCS association: Müllerian duct aplasia, renal aplasia, and cervicothoracic somite dysplasia (Duncan et al), 399
Muscle fatigue, diaphragmatic—consequences in newborn infant (Muller et al), 793
Mycobacterial lymphadenitis, atypical—management of: Review based on 380 cases (Schaad et al), 356
Mycoplasma pneumoniae infection, severe, in otherwise healthy siblings (Singer and DeVoe) (BCLO), 999
Myoglobinuria with renal failure (Gilboa) (Letter), 667; (Eichner and Haling) (Reply), 668

N

Nafcillin, pharmacokinetics of (Casto et al) (Letter), 490; (Reply) (Nelson), 490
Naproxen and aspirin—comparative effects on fever (Cashman et al), 626
Nasogastric feeding of neonates recovering from respiratory disease, decreased lung volume after (Pitcher-Wilmott et al) (BCLO), 119
Necrosis, subcutaneous fat, with infantile hypercalcemia: Endocrine studies (Veldhuis et al) (BCLO), 460
Necrotizing enterocolitis in neonates fed human milk (Kliegman et al), 450
neonatal—clostridia as pathogens in (Kliegman et al) (BCLO), 287
venulitis, cutaneous, in cystic fibrosis (Sorter et al), 197
Neo-Mull-Soy and metabolic alkalosis (Hellerstein et al) (Letter), 1083
(soybean) metabolic alkalosis (Garin et al) (BCLO), 985
Nephroma, congenital mesoblastic, presenting with primary reninism (Bauer et al) (BCLO), 268
Nephrotic patient, secondary peritonitis due to rupture of ileum in (Taylor et al) (BCLO), 556
syndrome, congenital: Report of patient with cystic tubular changes who recovered (Anand et al) (BCLO), 265
Randomized trial comparing two prednisone regimens in steroid-responsive patients who relapse early (ISKDC), 239
steroid-responsive, after renal transplanataion, recurrence of (Mauer et al) (BCLO), 261
Nervous system, central, effects of malnutrition (Roma et al) (Letter); 329; (Marks) (Reply), 330
Nesidioblastosis, familial: Severe neonatal hypoglycemia in two families (Schwartz et al), 44
Neural tube defects and fetal alcohol syndrome (Clarren) (Letter), 328; (Fuster et al) (Letter), 328; (Arulanantham and Goldstein) (Reply), 329
Neurologic dysfunction, multifocal, and hyperliproproteinemia in systemic lupus erythematosus (Falko et al), 523

Neuromuscular weakness potentiated in infant botulism by aminoglycosides (L'Hommedieu et al), 1065
Neuromyelitis optica (Devic disease) following varicella infection (Chusid et al) (BCLO), 737
Neuropathy, brachial plexus (Bale et al) (BCLO), 741
Neuropsychologic consequences of Reye syndrome (Brunner et al), 706
Neutrophil and monocyte chemotaxis, normal, with cystic fibrosis (Church et al) (BCLO), 272
granulocytes from healthy, infected, and stressed neonates—functional analysis of (Shigeoka et al), 454
Neutrophilic cells, reference values for. I. Neonatal blood count in health and disease (Manroe et al), 89
Nevocellular nevi, sebaceous nevi, and multiple café au lait spots: Birthmarks with serious medical significance (Alper et al), 696
New books received, 146, 430
Nickel dermatitis from foreign body in stomach (Lacroix et al) (BCLO), 428
NICU—cytomegalovirus in older infants in intensive care nurseries (Spector et al), 444
Nipples, supernumerary, associated with other anomalies (Méhes) (BCLO), 274
Norepinephrine metabolism and clinical response to dextroamphetamine in hyperactive boys (Shekim et al), 389
Normotensive children—renal vein renin measurements in (Gerdts et al), 953
Nosocomial and maternal sources for infant acquisitions: Epidemiology of group B streptococcus (Anthony et al), 431
Nurseries, intensive care—cytomegalovirus in older infants in (Spector et al), 444
Nutritional therapy of histidinemia (Snyderman et al), 712

O

Obesity, reducing adolescent, through school health program (Botvin et al), 1060
OK_1 interval (pulse wave arrival time) in normal children (Bercu et al), 716
Ophthalmologic manifestations of leukemia (Mehta) (Letter), 156
Oral contraceptives—plasma lipids, lipoproteins, and blood pressure in female adolescents using (Wallace et al), 1055
Orbital apex syndrome secondary to sickle cell anemia (Al-Rashid) (BCLO), 426
Organ cultures of embryonic lung tissues (Minor) (BPD Workshop), 920
Orotracheal intubation in newborn infant: Method for determining depth of tube insertion (Tochen) (BCLO), 1050
Orthopedic immobilization—blood pressure elevation with (Turner et al) (BCLO), 989
Osteogenesis imperfecta—therapy with synthetic salmon calcitonin (Castells et al), 807
Osteomyelitis, acute hematogenous—use of serum bactericidal titer to assess adequacy of oral antibiotic therapy in treatment of (Prober and Yeager), 131
Otitis media, recurrent—polymorphonuclear leukocyte dysfunction with (Aladjem) (Letter), 662; (Giebink et al) (Reply), 663
Otitis media—Cont'd
treated with trimethoprim-sulfamethoxazole (Schwartz et al) (Letter), 666; (McCracken and Eichenwald) (Reply), 667
timethoprim-sulfamethoxazole in (Gutman et al) (Letter), 325; (Eichenwald and McCracken) (Reply), 326
Ovarian disease, polycystic—association with. II. Congenital lipodystrophy (Huseman et al) (BCLO), 72
Oxygen-adapted rats and lung-disaturated lecithin (Brumley and Crapo) (BPD Workshop), 902
toxicity, pulmonary—maturation as factor in: Preliminary report (Northway et al) (BPD Workshop), 859
—studies in cultured human neonatal respiratory epithelium (Boat) (BPD Workshop), 926

P

Pancreatic dysfunction, exocrine, and vacuolization of marrow precursors—new syndrome of refractory sideroblastic anemia with (Pearson et al), 976
Paracervical and pudendal blocks during labor—diagnosis, treatment, and follow-up of neonatal mepivacaine intoxication secondary to (Hillman et al), 472
Paragonimiasis, pulmonary (Mayer) (BCLO), 75
Parathyroid response, impaired, to induced hypocalcemia in thalassemia major (Gertner et al), 210
Parietal craniotabes in neonate: its origin and significance (Graham and Smith) (BCLO), 114
Patent ductus arteriosus and respiratory distress syndrome—ST depression suggesting subendocardial ischemia in neonates with (Way et al) (BCLO), 609
—increased risk of bronchopulmonary dysplasia with (Brown) (BPD Workshop), 865
persistent—renal function and indomethacin in premature infants with (Cifuentes et al), 583
symptomatic—plasma indomethacin levels in preterm newborn infants: Clinical and echocardiographic assessments of response (Alpert et al), 578
treated with ligation or indomethacin: Follow-up study (Merritt et al), 588
Pathogens, clostridia as, in neonatal necrotizing enterocolitis (Kliegman et al) (BCLO), 287
Pathogenesis and etiology of bronchopulmonary dysplasia, role of respirators in (Stern) (BPD Workshop), 867
Pathologic-radiographic correlation in bronchopulmonary dysplasia (Edwards et al) (BPD Workshop), 834
Pathology—bronchopulmonary dysplasia (Reid) (BPD Workshop), 836
Pb encephalopathy mimicking Reye syndrome (Magnus et al) (Letter), 495; (Fox and Bergeson) (Reply), 495
Peritoneal dialysis, exchange transfusion, and hemodialysis compared in treatment of hyperammonemia in anuric newborn infant (Donn et al) (BCLO), 67
Peritonitis, secodnary, due to rupture of ileum in nephrotic patient (Taylor et al) (BCLO), 556
Pharmacokinetics of nafcillin (Casto et al) (Letter), 490; (Reply) (Nelson), 490
Phenobarbital in toddlers, side effects of: behavioral and cognitive aspects (Camfield et al), 361
side effects of: Commentary (Fishman) (Editor's column), 403
Phenytoin overdose, acute—prolonged toxicity following (Wilson et al) (BCLO), 135

Pheochromocytoma, renin/aldosterone in (Sheth and Duck) (Letter), 668
Photosensitivity, kinky hair, broken eyebrows and eyelashes, and nonprogressive mental retardation (Calderon and Gonzales-Cantu) (BCLO), 1007
Phototherapy in management of neonatal hyperbilirubinemia, guide to use of (Cockington), 281; Commentary (Speck), 285
Phypophosphatasia, infantile, and hyperparathyroidisim: Effect of prednisone and vitamin K therapy (Wolfish and Heick) (BCLO), 1079
Physiologic changes in bronchopulmonary dysplasia (Bryan) (BPD Workshop), 844
Physostigmine, treatment of acute amantadine toxicity with (Berkowitz) (BCLO), 144
Plasma and CSF concentrations of caffeine in neonates with apnea, relationship of (Turmen et al) (BCLO), 644
androstenedione used in monitoring therapy of patients with congenital adrenal hyperplasia (Cavallo et al), 33
carnitine levels during intravenous feeding of neonate (Schiff et al), 1043
indomethacin levels in preterm newborn infants with symptomatic patent ductus arteriosus–clinical and echocardiographis response assessments (Alpert et al), 578
lipids, lipoproteins, and blood pressure in female adolescents using oral contraceptives (Wallace et al), 1055
Pneumococcal sepsis associated with hemolytic-uremic syndrome (Moorthy and Makker) (BCLO), 558
Pneumocystis carinii pneumonia as presenting infection in congenital hypogammaglobulinemia (Saulsbury et al) (BCLO), 559
Pneumonia, adenovirus type 7–extrapulmonary manifestations simulating Reye syndrome and possible role of adenovirus toxin (Ladish et al), 348
Pneumocystis carinii, as presenting infection in congenital hypogammaglobulinemia (Saulsbury et al) (BCLO), 559
Poisoning, acute haloperidol–hypertension in (Cunningham and Challapalli) (Letter), 489
severe iron–acute hepatic failure in (Gleason et al) (BCLO), 138
Polio vaccine, trivalent oral, and breast-feeding (Cochrane) (Letter), 333; (Walsh and May) (Reply), 333
Polyarthritis and positive LE preparation in sickle hemoglobinopathies: Report of two cases (White and Reeves) (BCLO), 1003
Polycystic ovarian disease, association with, II. Congenital lipodystrophy (Huseman et al) (BCLO), 72
Polymorphonuclear leukocyte dysfunction with recurrent otitis media (Aladjem) (Letter), 662; (Giebink et al) (Reply), 663
Postaxial acrofacial dysostosis syndrome (Miller et al), 970
Potassium chloride stimulation of aldosterone in newborn lamb (Siegel) (BCLO), 1051
Prediction, stature–validity near maturity (Davis and Sobel) (BCLO), 992
Prednisone and vitamin K therapy, effect of: Hyperparathyroidism and infantile hypophosphatasia (Wolfish and Heick) (BCLO), 1079
regimens, randomized trial comparing two, in steroid-responsive patients who relapse early: Nephrotic syndrome (ISKDC), 239
Pressure, blood, elevation with orthopedic immobilization (Turner et al) (BCLO), 989
in high school population, II. Clinical profile of juvenile hypertensive (Goldring et al), 298
Propionyl CoA carboxylase deficiency, asymptomatic, in 13-year-old girl (Wolf et al) (BCLO), 563
Prostaglandin E_1 used in critically ill infant with transposition of great arteries (Driscoll et al) (BCLO), 259
Protein-calorie malnutrition, xerophthalmia, and infections (Brown et al), 651
cow milk, sensitive enteropathy and acquired carbohydrate intolerance (Iyngkaran et al), 373
-energy malnutrition, iron absorption in (Fondu) (Letter), 670; (MacLean) (Reply), 670
Tamm-Horsfall, autoantibodies to–associated with urinary tract infections in girls (Fasth et al), 54
Prune belly syndrome, determinants of (Monie and Monie) (Letter), 1084
Pseudohermaphroditism, female, caused by maternal congenital adrenal hyperplasia (Kai et al) (BCLO), 418
Pseudomonas arthritis following puncture wounds of foot (Shahar and Frand) (Letter), 661
Psychiatric, non-, adolescent unit, management of suicidal adolescent on (Marks), 305
Psychologic, neuro-, consequences of Reye syndrome (Brunner et al), 706
Pubertal gynecomastia due to estrogen-producing adrenal adenoma (Sultan et al) (BCLO), 744
Puberty, precocious, after surgery for craniopharyngioma (Zackmann and Illig) (BCLO), 86
Pudendal and paracervical blocks during labor–diagnosis, treatment, and follow-up of neonatal mepivacaine intoxication secondary to (Hillman et al), 472
Pulmonary disease, neonatal, associated with refractory hypoxemia: Use and limitations of tolazoline (Stevenson et al), 595
emphysema associated with congenital heart disease (Pearl) (Letter), 489
extra-, manifestations of adenovirus type 7 pneumonia simulating Reye syndrome and possible role of adenovirus toxin (Ladisch et al), 348
function tests (Polgar) (Editor's column), 168
hypoplasia, primary, in neonate (Swischuk et al), 573; Commentary (Levin), 550
oxygen toxicity, maturation as factor in: Preliminary report (Northway et al), (BPD Workshop), 859
paragonimiasis (Mayer) (BCLO), 75
superoxide dismutase, catalase, and glutathione peroxidase activity employed as criteria for assessing suitable animal models for studies of bronchopulmonary dysplasia (Roberts) (BPD workshop), 914
vascular disease, hypertensive, in Down syndrome (Wilson et al), 722
effects, direct and indirect, of tolazoline in newborn lamb (Lock et al), 600
Pulse wave arrival time (OK_3 interval) in normal children (Bercu et al), 716
Puncture, repeated lumbar, and acetazolamide–treatment with: Hydrocephalus to tuberculous meningitis (Visudhiphan and Chiemchanya), 657
wounds of food–*Pseudomonas* arthritis following (Shahar and Frand) (Letter), 661

R

Radiographic aspects of bronchopulmonary dysplasia (Edwards) (BPD Workshop), 823
pathologic correlation in bronchopulmonary dysplasia (Edwards et al) (BPD Workshop), 834
Rashes, diaper, in 1-month-old infant—relationship of diapers to (Wiener) (BCLO), 422
Reflux, gastroesophageal, causing respiratory distress and apnea in newborn infants (Herbst et al), 763
Renal aplasia, Müllerian duct aplasia, and cervicothoracic somite dysplasia: MURCS association (Duncan et al), 399
arteries, fibromuscular dysplasia of: Important cause of renovascular hypertension (Makker and Moorthy), 940
failure and Reye syndrome (Gilboa) (Letter), 664; (Ahronheim) (Letter), 665; (McVicar et al) (Reply), 665
with myoglobinuria (Gilboa) (Letter), 667; (Eichner and Haling) (Reply), 668
function and indomethacin in premature infants with persistent patent ductus arteriosus (Cifuentes et al), 583
retransplantation (Fine et al), 244
sodium handling in premature infants, postnatal development of (Sulyok et al), 787
transplantation and focal glomerulosclerosis (Malekzadeh et al), 249
—recurrence of steroid-responsive nephrotic syndrome after (Mauer et al) (BCLO), 261
vein renin measurements in normotensive children (Gerdts et al), 953
Renin/aldosterone in pheochromocytoma (Sheth and Duck) (Letter), 668
measurements, renal vein, in normotensive children (Gerdts et al), 953
Reninism, primary—congenital mesoblastic nephroma presenting with (Bauer et al) (BCLO), 268
Respirators, role in etiology and pathogenesis of bronchopulmonary dysplasia (Stern) (BPD Workshop), 867
Respiratory disease, decreased lung volume after nasogastric feeding of neonates recovering from respiratory disease (Pitcher-Wilmott et al) (BCLO), 119
distress and apnea in newborn infants caused by gastroesophageal reflux (Herbst et al), 763
syndrome and patent ductus arteriosus—ST depression suggesting subendocardial ischemia in neonates with (Way et al) (BCLO), 609
prevention of bronchopulmonary dysplasia with vitamin E administration during acute stages of (Ehrenkranz et al) (BPD Workshop), 873
thymus size and its relationship to (Gewolb et al), 108
epithelium, cultured human neonatal—studies of oxygen toxicity in (Boat) (BPD Workshop), 926
Resuscitation of asphyxiated neonates—lung expansion, tidal exchange, and formation of functional residual capacity during (Boon et al), 1031
Retardation, intrauterine growth—impairment of immunity with (Chandra) (Letter), 157; (Ferguson) (Reply), 158
mental, and galactokinase deficiency (Segal et al) (BCLO), 750
nonprogressive mental, kinky hair, photosensitivity, and broken eyebrows and eyelashes (Calderon and Gonzalez-Cantu) (BCLO), 1007
Retardation—Cont'd
syndromes, X-linked mental (Turner) (Letter), 669; (Vasquez) (Reply), 669
Reye syndrome and renal failure (Gilboa) (Letter), 664; (Ahronheim) (Letter), 665; (McVicar et al) (Reply), 665
extrapulmonary manifestations of adenovirus type 7 pneumonia simulating, and possible role of adenovirus toxin (Ladisch et al), 348
neuropsychologic consequences of (Brunner et al), 706
Pb encephalopathy mimicking (Magnus et al) (Letter), 495; (Fox and Bergeson) (Reply), 495
-like syndrome associated with valproic acid therapy (Gerber et al) (BCLO), 142
Rickettsia rickettsii in skin biopsy tissue, diagnosis of Rocky Mountain spotted fever by immunofluorescent identification of (Fleisher et al) (BCLO), 63
Rifampin for CSF shunt infections caused by coagulase-negative staphylococci (Ring et al) (BCLO), 317
Rocky Mountain spotted fever diagnosed by immunofluorescent identification of *Rickettsia rickettsii* in skin biopsy tissue (Fleisher et al) (BCLO), 63
Rupture, amniotic, and variable spectra of consequent defects, timing of: Amniotic band disruption complex (Higginbottom et al), 544
of ileum in nephrotic patient, secondary peritonitis due to (Taylor et al) (BCLO), 556

S

Saccharopine dehyrogenase and lysine-ketoglutarate reductase deficiencies, combined, presenting as cystinuria—hyperlysinemia with saccharopinuria due to (Cederbaum et al), 234
Saccharopinuria, hyperlysinemia with, due to combined lysine-ketoglutarate reductase and saccharopine dehydrogenase deficiencies presenting as cystinuria (Cederbaum et al), 234
Sagittal craniostenosis: Fetal head constraint as one possible cause (Graham et al) (BCLO), 747
Salicylism, cause of severe ketoacidosis in infancy simulating: Acetoacetyl CoA thiolase deficiency (Robinson et al), 228
Salivary electrolytes of infants—effect of digitalis on (Ben-Aryeh et al) (BCLO), 1081
Salmon calcitonin, synthetic—therapy of osteogenesis imperfecta with (Castells et al), 807
Salmonella enteriditis, endophthalmitis due to (Corman et al) (BCLO), 1001
Salt-losing congenital adrenal hyperplasia, persistence of enzymatic block in adolescent patients with (Edwin et al), 534
School health program, reducing adolescent obesity through (Botvin et al), 1060
Screening, lead, in sickle cell disease (Tigner-Weekes et al) (BCLO), 738
program for congenital hypothyroidism using primary T_4 screening—cut-off point for TSH measurement or recalls in: Commentary (Morissette and Dussault) (Editor's column), 404
Sebaceous nevi, nevocellular nevi, and multiple café au lait spots: Birthmarks with serious medical significance (Alper et al), 696

Secretions, human duodenal—zinc binding in (Casey et al) (BCLO), 1008
Seizures, febrile—management of (Posner) (Letter), 159; (Weissbluth) (Letter), 159; (Fishman) (Reply), 160
Separation experiences: New look at an old topic (Rutter), 147
Sepsis in leukemia (Kaplowitz) (Letter), 1089
pneumococcal, associated with hemolytic-uremic syndrome (Moorthy and Makker) (BCLO), 558
Septal defect, ventricular—sex difference in rates of spontaneous closure in (Cook et al) (Letter), 331; (Farina and Hook) (Reply), 332
Septo-optic dysplasia, maternal factors in (Purdy and Friend) (Letter), 661
Serum concentrations of 25-hydroxyvitamin D and 24,25-dihydroxyvitamin D in patients with cystic fibrosis (Weisman et al) (BCLO), 416
IgE antibodies in sudden infant death syndrome (Clark et al) (BCLO), 85
immunoglobulin A in healthy infants: Accelerated postnatal increase in formula-fed compared to breast-fed infants (Saarinen et al) (BCLO), 410
Sex characteristics, secondary, of boys aged 12 to 17 years: U.S. Health Examination Survey (Harlan et al), 293
difference in rates of spontaneous closure in ventricular septal defect (Cook et al) (Letter), 331; (Farina and Hook) (Reply), 332
incidence of hemoglobin S (Grover and Shahidi) (Letter), 671; (Kramer et al) (Reply), 671
maturity ratings (Daniel) (Editor's column), 255
Sexual abuse, condylomata acuminata as sign of (Seidel et al) (BCLO), 553
Shigellosis, antibiotic treatment of (Berant and Wagner) (Letter), 334; (McCracken) (Reply), 334
Shunt infections, CSF, caused by coagulase-negative staphylococci, rifampin for (Ring et al) (BCLO), 317
Siblings—adaptation to childhood malignancy (Cainns et al), 484
otherwise healthy—severe *Mycoplasma pneumoniae* infection in (Singer and DeVoe) (BCLO), 999
Sickle cell anemia—hyperreninemia and hyperaldosteronism in (Matustik et al), 206
orbital apex syndrome secondary to (Al-Rashid) (BCLO), 426
disease and hypogammaglobulinemia—comparison to activity in: Activity of alternative complement pathway after splenectomy (Corry et al), 964
lead screening in (Tigner-Weekes et al) (BCLO), 738
hemoglobinopathies, polyarthritis and positive LE preparation in: Report of two cases (White and Reeves) (BCLO), 1003
Sideroblastic anemia, refractory, with vacuolization of marrow precursors and exocrine pancreatic dysfunction—new syndrome of (Pearson et al), 976
SIDS (sudden infant death syndrome) among infants of drug-dependent mothers (Chavez et al) (BCLO), 407
"near-miss"—child abuse similating (Berger) (BCLO), 554
(sudden infant death syndrome)—serum IgE antibodies in (Clark et al) (BCLO), 85
Skin biopsy tissue, diagnosis of Rocky Mountain spotted fever by immunofluorescent identification of *Rickettsia rickettsii* in (Fleisher et al) (BCLO), 63
Sodium, renal, handling in premature infants, postnatal development of (Sulyok et al), 787
Soybean (Neo-Mull-soy) metabolic alkalosis (Garin et al) (BCLO), 985
Spirometry, I. Ventilatory functions of normal children and young adults—Mexican-American, white, and black (Hsu et al), 14
Splenectomy, activity of alternative complement pathway after: Comparison to activity in sickle cell disease and hypogammaglobulinemia (Corry et al), 964
Spondylitis, juvenile ankylosing—aortic insufficiency in association with (Reid et al) (BCLO), 78
Staphylococci, coagulase-negative—rifampin for CSF shunt infections caused by (Ring et al) (BCLO), 317
Stature prediction—validity near maturity (Davis and Sobel) (BCLO), 992
Steroid(s), endogenous and exogenous, in premature newborn infants—thymic response to (Fletcher et al) (BCLO), 111
responsive nephrotic syndrome after renal transplantation, recurrence of (Mauer et al) (BCLO), 261
patients who relapse early, randomized trial comparing two prednisone regimens in: Nephrotic syndrome (ISKDC), 239
Stomach—nickel dermatitis from foreign body in (Lacroix et al) (BCLO), 428
Streptococcal infections, group B, in infants—prospective studies of (Pass et al), 437
meningitis, type III group B—rapid diagnosis by latex particle agglutination (Edwards et al), 202
Streptococcus, group B—epidemiology: Maternal and nosocomial sources for infant acquisitions (Anthony et al), 431
Subcutaneous fat necrosis with infantile hypercalcemia: Endocrine studies (Veldhuis et al) (BCLO), 460
Suicidal adolescent managed on a nonpsychiatric adolescent unit (Marks), 305
Sulfamethoxazole-trimethoprim, treatment of otitis media with (Schwartz et al) (Letter), 666; (McCracken and Eichenwald) (Reply), 667
in otitis media (Gutman et al) (Letter), 325; (Eichenwald and McCracken) (Reply), 326
intravenous, in treatment of serious infections (Ardati et al), 801
Sulfapyridine metabolites in children with inflammatory bowel disease receiving sulfasalazine (Goldstein et al), 638
Sulfasalazine—sulfapyridine metabolites in children with inflammatory bowel disease receiving (Goldstein et al), 638
Superoxide dismutase, catalase, and glutathione peroxidase activity, pulmonary, employed as criteria for assessing suitable animal models for studies of bronchopulmonary dysplasia (Roberts) (BPD Workshop), 914
Support systems, and attitudes of inner city adolescent mothers, study of (Zuckerman et al), 122
Sweat test in cystic fibrosis, reliability of (Shwachman) (Letter), 661; (Rosenfeld and Spigelblatt) (Reply), 662
Syndrome *see* specific syndrome
new, of refractory sideroblastic anemia with vacuolization of marrow precursors and exocrine pancreatic dysfunction (Pearson et al), 976
sudden infant death, among infants of drug-dependent mothers (Chavez et al) (BCLO), 407
—serum IgE antibodies in (Clark et al) (BCLO), 85
Syphilis and homosexuality in adolescents (Jaffe and Morgenthau) (BCLO), 1062

T

T, screening, primary—cut-off point for TSH measurement or recalls in screening program for congenital hypothyroidism using: Commentary (Morissette and Dussault) (Editor's column), 404
Tachycardia, intrauterine supraventricular (Newburger and Keane), 780
Tamm-Horsfall protein, autoantibodies to—associated with urinary tract infections in girls (Fasth et al), 54
Temporal bone, intracranial hypertension due to eosinophilic granuloma of (Leiberman et al) (BCLO), 275
Teratogenic agent, possible, in man, prospective evaluation of—hyperthermia (Clarren et al) (BCLO), 81
Terminology, new diagnostic, for "minimal brain dysfunction" (Shaywitz et al) (Editor's column), 734
Test(s), pulmonary function (Polgar) (Editor's column), 168
  sweat, in cystic fibrosis—reliability of (Shwachman) (Letter), 661; (Rosenfeld and Spigelblatt) (Reply), 662
Thalassemia major, impaired parathyroid response to induced hypocalcemia in (Gertner et al), 210
Theophylline therapy in bronchopulmonary dysplasia (Rooklin et al) (BPD Workshop), 892
Thiolase, acetoacetyl CoA, deficiency: Cause of severe ketoacidosis in infancy simulating salicylism (Robinson et al), 228
Thrombocytopenia in ulcerative colitis (Kocoshis et al) (BCLO), 83
  isoimmune—intracranial hemorrhage in utero as complication of (Zalneraitis et al) (BCLO), 611
Thrombosis, iliofemoral venous—etiology of (Brion and Fondu) (Letter), 493; (Grunwaldt) (Letter), 493; (DeLong) (Reply), 493
Thymic response to endogenous and exogenous steroids in premature newborn infants (Fletcher et al) (BCLO), 111
Thymus size and its relationship to respiratory distress syndrome (Gewolb et al), 108
Thyroid-stimulating hormone measurement or recalls, cut-off point for, in screening progam for congenital hypothyroidism using primary T_4 screening: Commentary (Morissette and Dussault) (Editor's column), 404
  storm, etiology of (Park) (Letter), 812; (Hayek) (Reply), 813
Thyrosine screening, primary—cut-off point for TSH measurement or recalls in screening program for congenital hypothyroidism using: Commentary (Morissette and Dussault) (Editor's column), 404
Thyroxine-binding globulin deficiency in Beckwith syndrome (Leung et al) (BCLO), 752
Tidal exchange, lung expansion, and formation of functional residual capacity during resuscitation of asphyxiated neonates (Boon et al), 1031
Tissue(s) disease, maternal mixed connective—congenital complete heart block associated with (Nolan et al) (BCLO), 420
  embryonic lung—organ cultures of (Minor) (BPD Workshop), 920
  skin biopsy—diagnosis of Rocky Mountain spotted fever by immunofluorescent identification of *Rickettsia rickettsii* in (Fleisher et al) (BCLO), 63
Tolazoline in newborn lamb—direct and indirect pulmonary vascular effects of (Lock et al), 600
Tolazoline—Cont'd
  use and limitations of: Refractory hypoxemia associated with neonatal pulmonary disease (Stevenson et al), 595
Toxic encephalopathy associated with use of insect repellant (Zadikoff) (BCLO), 140
Toxicity, acute amantadine, treated with physostigmine (Berkowitz) (BCLO), 144
  prolonged, following acute phenytoin overdose (Wilson et al) (BCLO), 135
  pulmonary oxygen—maturation as factor in: Preliminary report (Northway et al) (BPD Workshop), 859
Tracheoesophageal fistula, lung function following repair of (Mulligan and Levison), 24
Traction-related hypertension (Linshaw et al) (BCLO), 994
Transfusion (exchange) peritoneal dialysis, and hemodialysis compared in treatment of hyperammonemia in anuric newborn infant (Donn et al) (BCLO), 67
  partial exchange—volume estimation for (Landaw) (Letter), 490; (Berman et al) (Reply), 491
Transplantation, bone marrow, for aplastic anemia using identical twin, rejection after—followed by permanent success utilizing immunosuppression (Golembe et al) (BCLO), 569
  re-, renal (Fine et al), 244
  renal, and focal glomerulosclerosis (Malekzadeh et al), 249
    —recurrence of steroid-responsive nephrotic syndrome after (Mauer et al) (BCLO), 261
Trimethoprim-sulfamethoxazole in otitis media (Gutman et al) (Letter), 325; (Eichenwald and McCracken) (Reply), 326
  intravenous in treatment of serious infections (Ardati et al), 801
  treatment of otitis media with (Schwartz et al) (Letter), 666; (McCracken and Eichenwald) (Reply), 667
Toxicity, oxygen—studies in cultured human neonatal respiratory epithelium (Boat) (BPD Workshop), 926
Toxin, adenovirus—possible role and extrapulmonary manifestations of adenovirus type 7 pneumonia simulating Reye syndrome (Ladisch et al), 348
TSH measurement or recalls, cut-off point for, in screening program for congenital hypothyroidism using primary T_4 screening: Commentary (Morissette and Dussault) (Editor's column), 404
Tube defects, neural, and fetal alcohol syndrome (Clarren) (Letter), 328; (Fuster et al) (Letter), 328; (Arulanantham and Goldstein) (Reply), 329
  insertion, method for determining depth of: Orotracheal intubation in newborn infant (Tochen) (BCLO), 1050
Tubular changes, cystic—report of patient who recovered: Congenital nephrotic syndrome (Anand et al) (BCLO), 265
Tuberculous meningitis, hydrocephalus in: Treatment with acetazolamide and repeated lumbar puncture (Visudhiphan and Chiemchanya), 657
Tumor, Wilms—adenocarcinoma of colon following treatment of (Sabio et al) (BCLO), 424
  with acquired von Willebrand disease (Noronha et al) (BCLO), 997
Twin, identical—rejection after bone marrow transplantation for aplastic anemia, followed by permanent success utilizing immunosuppression (Golembe et al) (BCLO), 569

Twin—Cont'd
liveborn, with stillborn macerated co-twin—multicystic encephalomalacia (Yoshioka et al), 798
Twinning, monozygotic, and structural defects (Schinzel et al), 921

U

Ultrasound and fetoscopy, diagnostic—prenatal assessment of arthrogryposis multiplex congenita (Miskin et al) (BCLO), 463
Doppler—noninvasive diagnosis of neonatal asphyxia and intraventricular hemorrhage by (Bada et al), 775
Uremic-hemolygic syndrome associated with pneumococcal sepsis (Moorthy and Makker) (BCLO), 558
Urinary tract infections in males (Della Porta and Biasini) (Letter), 1088; (Khan et al) (Reply), 1088
Urine cultures, isolation of *Haemophilus* in (Schuit), 565
maternal—postnatal management following prenatal diagnosis by: 3-Hydroxy-3-methylglutaryl coenzyme A lyase deficiency (Duran et al) (BCLO), 1004

V

Vaccine, trivalent oral polio, and breast-feeding (Cochrane) (Letter), 333; (Walsh and May) (Reply), 333
Valve prolapse, mitral, and ventricular arrhythmias (Brown) (Letter), 498; (Pickoff) (Reply), 499
Varicella infection—neuromyelitis optica (Devic disease) following (Chusid et al) (BCLO), 737
management of pregnant patient exposed to (Preblud et al) (Letter), 334; (Gershon) (Letter), 335; (DeNicola and Hanshaw) (Reply), 336
Vascular cotton fiber emboli, systemic, in neonate (Bavikatte et al) (BCLO), 614
disease, hypertensive pulmonary, in Down syndrome (Wilson et al), 722
effects, direct and indirect pulmonary, of tolazoline in newborn lamb (Lock et al), 600
reno-, hypertension—important cause of: Fibromuscular dysplasia of renal arteries (Makker and Moorthy), 940
Vein renin measurements, renal, in normotensive children (Gerdts et al), 953
Venous catheters, central, and hydrothorax (Belani) (Letter), 813; (Kulkarni and Dorland) (Reply), 814
Ventilatory functions of normal children and young adults—Mexican-American, white, and black. II. Wright peak flowmeter (Hsu et al), 192
Ventricular arrhythmias and mitral valve prolapse (Brown) (Letter), 498; (Pickoff) (Reply), 499
function in cystic fibrosis, noninvasive evaluation of (Chipps et al), 379
Ventricular—Cont'd
intra-, hemorrhage—full recovery from prolonged brainstem failure following (Pasternak and Volpe) (BCLO), 1046; Commentary (Behrman), 1049
and neonatal asphyxia—noninvasive diagnosis by Doppler ultrasound (Bada et al), 775
septal defect—sex difference in rates of spontaneous closure in (Cook et al) (Letter), 331; (Farina and Hook) (Reply), 332
supra-, tachycardia, intrauterine (Newburger and Keane), 780
Venulitis, cutaneous necrotizing, in cystic fibrosis (Sorter et al), 197
Virus, Epstein-Barr, and EB virus infections (Andiman), 171
infection, hepatitis B, in infants and toddlers in Nigeria: Need for early intervention (Tabor and Gerety), 647
Viscosity, increased blood, in patients with cyanotic congenital heart disease and iron deficiency (Linderkamp et al) (BCLO), 567
Vitamin E administration during acute stages of respiratory distress syndrome, prevention of bronchopulmonary dysplasia with (Ehrenkranz et al) (BPD Workshop), 873
deficiency in premature infants (Farrell) (BPD Workshop), 869
K therapy and prednisone, effect of: Hyperparathyroidism and infantile hypophosphatasia (Wolfish and Heick) (BCLO), 1079
Volume estimation for partial exchange transfusion (Landaw) (Letter), 490; (Berman et al) (Reply), 491
von Willebrand disease, acquired, with Wilms tumor (Noronha et al) (BCLO), 997

W

Wilms tumor—adenocarcinoma of colon following treatment of (Sabio et al) (BCLO), 424
with acquired von Willebrand disease (Noronha et al) (BCLO), 997
Wiskott-Aldrich syndrome, fatal arteritis as complication of (Filipovich et al) (BCLO), 742

X

Xerophthalmia, protein-calorie malnutrition, and infections (Brown et al), 651
X-linked mental retardation syndromes (Turner) (Letter), 669; (Vasquez) (Reply), 669

Z

Zinc binding in human duodenal secretions (Casey et al) (BCLO), 1008